

VICKS SINEX SEVERE VAPOCOOL ULTRA FINE MIST- oxymetazoline hydrochloride spray
Procter & Gamble Manufacturing GmbH

Vicks® Severe Sinex™ VapoCOOL CONGESTION RELIEF

Drug Facts

Active ingredient

Oxymetazoline HCl 0.05%

Purpose

Nasal decongestant

Uses

temporarily relieves

- nasal congestion due to a cold, hay fever, or other upper respiratory allergies
- sinus congestion and pressure

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland

When using this product

- **do not exceed recommended dosage**
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

- symptoms persist.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.If swallowed, get medical help or contact a Poison Control Center right away

Directions

Remove protective cap. Before using for the first time, prime the pump by firmly depressing its rim several times. Hold container with thumb at base and nozzle between first and second fingers. Without tilting your head, inset nozzle into nostril. Fully depress rim with a firm, even stroke and inhale deeply.

adults & children 6 yrs. & older (with adult supervision)	2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours.
children 2 to under 6 yrs.	ask a doctor
children under 2 yrs.	do not use

Other information

- do not exceed 25°C

Inactive ingredients

benzalkonium chloride, benzyl alcohol, citric acid anhydrous, edetate disodium, fragrance, polysorbate 80, propylene glycol, purified water, sodium citrate

Questions?

1-800-873-8276

TAMPER EVIDENT: Package sealed for your protection. Do not use if outer package is opened or blister is torn or broken.

MADE IN GERMANY

**Dist. by
Procter & Gamble,
Cincinnati OH 45202.**

PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton

VICKS®

Sinex™ SEVERE

Oxymetazoline HCl: Nasal Decongestant


ULTRA FINE MIST

CLEAR NASAL CONGESTION FAST!

12 HRS CONGESTION RELIEF

VapoCOOL™

½ FL OZ (15 mL)



TAMPER EVIDENT: Package sealed for your protection. Do not use if outer package is opened or blister is torn or broken.

Only selected information is listed on the bottle label. Keep this package for future reference.

Drug Facts

Active ingredient	Purpose
Oxymetazoline HCl 0.05%	Nasal decongestant

Uses temporarily relieves

- nasal congestion due to a cold, hay fever, or other upper respiratory allergies
- sinus congestion and pressure

Warnings

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland

When using this product

- do not exceed recommended dosage
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

- symptoms persist

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions Remove protective cap. Before using for the first time, prime the pump by firmly depressing its rim several times. Hold container with thumb at base and nozzle between first and second fingers. Without tilting your head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and inhale deeply.

adults & children 6 years & older (with adult supervision)	2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours.
children 2 to under 6 years	ask a doctor
children under 2 years	do not use

Other information

- do not exceed 25°C

Inactive ingredients benzalkonium chloride, benzyl alcohol, citric acid anhydrous, edetate disodium, fragrance, polysorbate 80, propylene glycol, purified water, sodium citrate

Questions or comments?
1-800-873-8276

MADE IN GERMANY
DST. BY PROCTER & GAMBLE, CINCINNATI OH 45202
Patents: www.pg.com/patents
www.vicks.com
91252784

See entire package for complete information. Do not use if outer package is missing or broken.

Drug Facts

Active ingredient Oxymetazoline HCl 0.05%

Purpose Nasal decongestant

Uses temporarily relieves nasal congestion due to a cold, hay fever, or other upper respiratory allergies

Warnings

- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland

When using this product

- do not exceed recommended dosage
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions Remove protective cap. Before using for the first time, prime the pump by firmly depressing its rim several times. Hold container with thumb at base and nozzle between first and second fingers. Without tilting your head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and inhale deeply.

adults & children 6 years & older (with adult supervision) 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours.

children 2 to under 6 years ask a doctor

children under 2 years do not use

Other information

- do not exceed 25°C

Inactive ingredients benzalkonium chloride, benzyl alcohol, citric acid anhydrous, edetate disodium, fragrance, polysorbate 80, propylene glycol, purified water, sodium citrate

Questions or comments?
1-800-873-8276

MADE IN GERMANY
DST. BY PROCTER & GAMBLE, CINCINNATI OH 45202
Patents: www.pg.com/patents
www.vicks.com
91252784



VICKS SINEX SEVERE VAPOCOOL ULTRA FINE MIST

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64336-173
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.0005095 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	white (Clear)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64336-173-01	1 in 1 CARTON	05/01/2020	
1		15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2020	

Labeler - Procter & Gamble Manufacturing GmbH (333608813)

Revised: 12/2025

Procter & Gamble Manufacturing GmbH