

**CVS HEALTH LIDOCAINE PAIN-RELIEVING- lidocaine
NATURAL ESSENTIALS, INC.**

Drug Facts

Active ingredient

Lidocaine 4%

Purpose

Topical Analgesic

Use

For the temporary relief of pain.

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- Do not use more than one patch in an 8 hour period. Maximum 3 patches per day.
- Rare cases of serious burns have been reported with products of this type
- Do not apply to wounds or damaged, broken or irritated skin
- Do not allow contact with the eyes and mucous membranes
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not use at the same time as other topical analgesics
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch
- **NOTE:**patches may not adhere as well to all individuals, skin types, or certain parts of the body.

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feedingask a physician before use.

Keep out of reach of children.If swallowed, get medical help or contact a Poison Control Center right away.

Directions

▪ **Adults/children 12 years and older**

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area
- once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin
- do not remove patch and reapply, this will result in the patch not sticking a avoid strenuous exercise while wearing patch, this will result in patch not sticking
- do not use more than one patch in an 8 hour period.

Children 12 years or younger:ask a doctor.

Other information

Store at room temperature - do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients

aluminum glycinate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, povidone, sodium polyacrylate, tartaric acid, titanium dioxide, water

Principal Display Panel - Carton Label

CVS

Health[®]

Compare to the active ingredients in Salonpas[®] 4% Lidocaine Gel Patch*

MAXIMUM STRENGTH

Lidocaine concentration without a prescription[†]

Lidocaine

**Pain-Relieving
Patches**

LIDOCAINE 4% GEL

**Desensitizes
aggravated nerves**

- Fast acting
- Easy to apply
- No irritation or burning

Unscented

6 ASSORTED SIZE PATCHES

2 SM 3 1/8" x 4 3/4" (8 cm x 12 cm)


2 MED 3 15/16" x 5 1/2" (10 cm x 14 cm)

2 XL 5 1/2" x 9 7/8" (14 cm x 25 cm)

Pain-relieving ointment on a breathable adhesive pad

EACH PATCH IS SEALED IN A CHILD-RESISTANT POUCH FOR SAFETY

**ASSORTED
SIZES**



Principal Display Panel - Small Patch Label

CUT OPEN POUCH AND REMOVE PATCH

CVS
Health®

Compare to the active ingredient in
Salonpas® 4% Lidocaine Gel Patch*

MAXIMUM STRENGTH

Lidocaine concentration without a prescription†

**Lidocaine
Pain-Relieving
Patch**

LIDOCAINE 4% GEL

Desensitizes aggravated nerves


- **Fast acting**
- **Easy to apply**
- **No irritation or burning**

Unscented

†Among over the counter
topical analgesics.

1 PATCH | SMALL

3 1/8" x 4 3/4" (8 cm x 12 cm)



Principal Display Panel - Medium Patch Label

CUT OPEN POUCH AND REMOVE PATCH

CVS
Health®

Compare to the active ingredient in
Salonpas® 4% Lidocaine Gel Patch*

MAXIMUM STRENGTH

Lidocaine concentration without a prescription†

Lidocaine
Pain-Relieving
Patch

LIDOCAINE 4% GEL

Desensitizes aggravated nerves

- Fast acting
- Easy to apply


- No irritation or burning

Unscented

†Among over the counter topical analgesics.

1 PATCH | MEDIUM

3 15/16" x 5 1/2" (10 cm x 14 cm)



Principal Display Panel - X Large Patch Label

CUT OPEN POUCH AND REMOVE PATCH

CVS
Health®

Compare to the active ingredient in
Salonpas® 4% Lidocaine Gel Patch*

MAXIMUM STRENGTH

Lidocaine concentration without a prescription†

**Lidocaine
Pain-Relieving
Patch**

LIDOCAINE 4% GEL

Desensitizes aggravated nerves

- Fast acting
- Easy to apply
- No irritation or burning

Unscented

† Among over the counter topical analgesics.

1 PATCH | X LARGE

5 1/2" x 9 7/8" (14 cm x 25 cm)

Glue Area

CHILD-RESISTANT POUCH SEALED FOR SAFETY
CUT HERE

CVS Health.

MAXIMUM STRENGTH
Lidocaine concentration without a prescription†

Lidocaine Pain-Relieving Patch

LIDOCAINE 4% GEL

Desensitizes aggravated nerves

- Fast acting
- Easy to apply
- No irritation or burning

Unscented



Glue Area 6mm

Glue Area

8mm

1 PATCH | X LARGE
5 1/5 IN X 9 7/8 IN
(14 cm X 25 cm)

†Among over-the-counter topical analgesics

Glue Area

CHILD-RESISTANT POUCH SEALED FOR SAFETY
CUT HERE

CVS Health.

Drug Facts

Active ingredient.....**Purpose**
Lidocaine 4%.....Topical Analgesic

Use for the temporary relief of pain.

Warnings
For external use only

Do not use ■ more than one patch on your body at a time or on cut, irritated or swollen skin ■ on puncture wounds ■ for more than one week without consulting a doctor

When using this product ■ use only as directed. Read and follow all directions and warnings on this carton. ■ Do not use more than one patch in an 8 hour period. Maximum 3 patches per day. ■ Rare cases of serious burns have been reported with products of this type ■ Do not apply to wounds or damaged, broken or irritated skin ■ Do not allow contact with the eyes and mucous membranes ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not use at the same time as other topical analgesics ■ Dispose of used patch in manner that always product to be out of reach of children and pets. ■ Used patches still contain the drug ingredient that can produce serious adverse effects if a child or pet chews or ingests this patch.

■ **NOTE:** patches may not adhere as well to all individuals, skin types, or certain parts of the body.

Stop use and ask a doctor if ■ condition worsens ■ redness is present ■ irritation develops ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding ask a physician before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions ■ **Adults/children 12 years and older** ■ clean and dry affected area ■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle ■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area ■ once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area ■ once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin ■ do not remove patch and reapply, this will result in the patch not sticking ■ avoid strenuous exercise while wearing patch, this will result in patch not sticking ■ do not use more than one patch in an 8 hour period. **Children 12 years or younger:** ask a doctor.

Other information Store at room temperature - do not exceed 86° Fahrenheit, 30° Celsius

Inactive ingredients aluminum glycinat, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, povidone, sodium polyacrylate, tartaric acid, titanium dioxide, water

Child-resistant packaging. Please read and understand the Drug Facts before using.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2024 CVS/pharmacy
CVS.com™ 1-800-SHOP CVS

Made in China
V-33548 #450467
 **100% money back guaranteed.**
CVS.com/returnpolicy

Glue Area

Glue Area

Glue Area

CVS HEALTH LIDOCAINE PAIN-RELIEVING

lidocaine kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66902-450
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:66902-450-06	1 in 1 CARTON; Type 0: Not a Combination Product	06/02/2020	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 PATCH	14 g
Part 2	2 PATCH	22 g
Part 3	2 PATCH	46 g

Part 1 of 3

CVS HEALTH LIDOCAINE PAIN-RELIEVING

lidocaine patch

Product Information

Item Code (Source) NDC:66902-270

Route of Administration TRANSDERMAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
GLYCERIN (UNII: PDC6A3C00X)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:66902-270-04	1 in 1 POUCH		
1		7 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/02/2020	

Part 2 of 3

CVS HEALTH LIDOCAINE PAIN-RELIEVING

lidocaine patch

Product Information

Item Code (Source)	NDC:66902-270
Route of Administration	TRANSDERMAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
GLYCERIN (UNII: PDC6A3C00X)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Packaging

Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66902-270-05	1 in 1 POUCH		
1		11 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/02/2020	

Part 3 of 3

CVS HEALTH LIDOCAINE PAIN-RELIEVING

lidocaine patch

Product Information

Item Code (Source)	NDC:66902-270
Route of Administration	TRANSDERMAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
GLYCERIN (UNII: PDC6A3C00X)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66902-270-06	1 in 1 POUCH		
1		23 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/02/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/02/2020	

Labeler - NATURAL ESSENTIALS, INC. (947484713)

Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech, Co., Ltd.		529128763	manufacture(66902-450, 66902-270)

Revised: 10/2024

NATURAL ESSENTIALS, INC.