

FRENNA AC- aluminum chloride solution
Dharma Research, inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

- Store at 59° - 86°F (15° - 30°C)
- Protect from freezing

Benzyl Alcohol, Distilled Water, Potassium Chloride, Propylene Glycol.

- Discontinue use if irritation appears.
- For topical application only.
- Avoid eye contact.
- Do not use in patients with a known history of hyper sensitivity to Aluminum Chloride.
- For professional use only.
- Federal law restricts this product to sale or use on the order of a dentist.

- Soak a cotton tipped applicator with Frenna AC.
- Apply to bleeding area with pressure until bleeding is stopped. Should a small dark coagulum appear, flush it away with water. This will have no effect on hemostatic action.
- Remove the impregnated cord from sulcus.
- Flush with water and dry with air. If hemostasis is not achieved, repeat application.
- Rinse with water and air dry until bleeding is no longer present.

Frenna AC is a topical astringent solution of Aluminum Chloride. Gingival retraction can be achieved using a plain gingival retraction cord moistened with Frenna AC. Stops gingival bleeding fast. If you should inadvertently damage the gingival margin during tooth preparation or while placing a strip, a band, or a cervical matrix, moisten the area with Frenna AC which will control and stop bleeding quickly. Frenna AC contains no epinephrine. The use of vasoconstrictors for gingival retractions and bleeding is potentially dangerous and should be avoided.

A plain gingival retraction cord can be dipped in Frenna AC solution and then placed into the gingival sulcus for its hemostatic action.

Manufactured by: **DHARMA** RESEARCH, INC.
WWW.DHARMARESEARCH.COM

NDC # 53045-300-30

Frenna AC

FOR TOPICAL APPLICATION
FOR PROFESSIONAL USE ONLY

CONTAINS: Aluminium Chloride 6-hydrate
25% in an aqueous vehicle with buffering agents.

CAUTION: Federal (USA) law prohibits
dispensing without a prescription.
Contains no epinephrine.

Re-order#: **60-00001**

BUFFERED HEMOSTATIC
25% ALUMINUM CHLORIDE
Solution

1fl.oz. (30ml)

MADE IN USA

Rx Only

<p>Drug Facts</p> <p>Active Ingredient Purpose 25% Aluminium Chloride.....Astringent</p> <p>Uses Frenna AC is a topical astringent solution of Aluminum Chloride. Gingival retraction can be achieved using a plain gingival retraction cord moistened with Frenna AC. Stops gingival bleeding fast. If you should inadvertently damage the gingival margin during tooth preparation or while placing a strip, a band or a cervical matrix, moist the area with Frenna AC which will control and stop bleeding quickly. Frenna AC contains no epinephrine. The use of vasoconstrictors for gingival retractions and bleeding is potentially dangerous and should be avoided. ▶</p>	<p>Uses (Continued) A plain gingival retraction cord can be dipped in Frenna AC solution and then placed into the gingival sulcus for its hemostatic action.</p> <p>Warnings <ul style="list-style-type: none"> Discontinue use if irritation appears. For topical application only. Avoid eye contact. Do not use in patients with a known history of hyper sensitivity to aluminum chloride. For professional use only. Federal law restricts this product to sale or use on the order of a dentist. </p> <p>Directions <ul style="list-style-type: none"> Soak a cotton tipped applicator with Frenna AC. Apply to bleeding area with pressure until bleeding is stopped. Should a ▶ </p>	<p>Directions (Continued) small dark coagulum appear, flush it away with water. This will have no effect on hemostatic action. <ul style="list-style-type: none"> Remove the impregnated cord from sulcus. Flush with water and dry with air. If hemostasis is not achieved, repeat application. Rinse with water and air dry until bleeding is no longer present. </p> <p>Other information <ul style="list-style-type: none"> Store at 59° – 86°F (15°-30° C). Protect from freezing. </p> <p>Inactive ingredients Benzyl Alcohol, Distilled Water, Potassium Chloride, Propylene Glycol.</p> <p>Manufactured by  <small>5120 N.W. 72 Avenue Fort 15, Miami, FL 33166 WWW.DHARMARESEARCH.COM 1-877-833-3725</small> </p>	<p>NDC # 53045-300-30</p>  <p>BUFFERED HEMOSTATIC Solution</p> <p>25% ALUMINIUM CHLORIDE</p> <p>FOR TOPICAL APPLICATION FOR PROFESSIONAL USE ONLY</p> <p> MADE IN USA </p>
---	---	---	--

FRENNAC AC

aluminum chloride solution

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:53045-300
Route of Administration	DENTAL, TOPICAL, ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALUMINUM CHLORIDE (UNII: 3CYT62D3GA) (ALUMINUM CATION - UNII:3XHB1D032B)	ALUMINUM CHLORIDE	8.75 g in 35 g	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
POTASSIUM CHLORIDE (UNII: 660YQ981I0)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
BENZYL ALCOHOL (UNII: LKG8494WBH)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53045-300-30	35 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2013	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2013	

Registrant - Dharma Research, inc. (078444642)

Establishment

Name	Address	ID/FEI	Business Operations
Dharma Research, inc.		078444642	manufacture(53045-300)

Revised: 11/2020

Dharma Research, inc.