

NOCOLD-F- acetaminophene. chlorpheniramine maleate, dextromethorphan hydrobromide liquid
Lydia Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ACETAMINOPHENE. CHLORPHENIRAMINE MALEATE, DEXTROMETHORPHAN
HYDROBROMID

First symptoms of a cold (snot, nasal stuffiness, sneeze, throat pain, cough, phlegm, chill, pyrexia, headache, arthralgia, myalgia) alleviate

Keep out of reach of children

adult and children 16 years and over: take 1 bottle per session 3 times a day after meal

children 11 to 15 years: take 2/3 bottle once a day

children 7 to 10 years: take 1/2 bottle once a day

children 3 to 6 years: take 1/3 bottle once a day

children 2 years: take 1/4 bottle once a day

under 2 years: ask a doctor

When using this product

Do not use for a period longer than 1 week

Stop use and ask a doctor if nervousness, dizziness, or sleepiness occur. Pain, nasal congestion or cough gets worse or lasts more than 7 days.

fever gets worse or lasts more than 3 days

New symptoms occur

These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children, In case of overdose, get medical help or contact a poison control center right away

SODIUM BENZOATE, CITRIC ACID MONOHYDRATE,
SODIUM CITRATE DIHYDRATE, L-SODIUM GLUTAMATE, SUGAR,
D-SORBITOL SOLUTION, DISTILLED WATER

For oral use only

NOGOLD-F
한신



runny nose/sneezing
body aches

콧물/재채기/몸살

runny nose/sneezing
/body aches

Generic medicine
Acetaminophen- Pain reliever/fever reducer
Chlorpheniramine maleate - Antihistamine
Dextromethorphan Hydrobromide - Cough Suppressant

한신
NOGOLD-F
LIQUID

30ml

for adults and children under 12 years of age
HANKOOKSHINYAK
PHARMACEUTICAL CO., LTD.

Expiration Date:

Product No.:

한신
노콜-에프

Comprehensive cold medicine

Drug Facts(continued)
Active Ingredients (in each bottle - 30ml) Purpose
Acetaminophen 200 mg - Pain reliever/fever reducer
Chlorpheniramine maleate 2.5 mg - Antihistamine
Dextromethorphan hydrobromide 15 mg - Cough suppressant

Inactive Ingredients Pueraria lobata Root Extract,
Glycyrrhiza glabra Extract, Cinnamomum cassia
Extract, Paeonia lactiflora Extract, Zingiber officinale
Extract, Jujube fruit Extract, Guaiaacil Potassium
Sulfonate, Caffeine Anhydride, Sodium Benzoate, Citric
Acid Monohydrate, Sodium Citrate Dihydrate, L-Sodium
Glutamate, Sugar, D-Sorbitol Solution, Distilled Water

Distributed by
Bio Mission Group Inc. 9925 Painter Ave
#0, Whittier, CA90605, 562-273-0692

Manufactured by
HanKook ShinYak Pharmaceutical Co., Ltd. 39-83,
Jungsan-gil, Yangcheon-myeon, Nonsan,
Chungcheongnam-do, 320850, South Korea

Question or Comments
Call +1-82-41-740-8900

*"If you have purchased an expired, altered,
deteriorated, or contaminated product, it can be
exchanged at the place of purchase."*



runny nose/sneezing
/body aches

Generic medicine
Acetaminophen- Pain reliever/fever reducer
Chlorpheniramine maleate - Antihistamine
Dextromethorphan Hydrobromide - Cough Suppressant

한신
NOGOLD-F
LIQUID

30ml

for adults and children under 12 years of age
주식회사 한신약

한신
NOGOLD-F
LIQUID

콧물/재채기/몸살

Drug Facts(continued)
If pregnant or breast-feeding, ask a health
professional before use.

Keep out of reach of children

• In case of overdose, get medical help or contact a
Poison Control Center right away. Quick medical
attention is critical for adults as well as for children
even if you do not notice any signs or symptoms.

Overdose warning Taking more than the
recommended dose (overdose) may cause
liver damage. In case of overdose, get medical help or
contact a Poison Control Center right away. Quick
medical attention is critical for adults as well as for
children even if you do not notice any signs or
symptoms.

**Store at cool temperature and dry place with a
closed container. Avoid direct sunlight.** - Store in a
container other than its original container is equivalent
to misuse. In order to prevent the reduction of drug
efficacy, keep the product in its original
container for storage.

Directions

- do not take more than the recommended dose
- adults and children 16 years and over: take 1 bottle
(30ml) per session 3 times per day after meal.
- children 11 to 15 years: take 2/3 bottle (20ml) once a
day.
- children 7 to 10 years: take 1/2 bottle (15ml) once a
day.
- children 3 to 6 years: take 1/3 bottle (10ml) once a day.
- children 2 years: take 1/4 bottle (7.5ml) once a day.
- under 2 years: ask a doctor

NOCOLD-F

acetaminophene, chlorpheniramine maleate, dextromethorphan hydrobromide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72988-0027
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	200 mg in 30 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 30 mL
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2.5 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72988-0027-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/14/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/14/2021	

Labeler - Lydia Co., Ltd. (695735569)

Registrant - Lydia Co., Ltd. (695735569)

Establishment

Name	Address	ID/FEI	Business Operations
Lydia Co., Ltd.		695735569	manufacture(72988-0027) , label(72988-0027)

Revised: 11/2021

Lydia Co., Ltd.