CLEAR CHOICE REGULAR STRENGTH PAIN RELIEVER- acetaminophen tablet Athlete's Needs, Inc.

Clear Choice Regular Strength Pain Reliever

Active Ingredient (in each tablet)

Acetaminophen 325 mg

Purposes

Pain reliever / fever reducer

Uses

temporary relief of minor aches and pains associated with

- the common cold
- headache
- toothache
- muscular aches
- backache
- minor pain of arthritis
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen, Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks ever day while using this product

Allergy alert: Acetaminophen may cause sever skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

if a skin reaction occurs, stop use and seek medical help right away.

Do not use

• with any other drug containing acetaminophen (prescription or nonprescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

user has liver disease

Ask a doctor or pharmacist before use if

the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- symptoms do not improve
- pain gets worse or lasts for more than 10 days
- pain gets worse or lasts more than 5 days in children under 12
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present
- a rare sensitivity reaction occurs
- You may report side effects to 1-888-952-0050

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) immediately.

Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Do not exceed recommended dosage.

Directions

Adults and children 12 years of age and older:

Take 2 tablets every 4 to 6 hours as needed.

Do not take more than 10 tablets in 24 hours

Children 6 to 11 years of age: Take 1 tablet every 4 to 6 hours as needed

Do not take more than 5 tablets in 24 hours

Children under 6 years of age:

Do not use this regular strenght product. this will provide more than the recommended dose (overdose) and could cause serious health problems

Other information

- store at room temperature 59°-86°F (15°-30°C)
- do not use if imprinted safety seal under cap is broken or missing

Inactive ingredients

corn starch, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Package Label

Clear Choice

Regular Strength

PAIN RELIEVER

ACETAMINOPHEN

PAIN & FEVER RELIEF

CONTAINS NO ASPIRIN

CAFFEINE FREE


Compare to Regular Strength Tylenol (R)

100 Tablets

325 mg Each

Ouestions?

Contact A.N.I. 6029 Renaissance Place, Toledo OH 43623 Manufactured for A.N.I.



This product is not manufactured or distributed by McNeil Consumer Health care, owner of the registered trademark Tylenoff Stop use and ask a doctor if ■ symptoms do not improve ■ pain gets worse or lasts for If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist asts more than 5 days in children under 12 medical attention is critical for adults as well as for children even if you do not notice any of children. In case of accidental overdos do not use if imprinted safety seal unde Ask a doctor or pharmacist before use the user is taking the blood thirming drug pregelatinized starch, sodium starch glycolate Ask a doctor before use if user has liver more than 10 days - pain gets worse or ■ new symptoms occur ■ redness fever gets worse or læts for more than or swelling is present a rare sensitivity contact a doctor or Poison Control Center Other information ■ store at room temperature 59°-86°F (15°-30°C) this regular strength product. This will provid nore than the recommended dose (overdose 1-800-222-1222) immediately. Prompt hypromellose, polyethylene glycol, povidone Children under 6 years of age: Do not use Do not exceed recommended dosage reaction occurs - You may report side Directions Adults and children 12 every 4 to 6 hours as needed. Do not take Children 6-11 years of age: Take 1 table every 4 to 6 hours as needed. Do not take cause serious health problems years of age and older: Take 2 tablets If pregnant or breast-feeding, professional before use. Keep o more than 5 tablets in 24 hours effects to 1-888-952-0050 stearic acid, titanium dioxide cap is broken or missing Orug Facts (continued signs or symptoms. and could

CLEAR CHOICE REGULAR STRENGTH PAIN RELIEVER

acetaminophen tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53185-005	
Route of Administration	ORAL			

Active Ingredient/Active Moiety Ingredient Name Basis of Strength ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 325 mg

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	10mm		
Flavor		Imprint Code	AZ 234		
Contains					

#	Item Code	Package Description	Date	Date		
1		100 in 1 BOTTLE; Type 0: Not a Combination Product	06/03/2013			
B.4	Marketing Information					
IA	iarketing i	nformation				
	Marketing I Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	Marketing	Application Number or Monograph Citation	_			

Labeler - Athlete's Needs, Inc. (619703945)

Revised: 12/2018 Athlete's Needs, Inc.