

MULTI-SYMPTOM COLD DAYTIME- acetaminophen, dextromethorphan hbr, phenylephrine hcl tablet

Valu Merchandisers Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Best Choice 44-470C

Active ingredients (in each caplet)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves these common cold and flu symptoms:
 - minor aches and pains
 - nasal congestion
 - headache
 - cough
 - sinus congestion and pressure
 - sore throat
- helps clear nasal passages
- promotes nasal and sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before using this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- liver disease
- heart disease
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- diabetes
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets every 4 hours
 - swallow whole - do not crush, chew, or dissolve
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

**COMPARE TO THE ACTIVE INGREDIENTS
IN TYLENOL® COLD MAX***

Best Choice®

Non-Drowsy
DAYTIME

Multi-Symptom Cold

ACETAMINOPHEN - Pain Reliever/Fever Reducer
Dextromethorphan HBr - Cough Suppressant
Phenylephrine HCl- Nasal Decongestant

Relieves Fever/Headache,
Sore Throat, Coughing,
Nasal Congestion

Pseudoephedrine Free

24 Cool Caplets
with Cool Blast Flavor

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Tylenol® COLD MAX.

50844 REV0718E47008


TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Best Choice

100% Guaranteed

www.bestchoicebrand.com

**PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106**



Drug Facts COMPLETE PRODUCT INFORMATION
Active ingredients
Purpose
Uses ■ temporarily relieves these common cold

Drug Facts (continued)
Uses ■ temporarily relieves these common cold

COMPARE TO THE ACTIVE INGREDIENTS
 IN **TYLENOL® COLD MAX***



Non-Drowsy DAYTIME Multi-Symptom Cold

Actual Size



ACETAMINOPHEN - Pain Reliever/Fever Reducer
Dextromethorphan HBr - Cough Suppressant
Phenylephrine HCl - Nasal Decongestant

Relieves Fever/Headache,
 Sore Throat, Coughing,
 Nasal Congestion

Pseudoephedrine Free

24 Cool Caplets with Cool Blast Flavor

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Tylenol® COLD MAX. 50844 REV0718E47008

PROUDLY DISTRIBUTED BY:
Best Choice, VALU MERCHANTISERS, CO.
 5000 KANSAS AVE
 KANSAS CITY, KS 66106

Best Choice,
 100% Guaranteed
 www.bestchoicebrand.com



BEST CHOICE

No print/No varnish
 Lot & Exp date


TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
 OPENED OR IF BULSTER UNIT IS TORN, BROKEN OR
 SHOWS ANY SIGNS OF TAMPERING

Drug Facts (continued)
 silicon dioxide, stearic acid, sucralose, talc, titanium
 dioxide
Questions or comments? 1-800-426-9391

Drug Facts (continued)
Other information ■ TAMPER EVIDENT:
 DO NOT USE IF OUTER PACKAGE IS OPENED OR
 BULSTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted
 between 15°-30°C (59°-86°F)
Inactive ingredients
 croscarmellose sodium, crospovidone, flavor,
 magnesium stearate, microcrystalline cellulose,
 polyethylene glycol, polyvinyl alcohol, povidone,
 see end flap for expiration date and lot number

Drug Facts (continued)
Do not use
 ■ with any other drug containing acetaminophen
 (prescription or nonprescription). If you are not
 sure whether a drug contains acetaminophen, ask a
 doctor or pharmacist.
 ■ If you are now taking a prescription monoamine
 oxidase inhibitor (MAOI) (certain drugs for
 depression, psychiatric or emotional conditions, or
 Parkinson's disease), or for 2 weeks after stopping
 the MAOI drug. If you do not know if your
 prescription drug contains an MAOI, ask a doctor
 or pharmacist before taking this product.
 ■ If you have ever had an allergic reaction to this
 product or any of its ingredients
Ask a doctor before use if you have
 ■ thyroid disease ■ high blood pressure
Warnings
 ■ **Sore throat warning:** If sore throat is severe, persists
 for more than 2 days, is accompanied or followed by
 fever, headache, rash, nausea, or vomiting, consult a
 doctor promptly.
 ■ **Do not use**
 ■ If a skin reaction occurs, stop use and seek medical
 help right away.
 ■ Blisters ■ rash ■ skin reddening
 reactions. Symptoms may include:
 ■ If pregnant or breast-feeding, ask a health
 professional before use.
 ■ Keep out of reach of children. In case of accidental
 overdose, get medical help or contact a Poison
 Control Center (1-800-222-1222) right away. Prompt
 medical attention is critical for adults as well as for
 children even if you do not notice any signs or
 symptoms.
Directions
 ■ do not take more than directed
 ■ adults and children 12 years and over
 ■ take 2 caplets every 4 hours
 ■ swallow whole - do not crush, chew, or dissolve
 ■ do not take more than 10 caplets in 24 hours
 ■ children under 12 years: ask a doctor
 ■ nervousness, dizziness, or sleeplessness occur
 ■ pain, nasal congestion, or cough gets worse or
 lasts more than 7 days ■ new symptoms occur
 ■ fever gets worse or lasts more than 3 days
 ■ redness or swelling is present
 ■ cough comes back or occurs with rash or headache
 ■ that lasts. These could be signs of a serious
 condition.
 ■ If pregnant or breast-feeding, ask a health
 professional before use.

B-2115-470C-080CMSR
 REV0718E47008



Best Choice 44-470C

MULTI-SYMP TOM COLD DAYTIME

acetaminophen, dextromethorphan hbr, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-470
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CROSPVIDONE (UNII: 2S7830E561)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	17mm

Flavor	MINT	Imprint Code	44;470
Contains			
Packaging			
#	Item Code	Package Description	Marketing Start Date Marketing End Date
1	NDC:63941-470-08	2 in 1 CARTON	07/15/2005
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	07/15/2005	

Labeler - Valu Merchandisers Company (868703513)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(63941-470)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(63941-470)

Revised: 10/2019

Valu Merchandisers Company