

**DG HEALTH 8 HOUR PAIN RELIEF- acetaminophen tablet, film coated,  
extended release  
Dolgenercorp, LLC**

-----  
**Dolgenercorp, LLC 8 Hour Pain Relief Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- muscular aches
- backache
- minor pain of arthritis
- toothache
- premenstrual and menstrual cramps
- headache
- the common cold
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 8 hours with water</li><li>• swallow whole; do not crush, chew, split or dissolve</li><li>• do not take more than 6 caplets in 24 hours</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	<ul style="list-style-type: none"><li>• do not use</li></ul>

**Other information**

- store at 20-25°C (68-77°F)
- **do not use if printed foil under cap is broken or missing**

- meets the requirements of USP Dissolution Test 2

### **Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

### **Questions or comments?**

**1-888-309-9030**

### **Package/Label Principal Display Panel**

DG™ |health

Compare to the active ingredient of Tylenol® 8HR

8 Hour Pain Relief

8 HOUR

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever/Fever Reducer

50 Caplets\*\* 650 mg Each

For Up to 8 Hours Relief of Minor Muscle Aches and Pain

(\*\*Capsule Shaped Tablets)

Actual Caplet Size

**DG™** health

Compare to the active ingredient of Tylenol® 8HR\*

# 8 Hour Pain Relief



Acetaminophen Extended-Release Tablets, 650 mg

**Pain Reliever/  
Fever Reducer**

For Up to 8 Hours Relief of Minor Muscle Aches and Pain



**50 Caplets\*\*  
650 mg Each**

Actual Caplet Size (\*\*Capsule Shaped Tablets)

**DG™** health

Compare to the active ingredient of Tylenol® 8HR\*

# 8 Hour Pain Relief



Acetaminophen Extended-Release Tablets, 650 mg

**Pain Reliever/  
Fever Reducer**

For Up to 8 Hours Relief of Minor Muscle Aches and Pain



**50 Caplets\*\*  
650 mg Each**

Actual Caplet Size (\*\*Capsule Shaped Tablets)

**CODE AREA**



Contains No Aspirin U.S. Patent 7,897,172

**Drug Facts**

<b>Active ingredient (in each caplet)</b>	<b>Purpose</b>
---	----------------

Acetaminophen 650 mg.....Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - muscular aches
  - backache
  - minor pain of arthritis
  - toothache
  - premenstrual and menstrual cramps
  - headache
  - the common cold
- temporarily reduces fever

**Warnings**

**Live warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Drug Facts (continued)**

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- |                                       |  |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none"> <li>■ take 2 caplets every 8 hours with water</li> <li>■ swallow whole; do not crush, chew, split or dissolve</li> <li>■ do not take more than 6 caplets in 24 hours</li> <li>■ do not use for more than 10 days unless directed by a doctor</li> </ul> |
| children under 12 years               | <ul style="list-style-type: none"> <li>■ do not use</li> </ul>   |

**Other information** ■ store at 20-25°C (68-77°F)

- do not use if printed foil under cap is broken or missing
- meets the requirements of USP Dissolution Test 2

**Drug Facts (continued)**

**Inactive ingredients** carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, polyvidone, pregelatinized starch, stearic acid, titanium dioxide

**Questions or comments?** 1-888-309-9030

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® 8HR.

DISTRIBUTED BY OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**Push & Turn Cap**

100% Satisfaction Guaranteed! (888) 309-9030

# DG HEALTH 8 HOUR PAIN RELIEF

acetaminophen tablet, film coated, extended release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-749
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	L544
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-749-71	1 in 1 CARTON	02/24/2017	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:55910-749-62	1 in 1 CARTON	03/18/2020	03/18/2020
2		24 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075077	02/24/2017	

**Labeler** - Dolgencorp, LLC (068331990)

Revised: 2/2022

Dolgencorp, LLC