FEXOFENADINE HCL AND PSEUDOEPHEDRINE HCI- fexofenadine hcl and pseudoephedrine hci tablet, extended release CVS Pharmacy

Fexofenadine HCl 60 mg and Pseudoephedrine HCI 120 mg ER Tablets USP

Active ingredient(s)

Fexofenadine HCl USP, 60 mg

Pseudoephedrine HCl USP,120 mg

Purpose

Antihistamine

Nasal decongestant

Use(s)

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- nasal congestion
- itchy, watery eyes
- itching of the nose or throat
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have difficulty swallowing

Ask a doctor before use if you have

- heart disease
- thyroid disease
- glaucoma
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids

- do not take with fruit juices (see Directions)
- the tablet coating may be seen in the stool (this is normal). Continue to take as directed (see Directions).

Stop use and ask doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- you get nervous, dizzy, or sleepless

Pregnancy/Breastfeeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contacta Poison Control Center right away.

Directions

• do not divide, crush, chew or dissolve the tablet; swallow tablet whole

adults and children 12 years of age and over	take 1 tablet with a glass of water every 12 hours on an empty stomach; do not take more than 2 tablets in 24 hours
children under 12 years of	do not use
age	
Adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if individual blister units are torn or opened
- this product meets the requirements of USP dissolution test 3.

Storage

• store between 20° to 25°C (68° to 77°F)

Inactive ingredients

corn starch, croscarmellose sodium, colloidal silicon dioxide, ferric oxide, hypromellose, kollidon SR, magnesium stearate, mannitol, powder cellulose, and triethyl citrate.

Questions or comments?

call toll-free 1-888-375-3784

Manufactured by:

Dr. Reddy's Laboratories Limited

Bachupally - 500 090 INDIA

Carton label



FEXOFENADINE HCL AND PSEUDOEPHEDRINE HCI

fexofenadine hcl and pseudoephedrine hci tablet, extended release

Product Information									
Product T ype	HUMAN OTC DRUG	Item Code (Source)	9(NDC:55111-447)						
Route of Administration	ORAL								
Active Ingredient/Active Moiety									
Ingredient Name				Basis of Strength					
FEXOFENADINE HYDRO CHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII: E6582LOH6V)FEXOFENADINE HYDROCHLORIDE					60 mg				
PSEUDO EPHEDRINE HYDRO CHLORIDE (UNII: 6 V9 V2RYJ8N) (PSEUDO EPHEDRINE PSEUDO EPHEDRINE - UNII:7CUC9 DDI9F) PSEUDO EPHEDRINE PSEUDO EPHEDRINE					120 mg				
Inactive Ingredients									
Ingredient Name				Strength					
MANNITOL (UNII: 30WL53L36A)									
POWDERED CELLULOSE (UNII: SMD1X3XO9M)									
STARCH, CORN (UNII: O8232NY3SJ)									
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)									
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)									
FERRIC OXIDE RED (UNII: 1K09F3G6	75)								

н	YPRO MEL									
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)										
P	roduct C	haracte	eristics							
Color WHITE (off white to pale yellow one layer and light red to red other layer)		yer)	Score		no score					
SI	Shape ROUND			Size		7mm				
Fl	Flavor			Imprint Code		R;195				
С	ontains									
Packaging										
#	Item (Code	Package Description	Marketing Start	Date	Marketing	End Date			
1	NDC:6984	2-249-20	4 in 1 CARTON	07/19/2019						
1			5 in 1 BLISTER PACK; Type 0: Not a Combination Product							
2	NDC:6984	2-249-30	6 in 1 CARTON	07/19/2019						
2			5 in 1 BLISTER PACK; Type 0: Not a Combination Product							
Marketing Information										
N	farketing	Categor	Application Number or Monograph Citation	Marketing Start D	Date	Marketing	End Date			
Al	NDA		ANDA076667 0	7/19/2019						

Labeler - CVS Pharmacy (062312574)

Revised: 7/2019

CVS Pharmacy