

## **DERMA FIRM EYE- acetyl tetrapeptide-5, acetyl octapeptide-3 cream** **Pella Pharmaceuticals Co. Ltd**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

### **Firm Eye**

### **Form and Presentation**

Cream: Tube 15 g

### **Purpose**

Instant Anti-Puffiness

### **Active Ingredients**

Acetyl Tetrapeptide-5

Acetyl Octapeptide-3

### **Composition**

Aqua, Sodium Silicate, Magnesium Aluminum Silicate, Butylene Glycol, Butyrospermum Parkii (Shea) Butter, Phenoxyethanol, Xanthan Gum, Ethylhexylglycerin, Caprylyl Glycol.

### **Properties**

Derma firm eye is an effective Instant Anti-Puffiness which helps to diminish eye bags and the appearance of dark circles with just one single application per day.

Its revolutionary technology immediately targets eye bags and dark circles, by using a unique combination of clay minerals and a bi-peptide complex which will lead to strong skin tightening, a decrease of fluid accumulation under the eyes and a micro-muscular pause.

Perfume, dyes and paraben free.

### **Indication**

Derma firm eye is specially formulated to address eye bags and dark circles around the delicate eye area

### **Contraindicatons**

Hypersensitivity to any of the components

## **Precautions**

- Must only be used as directed.
- Avoid excessive sun exposure.
- Do not use on damaged skin (e.g. open or infected wounds, third degree burns, acne, eczema). Only use on normal healthy, non-infected skin.
- To ensure optimal performance and to avoid dependence on the product, it is advised to allow the under-eye skin to rest a few days (4-5) after using the product daily for 4 weeks. In case of occasional use of the product there is no need for a resting period.
- Do not use if the packaging has been damaged.
- Not recommended for children under the age of 16.
- Once opened, it's advised to use the product within 3 months.

## **Precaution**

Keep out of reach of children

## **Warnings**

- For external use only.
- Avoid contact with eyes. Rinse thoroughly with water in the event of contact with the eyes.
- Discontinue use if irritation (redness, pain, etc.) occurs. If skin irritation occurs, consult your physician if the symptoms persist for more than 48 hr.

## **Pregnancy**

Not recommended for pregnant women

## **Lactation**

Not recommended for breastfeeding women

## **Interactions**

Oil-based makeup may reduce the effectiveness of the product

## **Side effects**

Irritation (redness, pain, etc.) can occur

## **Dosage and administration**

1. Wash your face gently and pat dry.
2. Apply an eye moisturizer (non-oil based) and wait for a minute or two so it can be completely absorbed into the skin.

- 3.** Squeeze out a small amount of product on your fingertip. You should aim for the size of a grain of rice; any less will be not enough, and any more is generally too much and won't be fully absorbed into the skin or could cause sensitivity.
- 4.** Rub the product between your 2 index fingers for 5 – 10 seconds. Make sure there is still enough cream between the fingers. In case it doesn't feel wet anymore, take a small amount on your fingertip again.
- 5.** Gently apply the cream on your entire under eye area, and smooth it out from the inside to the outside with one finger. Blend in using a light gentle sweeping motion until the cream completely absorbs into the skin.
- 6.** Remain expressionless for 2-3 minutes while the product dries to achieve dramatic results (fanning will accelerate the process). Simply tissue off the excess of cream with a bit of water if too much cream is applied. Wash hands and close the tube after use.

**To Remove:** Cleanse applied area with water and pat dry.

### **For under make up:**

First, apply your usual products (eye serum, daily moisturizer, etc.) and allow time for these products to penetrate the layers of your skin (a minute or two). Then you can apply a very thin layer of derma firm eye to the targeted area as instructed.

Once the product has dried, apply your makeup as usual.

If you see a white residue you have either used too much product or did not use moisturizer. Simply tissue off the white residue with a bit of water.

- Only use once a day. Do not use the product continuously for more than 4 weeks.
- The effects will last anywhere from 8 – 10 hours on average, without makeup the effects can last longer.


### **Storage Condition**

Store below 30 °C

### **Primary Package**

	<b>I</b>
  <p>Firm Eye Cream Instant Anti Puffiness Anti Poches Instantanée كريم للتخفيف من الانتفاخ تحت العينين Paraben Free</p>	<p><b>HOW TO USE:</b> Squeeze out a small amount of product on your fingertip. Rub the product between your 2 index fingers for 5 - 10 seconds, gently apply the cream on your entire under eye area, and smooth it out from the inside to the outside with one finger. Blend in using a light gentle sweeping motion until the cream completely absorbs into the skin. Store below 30 °C.</p> <p><b>طريقة الاستخدام:</b> اخذ كمية صغيرة من المنتج على إصبعك ثم افرك المنتج بين أصابعك لمدة 5 - 10 ثواني، ثم رطب الكريم برفق على المنطقة تحت العينين، ثم رطب من الداخل إلى الخارج باستخدام إصبع واحد وانظره برفق حتى يتم امتصاص الكريم بشكل تام.</p> <p><b>الاحتياطات:</b> - لا تستخدم المنتج فقط - تجنبه عند تلامس العينين - تجنبه إذا كنت الحامل - في حالة حدوث تهيج توقف عن استخدامه فوراً.</p> <p><b>صنع في الأردن</b> <b>MANUFACTURED BY</b> Pella Pharmaceuticals Co. Ltd. Jordan www.dermapharma.jo</p>  <p>15g</p>

## Secondary Package



## DERMA FIRM EYE

acetyl tetrapeptide-5, acetyl octapeptide-3 cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82160-610
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of	Strength
-----------------	----------	----------

Ingredient Name	Strength	Strength
<b>ACETYL TETRAPEPTIDE-5</b> (UNII: Y1DFQ308G8) (ACETYL TETRAPEPTIDE-5 - UNII:Y1DFQ308G8)	ACETYL TETRAPEPTIDE-5	0.0075 mg in 15 g
<b>ACETYL OCTAPEPTIDE-3</b> (UNII: 8K14HJF88S) (ACETYL OCTAPEPTIDE-3 - UNII:8K14HJF88S)	ACETYL OCTAPEPTIDE-3	0.00375 mg in 15 g

### Inactive Ingredients

Ingredient Name	Strength
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>SODIUM SILICATE</b> (UNII: IJF18F77L3)	
<b>MAGNESIUM ALUMINUM SILICATE</b> (UNII: 6M3P64V0NC)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82160-610-01	1 in 1 CARTON	09/13/2020	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2020	

**Labeler** - Pella Pharmaceuticals Co. Ltd (562370925)

Revised: 11/2021

Pella Pharmaceuticals Co. Ltd