

SODIUM CHLORIDE- sodium chloride solution/ drops
Walgreen Company

Walgreens Sodium Chloride Ophthalmic Solution

**Walgreen's Sodium Chloride Ophthalmic
Solution, 5% Hypertonicity Eye Drops 15mL
NDC 0363-0193-13**

Drug Facts

Active ingredient

Sodium Chloride 5%

Purpose

Hypertonicity Agent

Use

- For the temporary relief of corneal edema.

Warnings

For use in the eyes only

Save box for complete information

Do not use

- except under the advice and supervision of a doctor.
- if solution changes color or becomes cloudy.

When using this product

- keep tightly closed.
- to avoid contamination, do not touch tip of container to any surface.
- replace cap immediately after each use.
- this product may cause temporary burning and irritation on being instilled into the eye.

Stop use and ask a doctor if

- you experience eye pain.
- changes in your vision occur.
- continued redness or irritation of the eye persists.

- condition worsens or persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- instill 1 or 2 drops in the affected eye(s) every 3 to 4 hours, or as directed by a doctor.

Other information

- replace cap after using and keep tightly closed.
- store at 15° to 30°C (59° to 86°F).
- remove contact lenses before using.

Inactive ingredients

Boric Acid, Hypromellose, Methylparaben, Propylene Glycol, Propylparaben, Sodium Borate, and Water for injection. Sodium Hydroxide and/or Hydrochloric Acid may be added to adjust pH.

Questions?

- 1-800-925-4733 • 9am – 5pm EST Monday - Friday

PRINCIPAL DISPLAY PANEL

Walgreens

NDC 0363-0193-13

Sodium Chloride

Ophthalmic

Solution, 5%

Hypertonicity

Eye Drops

0.5 FL OZ (15 mL)

Walgreens

Sodium Chloride Ophthalmic Solution, 5% Hypertonicity Eye Drops

NDC 0363-0193-13

Walgreens



Compare to the active ingredient in Muro 128® Hypertonicity Ophthalmic Solution, 5%^{††}

Sodium Chloride Ophthalmic Solution, 5% Hypertonicity Eye Drops

- For temporary relief of corneal edema
• Sterile



0.5 FL OZ (15 mL)

FILL LINE

ACTUAL SIZE

Drug Facts (continued)

*May contain one or more of these ingredients to adjust pH.

Questions?

1-800-925-4733
Monday thru Friday
8:30am- 5:00pm EST

Made in Jordan. DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015-1000
SATISFACTION GUARANTEED walgreens.com
©2023 Walgreen Co.



Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
†† This product is not manufactured or distributed by Bausch & Lomb, owner of the registered trademark Muro 128® Hypertonicity Ophthalmic Solution, 5%.



DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING

Drug Facts

Table with 2 columns: Active ingredient (Sodium chloride 5%) and Purpose (Hypertonicity agent)

Use
• For the temporary relief of corneal edema.

Warnings
For use in the eyes only
Save box for complete information
Do not use
• Except under the advice and supervision of a doctor.
• If solution changes color or becomes cloudy.

When using this product
• Keep tightly closed.
• To avoid contamination, do not touch tip of container to any surface.
• Replace cap immediately after each use.
• This product may cause temporary burning and irritation on being instilled into the eye.

Stop use and ask a doctor if
• You experience eye pain. • Changes in your vision occur. • Continued redness or irritation of the eye persists. • Condition worsens or persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Instill 1 or 2 drops in the affected eye(s) every 3 to 4 hours, or as directed by a doctor.

Other information
• Replace cap after using and keep tightly closed.
• Store at 15° to 30° C (59° to 86° F).
• Remove contact lenses before using.

Inactive ingredients
Boric acid, calcium chloride, hydrochloric acid*, magnesium chloride, potassium chloride, purified water, sodium borate, sodium chloride, sodium hydroxide*. Stabilized Oxychloro Complex 2.5%.

Walgreens

VOID AQUEOUS

DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING

Drug Facts

Active ingredient Sodium Chloride 5%**Purpose** Hypertonicity Agent

Use

- For the temporary relief of corneal edema.

Warnings

For use in the eyes only

Save box for complete information

Do not use

- Except under the advice and supervision of a doctor.
- If solution changes color or becomes cloudy.

When using this product

- Keep tightly closed.
- To avoid contamination, do not touch tip of container to any surface.
- Replace cap immediately after each use.
- This product may cause temporary burning and irritation on being instilled into the eye.

Stop use and ask a doctor if

- You experience eye pain.
- Changes in your vision occur.
- Continued redness or irritation of the eye persists.
- Condition worsens or persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Instill 1 or 2 drops in the affected eye(s) every 3 to 4 hours, or as directed by a doctor.

Other information

- Replace cap after using and keep tightly closed.
- Store at 15° to 30° C (59° to 86° F).
- Remove contact lenses before using.

Drug Facts (continued)

Inactive ingredients

Boric Acid, Hypromellose, Methylparaben, Propylene Glycol, Propylparaben, Purified Water and Sodium Borate. Sodium Hydroxide and/or Hydrochloric Acid may be added to adjust pH.

Questions or comments?

- 1-800-925-4733

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com ©2020 Walgreen Co.



Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
This product is not manufactured or distributed by Bausch & Lomb, owner of the registered trademark Muro 128® Hypertonicity Ophthalmic Solution, 5%.

Walgreens

Compare to Muro 128®
Hypertonicity Ophthalmic
Solution, 5% active ingredient††

NDC 0363-0193-13

Sodium Chloride Ophthalmic Solution, 5% Hypertonicity Eye Drops

- For temporary relief of corneal edema
- Sterile



0.5 FL OZ (15 mL)



ACTUAL SIZE



W10439

VOID AQUEOUS

ORG0220-F

Ini0120
R0120

no varnish

Walgreens

Sodium Chloride Ophthalmic Solution, 5% Hypertonicity Eye Drops

NDC 0363-0193-13

- For temporary relief of corneal edema
- Sterile

0.5 OZ (15 mL)

DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING

Drug Facts

Active ingredient**Purpose**

Sodium Chloride 5%Hypertonicity Agent

Use: for the temporary relief of corneal edema.

Warnings: For use in the eyes only

Save outer carton for complete drug information.

Keep this and all drugs out of the reach of children.

Directions: instill 1 or 2 drops in the affected eye(s) every 3 to 4 hours, or as directed by a doctor.

Other information: Remove contact lenses before using. Store at room temperature 15° to 30°C (59° to 86°F).

Inactive ingredients: See outer carton.

Questions? 1-800-925-4733

W10439 Made in Jordan. DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION
GUARANTEED Walgreens.com ©2023 Walgreen Co.

ITEM 662718 W00000-0000-0 W3ORG0821-F2
Ini0120 R0123

no varnish

Walgreens

NDC 0363-0193-13

**Sodium Chloride
Ophthalmic Solution,
5% Hypertonicity
Eye Drops**

- For temporary relief of corneal edema
- Sterile

0.5 OZ (15 mL)

DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING

Drug Facts

Active ingredient: Sodium Chloride 5%
Purpose: Hypertonicity Agent

Use: for the temporary relief of corneal edema.

Warnings: For use in the eyes only
Save outer carton for complete drug information.
Keep this and all drugs out of the reach of children.

Directions: instill 1 or 2 drops in the affected eye(s) every 3 to 4 hours, or as directed by a doctor.

Other information: Remove contact lenses before using. Store at room temperature 15° to 30°C (59° to 86°F).

Inactive ingredients: See outer carton.

Questions? 1-800-925-4733

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015 W10439
100% SATISFACTION GUARANTEED
Walgreens.com ©2020 Walgreen Co. Init1.20 R01.20
ITEM 662718 YW0000-0000-01 - QRG0220.F

SODIUM CHLORIDE

sodium chloride solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0193
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
HYDROCHLORIC ACID (UNII: QTT17582CB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0193-13	1 in 1 BOX	04/01/2019	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a		

Combination Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	04/01/2019	

Labeler - Walgreen Company (008965063)

Revised: 11/2025

Walgreen Company