

**ADVIL PM- DIPHENHYDRAMINE CITRATE AND IBUPROFEN TABLET, COATED-**  
**advil pm tablet, coated**  
**Lil Drug Store Products, Inc**

-----  
**ADVIL PM- diphenhydramine citrate and ibuprofen tablet, coated**

***Drug Facts***

***Drug Facts***

***Active Ingredient (in each tablet)***

Diphenhydramine citrate 38 mg

Ibuprofen 200 mg **(NSAID)\***

\*nonsteroidal anti-inflammatory drug

***Purpose***

Nighttime sleep-aid

Pain reliever

***Uses***

- for relief of occasional sleeplessness when associated with minor aches and pains
- helps you fall asleep and stay asleep

***Warnings***

**Allergy alert**

**Allergy alert:**

Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

**Stomach bleeding warning:**

### **Stomach bleeding warning:**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

### **Heart attack and stroke warning:**

NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

### **Do not use**

### **Do not use**

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- unless you have time for a full night's sleep
- in children under 12 years of age
- right before or after heart surgery
- with any other product containing diphenhydramine, even one used on skin
- if you have sleeplessness without pain

### **Ask a doctor before use if**

### **Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have problems or serious side effects from taking pain relievers or fever reducers
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke
- you are taking a diuretic
- you have a breathing problem such as emphysema or chronic bronchitis
- you have glaucoma
- you have trouble urinating due to an enlarged prostate gland

### **Ask a doctor or pharmacist before use if you are**

### **Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers, or any other sleep-aid
- under a doctor's care for any continuing medical illness
- taking any other antihistamines
- taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin

- taking any other drug

### **When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery
- take with food or milk if stomach upset occurs

### **Stop use and ask a doctor if**

### **Stop use and ask a doctor if**

- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- you have symptoms of heart problems or stroke:
  - chest pain
  - trouble breathing
  - weakness in one part or side of body
  - slurred speech
  - leg swelling
- pain gets worse or lasts more than 10 days
- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- redness or swelling is present in the painful area
- any new symptoms appear

### **If pregnant or breast-feeding,**

### **If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use ibuprofen at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

### **Keep out of reach of children.**

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- **do not take more than directed**
- adults and children 12 years and over: take 2 caplets at bedtime
- do not take more than 2 caplets in 24 hours

## **Other Information**

- read all warnings and directions before use. Keep carton.
- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

## **Inactive Ingredients**

calcium stearate, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C blue no. 2 aluminum lake, glyceryl dibehenate, hypromellose, lactose monohydrate, microcrystalline cellulose, pharmaceutical ink, polydextrose, polyethylene glycol, pregelatinized starch, sodium lauryl sulfate, sodium starch glycolate, stearic acid, titanium dioxide

## **QUESTIONS OR COMMENTS?**

Call weekdays 9 AM to 5 PM EST at 1-800-88-ADVIL

## **PRINCIPAL DISPLAY PANEL**

### **Advil PM**

Ibuprofen, 200 mg /  
Diphenhydramine citrate, 38 mg  
Pain Reliever (**NSAID**)/  
Nighttime Sleep-Aid

2 Coated Caplets\*

\* Capsule-Shaped Tablets

**Advil<sup>®</sup> PM**

Ibuprofen, 200 mg / Diphenhydramine citrate, 38 mg  
Pain Reliever (**NSAID**) / Nighttime Sleep-Aid

Advil PM *Caplets*

**2 Coated Caplets\***  
\*Capsule-Shaped Tablets


**PRINCIPAL DISPLAY PANEL**

**Advil PM**

Ibuprofen, 200 mg /  
Diphenhydramine citrate, 38 mg  
Pain Reliever (**NSAID**)/  
Nighttime Sleep-Aid

4 Coated Caplets\*

\* Capsule-Shaped Tablets




## PRINCIPAL DISPLAY PANEL

### Advil PM

Ibuprofen, 200 mg /  
Diphenhydramine citrate, 38 mg  
Pain Reliever (**NSAID**)/  
Nighttime Sleep-Aid

6 Coated Caplets\*

\* Capsule-Shaped Tablets



## PRINCIPAL DISPLAY PANEL

### Advil PM

Ibuprofen, 200 mg /  
Diphenhydramine citrate, 38 mg  
Pain Reliever (**NSAID**)/  
Nighttime Sleep-Aid

### Coated Caplets\*

\* Capsule-Shaped Tablets

- **For relief of occasional sleeplessness when associated with minor aches and pains**
- **Helps you fall asleep and stay asleep**

See full Drug Facts information  
on the side and back of this dispenser  
30 PACKETS OF 2 COATED CAPLETS\*

\*Capsule-Shaped Tablets

**Advil<sup>®</sup> PM**

Ibuprofen, 200 mg /  
Diphenhydramine citrate, 38 mg  
Pain Reliever (NSAID)/  
Nighttime Sleep-Aid

*Coated Caplets\**  
\*Capsule-Shaped Tablets

✓ For relief of occasional sleeplessness when associated with minor aches and pains

✓ Helps you fall asleep and stay asleep

See full Drug Facts information on the side and back of this dispenser

**30 PACKETS OF 2 COATED CAPLETS\***  
\*Capsule-Shaped Tablets

## **CVP 4 Count Carton**

### **Advil PM**

Ibuprofen, 200 mg /  
Diphenhydramine citrate, 38 mg  
Pain Reliever (**NSAID**)/  
Nighttime Sleep-Aid


**4 Coated Caplets\***

**\* Capsule-Shaped Tablets**



CVP

HEALTH



## ADVIL PM- DIPHENHYDRAMINE CITRATE AND IBUPROFEN TABLET, COATED

advil pm tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:29485-7088
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE CITRATE</b> (UNII: 4OD433S209) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE CITRATE	38 mg
<b>IBUPROFEN</b> (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	

<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>GLYCERYL DIBEHENATE</b> (UNII: R8WTH25YS2)
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	15mm
<b>Flavor</b>		<b>Imprint Code</b>	Advil;PM
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-7088-4	2 in 1 BLISTER PACK	08/31/2011	01/23/2026
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021394	08/31/2011	01/23/2026

## ADVIL PM- DIPHENHYDRAMINE CITRATE AND IBUPROFEN TABLET, COATED

advil pm tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:29485-7937
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE CITRATE</b> (UNII: 4OD433S209) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE CITRATE	38 mg
<b>IBUPROFEN</b> (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>GLYCERYL DIBEHENATE</b> (UNII: R8WTH25YS2)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	15mm
<b>Flavor</b>		<b>Imprint Code</b>	Advil;PM
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-7937-6	3 in 1 BLISTER PACK	02/06/2017	11/07/2025
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021394	02/06/2017	11/07/2025

**ADVIL PM- DIPHENHYDRAMINE CITRATE AND IBUPROFEN TABLET,**

# COATED

advil pm tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:29485-7008
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE CITRATE</b> (UNII: 4OD433S209) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE CITRATE	38 mg
<b>IBUPROFEN</b> (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>GLYCERYL DIBEHENATE</b> (UNII: R8WTH25YS2)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	15mm
<b>Flavor</b>		<b>Imprint Code</b>	Advil;PM
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-7008-3	30 in 1 BOX	04/24/2017	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021394	04/24/2017	

## ADVIL PM- DIPHENHYDRAMINE CITRATE AND IBUPROFEN TABLET, COATED

advil pm tablet, coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29485-6644
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE CITRATE</b> (UNII: 4OD433S209) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE CITRATE	38 mg
<b>IBUPROFEN</b> (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>GLYCERYL DIBEHENATE</b> (UNII: R8WTH25YS2)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

### Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	15mm

<b>Flavor</b>		<b>Imprint Code</b>	Advil;PM	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-6644-2	1 in 1 BLISTER PACK	03/11/2010	11/16/2025
1		2 in 1 POUCH; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA021394	03/11/2010	11/16/2025	

## ADVIL PM- DIPHENHYDRAMINE CITRATE AND IBUPROFEN TABLET, COATED

advil pm tablet, coated

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:29485-6533
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>DIPHENHYDRAMINE CITRATE</b> (UNII: 4OD433S209) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE CITRATE	38 mg	
<b>IBUPROFEN</b> (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg	
<b>Inactive Ingredients</b>			
Ingredient Name	Strength		
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)			
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)			
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)			
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)			
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)			
<b>GLYCERYL DIBEHENATE</b> (UNII: R8WTH25YS2)			
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)			
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)			
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)			
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)			
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)			

**MICROCRYSTALLINE CELLULOSE** (UNII: OP1R32D61U)

**CARNAUBA WAX** (UNII: R12CBM0EIZ)

**STEARIC ACID** (UNII: 4ELV7Z65AP)

**SODIUM STARCH GLYCOLATE TYPE A POTATO** (UNII: 5856J3G2A2)

**HYPROMELLOSE, UNSPECIFIED** (UNII: 3NXW29V3WO)

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	15mm
<b>Flavor</b>		<b>Imprint Code</b>	Advil;PM
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-6533-4	2 in 1 CARTON	08/25/2017	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021394	08/25/2017	

**Labeler** - Lil Drug Store Products, Inc (093103646)

Revised: 12/2024

Lil Drug Store Products, Inc