

UDDERDINE 502- iodine solution
Empire Repair Services, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Udderdine 502

IODINE TEAT DIP OR SPRAY

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS

NOT FOR HUMAN USE

FOR EXTERNAL USE ONLY

USE AT FULL STRENGTH

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry. Note: if solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

CAUTION

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician. Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

STORAGE: Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET

Emergency no. Only/No. d'urgence Seulement/No. de Emergencia Solo: (ChemTel, Inc) (1-800-255-3924) or (+01-813-248-0585) International



Udderdine™ 502



**IODINE TEAT DIP
OR SPRAY**

Helps reduce the spread of organisms which may cause Mastitis

**USE DIRECTIONS
NOT FOR HUMAN USE
FOR EXTERNAL USE ONLY
USE AT FULL STRENGTH**

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry.
Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not reuse unused product to original container.

Active Ingredient (Iodine 0.5%)
Emollients 2%

**SOLUTION DE
TREMPEGE POUR
TRAYONS IODÉE OU
VAPORISATEUR**

Aide à réduire la prolifération des organismes pouvant causer la mammite.

**MODE D'EMPLOI
NE PAS EMPLOYER SUR L'HUMAIN
POUR L'USAGE EXTERNE SEULEMENT
UTILISER A POUVOIR MAXIMAL**

PRÉ-TRAITER: Avant la traite, trempez ou vaporisez individuellement les trayons avec le produit. Essuyez les trayons après l'application, à l'aide d'une serviette à usage unique, afin d'éviter la contamination du lait.

POST-TREMPER: Après la traite, tremper ou pulvériser le trayon au complet avec ce produit. Laisser sécher à l'air.
Note : Si la solution dans le gobelet à trayon devient visiblement sale, remplacer avec une solution fraîche. Ne retourner jamais au récipient original.

Ingredients Actifs (Iode 0.5%)
Émollients 2%

**SELLADOR DE YODO
O SPRAY**

Reduce the propagation of organisms que puedan causar la Mastitis

**DIRECCIONES DE USO
NO PARA USO HUMANO
PARA USO EXTERNO SOLAMENTE
UTILÍCELO SIN DILUIR**

PRE-SELLADO: Antes de ordeñar, selle o spray completamente el pechón con este producto. Limpie y seque el pechón después de aplicar este producto con una toalla para prevenir la contaminación de le leche.

POST-SELLADO: Después de ordeñar, spray o selle completamente el pechón con este producto. Deje que seque al aire libre.
Nota: Si la solución en la copa se ve visiblemente sucia, reemplazela con una nueva mezcla de este producto. No reutilice el producto sin usar a los contenedores originales.

Ingredientes Activos (Yodo 0.5%)
Emolientes 2%

BouMatic Po Box 8050 Madison, Wisconsin 53708 www.boumatic.com

#1070 P.010/011

01/09/2007 08:45

UDDERDINE 502

iodine solution

Product Information

Product Type

OTC ANIMAL DRUG

Item Code (Source)

NDC:28868-1103

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Iodine	1 L in 100 L

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:28868-1103-6	1041 L in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/19/2009	

Labeler - Empire Repair Services, LLC (830798950)**Establishment**

Name	Address	ID/FEI	Business Operations
Empire Repair Services, LLC		830798950	manufacture

Revised: 12/2010

Empire Repair Services, LLC