

**TRIPLE ANTIBIOTIC- polymyxin b sulfate,neomycin sulfate,bacitracin zinc,lidocaine hydrochloride ointment  
Shandong Ruian Pharmaceutical Co.,Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
POLYMYXIN B SULFATE;  
NEOMYCIN SULFATE;  
BACITRACIN ZINC;  
LIDOCAINE HYDROCHLORIDE

First aid antibiotic  
External analgesic

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

For external use only

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body
- deep or puncture wounds
- animal bites
- serious burns

If swallowed, get medical help or contact a Poison Control Center right away.

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

store at 10°C-30°C

petrolatum

NDC: 82199-531-13 14.2 g in 1 TUBE

# Triple Antibiotic

FOR KIDS  
AGES 2+

- Soothing Infection Protection
- Maximum Strength Pain Relief



Soothes Cuts  
Scrapes and Burns

+ PAIN RELIEF OINTMENT

**GRANTHEAL**  
COMPOUND POLYMYXIN B OINTMENT

NET WT. 1 oz (14.2g)

RUIAN PHARMACEUTICAL

+ PAIN RELIEF OINTMENT  
**GRANTHEAL**  
COMPOUND POLYMYXIN B OINTMENT

Distributed by:  
**Shandong Ruyan Pharmaceutical Co., Ltd.**  
No.4, Taihuo West Road, Jiali Street, Jiyang  
District, Jinan, Shandong

The paperboard of this carton is made from 100% recycled paper fiber. Average 35% post-consumer content.



The makers of GRANTHEAL do not make store brand products. The trade dress of this GRANTHEAL package is subject to trademark protection.



LOT&EXP.

<p><b>Drug Facts (continued)</b></p> <p><b>Active ingredients (in each gram)</b></p> <p>Polymyxin B sulfate (50000u) Neomycin sulfate (500umg) Erythromycin (500umg) Lidocaine hydrochloride (2mg)</p> <p><b>Purpose</b></p> <p>First aid antibiotic First aid antibiotic First aid antibiotic</p> <p><b>Uses</b></p> <p>First aid to help prevent infection and for the temporary relief of pain in minor: • cuts • scrapes • burns • surgical wound</p> <p><b>Warnings</b> For external use only.</p> <p><b>Do not use</b></p> <p>• if you are allergic to any of the ingredients • in the eyes • over large areas of the body • if a doctor has ever told you have • deep or puncture wounds • animal bites • or serious burns</p> <p>Stop use and ask a doctor if: • You need to use longer than 1 week</p>	<p><b>Drug Facts</b></p> <p><b>Directions</b></p> <p>• Adults and children 2 years of age and older: • Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 2 to 4 times daily • Leave the affected area • Contact your doctor if symptoms do not improve within a few days • Symptoms persist for more than 1 week, or clear up and occur again</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Other information</b></p> <p>• Store at 20°C-25°C • Children under 2 years of age ask a doctor • and 5 days as a course of treatment</p> <p><b>Inactive ingredient</b></p> <p>paraffinum liquidum,olive vaseline Aluminum medicinal ointment base</p>
---	--

NDC: 82199-531-14 28.3 g in 1 TUBE



## TRIPLE ANTIBIOTIC

polymyxin b sulfate,neomycin sulfate,bacitracin zinc,lidocaine hydrochloride ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82199-531
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	500 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3500 [USP'U] in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82199-531-13	14.2 g in 1 TUBE; Type 0: Not a Combination Product	11/18/2021	
2	NDC:82199-531-14	28.3 g in 1 TUBE; Type 0: Not a Combination Product	11/18/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	11/18/2021	

**Labeler** - Shandong Ruian Pharmaceutical Co.,Ltd. (723845363)

Revised: 11/2021

Shandong Ruian Pharmaceutical Co.,Ltd.