NASAL DECONGESTANT PE MAXIMUM STRENGTH- phenylephrine hcl tablet, film coated L.N.K. International, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sound Body 44-453

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

SOUND**BODY**TM

*Compare to the active ingredient in Sudafed PE® Congestion

NDC 50844-444-07

MAXIMUM STRENGTH

Nasal Decongestant

PE

Phenylephrine HCl 10 mg, Nasal Decongestant

Relieves Sinus Pressure and Congestion

Non-Drowsy

36 TABLETS

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed PE® Congestion.

50844 REV0118C45307

Distributed by **LNK INTERNATIONAL, INC.** 60 Arkay Drive, Hauppauge, NY 11788 USA V#733000 Item#022745307BLBX



MAXIMUM STRENGTH

Nasal Decongestant PE

Phenylephrine HCl 10 mg, Nasal Decongestant



henylephrine HCl 10 mg, Nasal Decongestant Vasal Decongestant P AXIMUM STRENGTH



*Compare to the active ingredient in Sudafed PE Congestion

NDC 50844-444-07

MAXIMUM STRENGTH

Nasal Decongestant

Phenylephrine HCl 10 mg, Nasal Decongestant

Relieves Sinus Pressure and Congestion Non Drowsy

36 TABLETS

Actual Size

ANY SIGNS OF TAMPERING ONIL IS TORN, BROKEN OR SHOWS PACKAGE IS OPENED OR IF BLISTER TAMPER EVIDENT: DO NOT USE IF

60 Arkay Drive, Hauppauge, NY 11788 V#733000 ITEM#022745307BLBX Distributed by LNK INTERNATIONAL, INC.

Johnson Corporation, owner of the registered trademark Sudated PE® Congestion. $60844~{\rm REV0118C46307}$ *This product is not manufactured or distributed by Johnson &

Questions or comments? 1-800-426-9391

citrate dihydrate, titanium dioxide cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium lecitnin, magnesium stearate, maitodextrin, microcrystalline monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, Inactive ingredients croscarmellose sodium, dextrose

■ see end flap for expiration date and lot number

(±.98-.69) ■ store at 25°C (77°F); excursions permitted between 15°-30°C

OPENED OR BLISTER IS TORN OR BROKEN ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Other information

> ■ cyilquen nuget 12 years: ask a doctor hours. Do not take more than 6 tablets in 24 hours.

■ squits and children 12 years and over: take 1 tablet every 4 Directions

help or contact a Poison Control Center (1-800-222-1222) right Keep out of reach of children. In case of overdose, get medical

If pregnant or breast-feeding, ask a health professional before

Drug Facts (continued)

- shubtoms do not improve within 7 days or occur with fever
 - netvousness, dizziness, or sleeplessness occur

Stop use and ask a doctor if

When using this product do not exceed recommended dosage.

- quiticulty in unination due to enlargement of the prostate gland
 - thyroid disease high blood pressure
 - diabetes ■ heart disease

Ask a doctor before use if you have

before taking this product. prescription drug contains an MAOI, ask a doctor or pharmacist after stopping the MAOI drug. If you do not know if your or emotional conditions, or Parkinson's disease), or for 2 weeks oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric Do not use if you are now taking a prescription monoamine

- temporarily relieves sinus congestion and pressure hay fever or other upper respiratory allergies
- temporarily relieves nasal congestion due to the common cold,

Nasal decongestant Purpose

Phenylephrine HCI 10 mg Active ingredient (in each tablet)

COMPLETE PRODUCT INFORMATION KEEP OUTER PACKAGE FOR Drug Facts

Sound Body 44-453

NASAL DECONGESTANT PE MAXIMUM STRENGTH

phenylephrine hcl tablet, film coated

No Print/No varnish Area Lot and Exp Date

B-0227-453-07-R REV0118C45307





Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50844-444
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHO SPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679 OBS 311)	
TRISO DIUM CITRATE DIHYDRATE (UNII: B22547B95K)	

Product Characteristics			
Color	RED	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:50844-444-07	2 in 1 CARTON	01/14/2005			
1	18 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH FINAL	part341	01/14/2005			

Labeler - L.N.K. International, Inc. (038154464)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(50844-444)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(50844-444)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(50844-444)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(50844-444)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(50844-444)

Revised: 5/2020 L.N.K. International, Inc.