LORATADINE- loratadine tablet Granules Pharmaceuticals Inc.
Loratadine Tablets, 10 mg
ACTIVE INGREDIENT(S)
Loratadine 10 mg
PURPOSE
Antihistamine
USE(S)
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
🛮 runny nose
□ sneezing
□ itchy, water eyes
□ itching of the nose or throat
WARNINGS
DO NOT USE
if you have ever had an allergic reaction to this product or any of its ingredients
ASK A DOCTOR BEFORE USE IF

you have liver or kidney disease. Your doctor should determine if you need a different dose.

WHEN USING THIS PRODUCT

do not take more than directed. Taking more than directed may cause drowsiness.

STOP USE AND ASK DOCTOR IF

an allergic reaction to this product occurs. Seek medical help right away.

PREGNANCY/BREASTFEEDING

ask a health professional before use

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken

STORAGE

store between 20° to 25°C (68° to 77°F)

INACTIVE INGREDIENTS

Lactose monohydrate, magnesium stearate, sodium starch glycolate and starch maize pregelatinized

QUESTIONS OR COMMENTS

Contact 1-877-770-3183: Mon-Fri 8:00 AM EST to 5:00 PM PST.

PRINCIPAL DISPLAY PANEL-Container Label

NDC 70010-162-03
**Compare to the active ingredient in Claritin®

NON-DROWSY*


Loratadine Tablets, USP 10 mg Antihistamine

Indoor & Outdoor Allergies

Relief of:

- Sneezing Runny Nose
- Itchy, Watery Eyes
 Itchy Throat or Nose

30 Tablets *When taken as directed. See Drug Facts Panel.



PRINCIPAL DISPLAY PANEL-Container Carton Label NDC 70010-162-03 **Compare to the active ingredient in Claritin® NON-DROWSY*


Loratadine Tablets, USP 10 mg Antihistamine

Indoor & Outdoor Allergies

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes 30 Tablets

• Itchy Throat or Nose *When taken as directed. See Drug Facts Panel.



LORATADINE loratadine tablet **Product Information Product Type HUMAN OTC DRUG Item Code (Source)** NDC:70010-162 **Route of Administration** ORAL **Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) LORATADINE 10 mg **Inactive Ingredients**

Ingredient Name

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)

Strength

STARCH, CORN (UNII: 08232NY3SJ)

MAGNESIUM STEARATE (UNII: 70097M6I30)

SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)

Product Characteristics					
Color	white (White to off white)	Score	no score		
Shape	ROUND	Size	6mm		
Flavor		Imprint Code	G;10		
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70010-162- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/17/2021		
2	NDC:70010-162- 34	300 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2022		
3	NDC:70010-162- 03	30 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2022		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ANDA	ANDA210722	01/01/2020				

Labeler - Granules Pharmaceuticals Inc. (079825711)

Revised: 5/2025 Granules Pharmaceuticals Inc.