

**HEALCOME WART REMOVER SALICYLIC ACID 18% 1.0 OZ- salicylic acid liquid  
YITONGBADA (SHENZHEN) INTERNATIONAL TRADE CO., LTD**

-----  
**HealCome WART REMOVER SALICYLIC ACID 18% 1.0 OZ**

**HealCome WART REMOVER SALICYLIC ACID 18% 1.0 OZ**

Drug Facts

## ***Drug Facts***

### ***Active ingredients***

### ***Purpose***

Salicylic acid 18.0%.....Wart Remover

### ***Uses***

- for removal of common and plantar warts
- the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern
- use this product only if you are sure that the skin condition is a wart

### ***Warnings***    **For external use only**

#### **Flammable**

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

#### **Do not use**

- if you are diabetic or have poor blood circulation
  - on irritated skin or any area that is infected or reddened
  - on moles, birthmarks, hairy warts, genital warts, or warts on the face or mucous membranes
- 

### **When using this product**

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes.
  - avoid inhaling vapors
- 

**Stop and ask a doctor if** discomfort persists.

---

**Keep out of reach of children.** In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away. 

## ***Drug Facts*** *(Continued)*

---

### ***Directions***

- wash the affected area and soak the wart in warm water for 5 minutes
- dry the area thoroughly
- carefully apply one drop at a time with applicator to sufficiently cover each wart
- allow it to dry
- repeat once or twice daily as needed until the wart is removed, for up to 12 weeks

### ***Other information***

Keep the bottle tightly closed and store at room temperature 68-99°F (20-37°C)

***Inactive ingredients*** Borneol Glycerin

**inactive ingredients** Butanol, Glycerin,  
Podofilox, Polyethylene Glycol, Water

## **Questions or comments?**

Contact us at [cs@healcome.com](mailto:cs@healcome.com)

### Active ingredients Purpose

Salicylic acid 18.0%.....Wart  
Remover

### Wart Remover

#### Do not use

- if you are diabetic or have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on moles, birthmarks, hairy warts, genital warts, or warts on the face or mucous membranes

#### When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes.
- avoid inhaling vapors

Stop and ask a doctor if discomfort persists.

Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

### Uses

- for removal of common and plantar warts
- the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern
- use this product only if you are sure that the skin condition is a wart

### Warnings

For external use only

-----  
-----

### Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

### Directions

- wash the affected area and soak the wart in warm water for 5 minutes
  - dry the area thoroughly
  - carefully apply one drop at a time with applicator to sufficiently cover each wart
  - allow it to dry
  - repeat once or twice daily as needed until the wart is removed, for up to 12 weeks
- keep the bottle tightly closed and store at room temperature 68-99°F (20-37°C)
- Inactive ingredients Borneol, Glycerin, Podofilox, Polyethylene Glycol, Water

## HEALCOME WART REMOVER SALICYLIC ACID 18% 1.0 OZ

salicylic acid liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83364-018(NDC:85248-001)
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	18 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BORNEOL</b> (UNII: M89NIB437X)	
<b>PODOFILOX</b> (UNII: L36H50F353)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83364-018-01	1 in 1 BOX	03/04/2025	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	03/04/2025	

Revised: 3/2025

YITONGBADA (SHENZHEN) INTERNATIONAL TRADE CO., LTD