

**CD2 BASE- sodium chlorite spray, metered**  
**Wausau Chemical**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Disposal:**

Dispose of contents/container to an approved waste disposal plant.

**Hazards/Precautions:**

Causes severe skin burns and eye damage.

Harmful to aquatic life.

Do not breathe mists.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

**First Aid:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Handling Instructions:**

For external use only. Not for use in sanitizing dairy equipment. Avoid contact with eyes. Avoid contact with food.

**Storage & Handling:**

Do not mix with any other teat dip or other product. Store at room temperature and out of direct sunlight.

Avoid freezing - If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

Store locked up.

Avoid release to the environment.

**DIRECTIONS:**

Measure equal volumes of CD2 Base and CD2 Activator into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only enough product for one milking of the herd. Dip cups should be washed after each milking.

**APPLICATION:**

Pre-Milking: If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping.

Before each cow is milked, dip the teats as far up as possible. Leave CD2 teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

Post-Milking: Immediately after milking, dip teats at least 2/3 of their length in CD2 teat dip. Allow to air dry. DO NOT WIPE. CD2 teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

Always use freshly mixed, full strength CD2 teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2 teat dip. CD2 teat dip may be diluted with water and safely flushed down the drain.

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2 should be used with a compatible pre-dip or udder wash.

**Active Ingredient:**

Sodium Chlorite.....0.6%

Wausau Chemical Corporation

2001 N River Drive

Wausau, WI 54403

800-950-6656

# CD2 Base



**PRE- & POST-MILKING TEAT DIP  
FOR USE ONLY WITH CD2 ACTIVATOR**



## DANGER

**Active Ingredient:** 0.6% Sodium Chlorite

**Hazards:**

Causes severe skin burns and eye damage.  
Harmful to aquatic life.

**First Aid:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Caution:**

Do not breathe mists. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Avoid release to the environment.

Store locked up. Dispose of contents/ container to an approved waste disposal plant.

For external use only. Not for use in sanitizing dairy equipment. Do not mix with any other teat dip or other product. Avoid contact with food. Store at room temperature and out of direct sunlight.

**DIRECTIONS FOR USE:**

Measure equal volumes of CD2 Base and CD2 Activator into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only enough product for one milking of the herd. Dip cups should be washed after each milking.

**APPLICATION:**

**Pre-Milking:** If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave CD2 teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

**Post-Milking:** Immediately after milking, dip teats at least 2/3 of their length in CD2 teat dip. Allow to air dry. DO NOT WIPE. CD2 teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

**Always use freshly mixed, full strength CD2 teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2 teat dip. CD2 teat dip may be diluted with water and safely flushed down the drain.**

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2 should be used with a compatible pre-dip or udder wash.

**Avoid Freezing** — If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.



**WAUSAU CHEMICAL CORPORATION**  
2001 N RIVER DRIVE  
WAUSAU, WI 54403  
800-950-6656

**Contents:**

- 15 Gallons (64892-015-17)
- 55 Gallons (64892-015-21)
- 275 Gallons (64892-015-88)

Mfg Code: 190215  
Exp. Date: MMDDYY

## CD2 BASE

sodium chlorite spray, metered

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:64892-015
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Sodium Chlorite</b> (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	Sodium Chlorite	6 mg in 1 L

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:64892-015-17	56.78 L in 1 CONTAINER		
2	NDC:64892-015-21	208.2 L in 1 DRUM		
3	NDC:64892-015-88	1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		02/15/2019	

**Labeler** - Wausau Chemical (006136220)

**Registrant** - Wausau Chemical (006136220)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Wausau Chemical		006136220	manufacture, api manufacture

Revised: 2/2019

Wausau Chemical