

**RODIAL BROAD SPECTRUM SPF 50 DROPS ANTI-BLUE LIGHT AND POLLUTION-
octocrylene, octinoxate, oxybenzone, octisalate, avobenzone lotion
Rodial Ltd.**

Rodial Broad Spectrum SPF 50 Drops Anti-Blue Light & Pollution

Drug Facts

Active Ingredients

Octocrylene 10% Octinoxate 7.5% Oxybenzone 6% Octisalate 5% Avobenzone 3%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see), decreases the risk of skin cancer and early skin aging caused by the sun

Directions

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor

- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection Measures.**
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- use a water-resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Water, Butylene Glycol, C12-15 Alkyl Benzoate, Glyceryl Stearate, Glycerin, PEG -100 Stearate, Octyldodecanol, Jojoba Esters, Glyceryl Stearate SE, Propanediol, Phenoxyethanol, Helianthus Annuus (Sunflower) Seed Wax, Saccharide Isomerate, Methyl Methacrylate Crosspolymer, Sodium Stearoyl Glutamate, Tocopheryl Acetate, Benzyl Alcohol, Bisabolol, Echium Plantagineum Seed Oil, Lecithin, Buddleja Officinalis Flower Extract, 1,2-Hexanediol, Carbomer, Disodium EDTA, Sodium Hyaluronate, Acacia Decurrens Flower Extract, Polyglycerin-3, Parfum (Fragrance), Helianthus Annuus (Sunflower) Seed Oil Unsaponifiables, Sodium Hydroxide, Biosaccharide Gum-4, Dehydroacetic Acid, Ethylbisiminomethylguaiacol Manganese Chloride, Cardiospermum Halicacabum Flower/Leaf/Vine Extract, Citric Acid, Sodium Citrate, Limonene, Alpha-isomethyl Ionone, Tocopherol, Citronellol.

Questions or comments?

- **Side effects occur. You may report side effects to FDA at 1-800-FDA-1088.**

Package Labeling:

Rodial

Drug Facts

Active Ingredients	Purpose
Octocrylene 10%	Sunscreen
Octinoxate 7.5%	Sunscreen
Oxybenzone 6%	Sunscreen
Octisalate 5%	Sunscreen
Avobenzone 3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours

Other information

- Protect the product in this container from excessive heat and direct sun ▶

Drug Facts (continued)

Inactive ingredients

Water, Butylene Glycol, C12-15 Alkyl Benzoate, Glyceryl Stearate, Glycerin, PEG-100 Stearate, Octyldodecanol, Jojoba Esters, Glyceryl Stearate SE, Propanediol, Phenoxyethanol, Helianthus Annuus (Sunflower) Seed Wax, Saccharide Isomerate, Methyl Methacrylate Crosspolymer, Sodium Stearyl Glutamate, Tocopheryl Acetate, Benzyl Alcohol, Bisabolol, Echium Plantagineum Seed Oil, Lecithin, Buddleja Officinalis Flower Extract, 1,2-Hexanediol, Carbomer, Disodium EDTA, Sodium Hyaluronate, Acacia Decurrens Flower Extract, Polyglycerin-3, Parfum (Fragrance), Helianthus Annuus (Sunflower) Seed Oil Unsaponifiables, Sodium Hydroxide, Biosaccharide Gum-4, Dehydroacetic Acid, Ethylbisiminomethylguaiaicol Manganese Chloride, Cardiospermum Halicacabum Flower/Leaf/Vine Extract, Citric Acid, Sodium Citrate, Limonene, Alpha-Isomethyl Ionone, Tocopherol, Citronellol.

Questions or comments?

- Side effects occur. You may report side effects to FDA at 1-800-FDA-1088.

BROAD SPECTRUM SPF50 DROPS

Rodial

SPF 50 DROPS - Anti-blue light & pollution
 Protect, defend and shield skin against external aggressors, with blue light filter technology to safeguard the skin. Formulated also with pollution defence actives to protect the skin against environmental effects.

- UVA and UVB protection
- Butterfly Bush, known to soothe skin
- Hyaluronic Acid and Vitamin E, known as skin conditioning agents to hydrate

Instructions: Apply generously to a cleansed face and neck each morning.

Cautions: Avoid contact with the eyes. If this occurs rinse well with water. Patch test before use. Do not stay too long in the sun, even while using a sunscreen product. Contains Benzophenone-3.

anti-blue light & pollution


UVA & UVB protection
 butterfly bush
 hyaluronic acid



Manufactured in the UK for Rodial
 272 King's Road London UK SW3 5AW
 RP: MSL, BL9 5NB, UK
www.rodial.co.uk

31 ml e 1 fl. oz.

BARCODE
 5060725470736



5.0

**BROAD SPECTRUM
SPF50 DROPS**

anti-blue light & pollution

Rodial

SPF 50 DROPS - Anti-blue light & pollution
Protect, defend and shield skin against external aggressors, with blue light filter technology to safeguard the skin. Formulated also with pollution defence actives to protect the skin against environmental effects.

- UVA and UVB protection
- Butterfly Bush, known to soothe skin
- Hyaluronic Acid and Niacinamide, known as skin conditioning agents to hydrate

Instructions: Apply generously to a cleansed face and neck each morning.

Cautions: Avoid contact with the eyes. If this occurs rinse well with water. Patch test before use. Do not stay too long in the sun, even while using a sunscreen product. Contains Benzophenone-3.

31 ml e 1 fl. oz.

Manufactured in the UK for Rodial
272 King's Road London UK SW3 5AW
RP: MSL, BL9 5NB, UK
www.rodial.co.uk

RODIAL BROAD SPECTRUM SPF 50 DROPS ANTI-BLUE LIGHT AND POLLUTION

octocrylene, octinoxate, oxybenzone, octisalate, avobenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52456-022
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	60 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	

GLYCERIN (UNII: PDC6A3C0OX)
PEG-100 STEARATE (UNII: YD01N1999R)
OCTYLDODECANOL (UNII: 461N1O614Y)
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)
PROPANEDIOL (UNII: 5965N8W85T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BENZYL ALCOHOL (UNII: LKG8494WBH)
LEVOMENOL (UNII: 24WE03BX2T)
ECHIUM PLANTAGINEUM SEED OIL (UNII: PIB7XBU8XW)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ACACIA DECURRENS FLOWER (UNII: 8PHF3LSM61)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
BIOSACCHARIDE GUM-4 (UNII: 9XRL057X90)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
ETHYLBISIMINOMETHYLGUAIACOL MANGANESE CHLORIDE (UNII: SM5YJ88LTU)
CARDIOSPERMUM HALICACABUM FLOWERING TOP (UNII: MZP2508BRR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
TOCOPHEROL (UNII: ROZB2556P8)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
JOJOBA OIL (UNII: 724GKU717M)
BUDDLEJA OFFICINALIS FLOWER (UNII: 274707Y672)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52456-022-01	1 in 1 CARTON	07/20/2021	
1		31 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/20/2021	

Labeler - Rodial Ltd. (237407262)

Revised: 11/2023

Rodial Ltd.