

NUX VOMICA- strychnos nux-vomica seed pellet
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Nux vomica 30C B2G1

Active ingredient (in each pellet)**

Nux Vomica 30C HPUS

(**contains 0.44 mg of the active ingredient per pellet)

(contains less than 10^{-12} strychnine alkaloids)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Relieves upset stomach, nausea, heartburn, and acid indigestion due to excessive drinking or eating, irritability

Hangover Relief Uses*

temporarily relieves upset stomach associated with nausea or fullness due to overindulgence in drink or food

temporarily relieves occasional heartburn, acid indigestion, or sour stomach

temporarily relieves irritability due to hypersensitivity to light, noise, odor or touch

Indigestion Relief Uses*

temporarily relieves upset stomach associated with nausea or fullness due to overindulgence in drink or food

temporarily relieves occasional heartburn, acid indigestion, or sour stomach

Tube Uses*

Relieves heartburn or drowsiness due to excessive eating or drinking, Irritability *

Hangover Relief

Stop use and ask a doctor if hangover lasts for more than 2 days.

Indigestion Relief

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Hangover Relief

Adults 21 years of age or older: At the onset of symptoms, dissolve 5 pellets under the

tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Adults under 21 years of age: Not recommended.

Indigestion Relief

Adults and children 12 years age or older: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Children under 12 years of age: Ask a doctor.

Tube

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

Hangover Relief*

On-the-Go Hangover Relief*

No Known Drug Interactions

Upset Stomach Nausea Heartburn Irritability*

do not use if glued carton end flaps are open or if pellet dispenser seal is broken

contains 0.25 g of sugar per dose

retain this carton for full directions

Turn tube upside down. Twist until 5 pellets are dispensed. Remove cap and pour pellets under the tongue.

Approx. 80 pellets each

Total 240 pellets

3 Tubes

16 Doses

Indigestion Relief*

Upset or Sour Stomach Heartburn Nausea*

No Known Drug Interactions

do not use if glued carton end flaps are open or if pellet dispenser seal is broken

contains 0.25 g of sugar per dose

retain this carton for full directions

Turn tube upside down. Twist until 5 pellets are dispensed. Remove cap and pour pellets under the tongue.

Approx. 80 pellets each

Total 240 pellets

3 Tubes

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Questions, Comments?

BoironUSA.com
info@boiron.com

1-800-BOIRON-1
(1-800-264-7661)

Distributed by Boiron Inc.
Newtown Square, PA 19073-3267

Meltaway Pellets
No Water Needed

NO
Artificial Sweeteners,
Flavors, Colors, or
Preservatives

Drug Facts

Active ingredient* (in each pellet) Nux vomica 30C (NUPUS 0.044 mg) contains less than 10% mg strychnine alkaloids. **Purpose** Relieves upset stomach, nausea, heartburn, and acid indigestion due to excessive drinking or eating, irritability. The letters "NUPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses
Temporarily relieves upset stomach associated with nausea or fullness due to overindulgence in drink or food.
Temporarily relieves occasional heartburn, acid indigestion, or sour stomach.

Warnings
Stop use and ask a doctor if symptoms persist for more than 3 days or worsen, if you have trouble swallowing or persistent abdominal pain, see your doctor promptly.
If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 12 years of age and older: At the onset of symptoms, dissolve 1 pellet under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.
Children under 12 years of age: Ask a doctor.

Other information
Do not use if glued carton and flap are open or if pellet dispenser seal is broken.
Contains 0.25 g of sugar per dose. Recycle carton for full drug facts.

Inactive ingredients lactose, croscarmellose

Questions or comments?
BoironUSA.com | info@boiron.com | 1-800-808-0864 (1-800-364-7667)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

"C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19078



FREE APP
Boiron Medicine Finder

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



Glass WB-3949-0004

LOT

EXP

Nux Vomica
MELTAWAY PELLETS
NUX VOMICA 30C
HOMOPATHIC MEDICINE

- Plant-Powered Relief
- No Known Drug Interactions

Helps **Keep Your Body Natural**

World Leader in Homeopathic Medicines

Boiron

2-3 TUBES
APPROX. 80 PELLETS EACH
TOTAL 240 PELLETS

*1 FREE

Remove cap and rear roller under the tongue

Twist until 2 rollers are dispersed

Turn base upside down

1 TUBE FREE INSIDE

Nux vomica 30C

16 DOSES PER TUBE

3 TUBES

6940751
04/2024

1 2 3 4

INDIGESTION RELIEF*
Upset or Sour Stomach
Heartburn • Nausea

AGES 12+ YEARS

NDC 0220-2841-13

Nux vomica

30^c

Relieves heartburn or drowsiness due to excessive eating or drinking*

BOIRON®

Made in France HOMEOPATHIC MEDICINE

HPUS NDC 0220-3681-41

Less than 10⁻¹² mg strychnine alkaloids per pellet

Do not use if pellet dispenser seal is broken

	LOT	EXP	
	3 06960	52713	8

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Nux vomica 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to dispense pellets?



SAMPLE
NOT FOR SALE

NDC 0220-3681-41

HANGOVER RELIEF*

Upset Stomach • Nausea
Heartburn • Irritability*

Nux Vomica

NUX VOMICA 30C
MELTAWAY PELLETS

HOMEOPATHIC MEDICINE

- On-the-Go Hangover Relief*
- No Known Drug Interactions

Help
Your Body
the
Natural
Way



16 DOSES

1 TUBE
APPROX.
80 PELLETS

BOIRON®
World Leader in
Homeopathic Medicines



SCAN HERE
for COUPON and
more information



Meltaway Pellets
No Water Needed



No Artificial
Sweeteners,
Flavors, or Colors

Drug Facts

Active Ingredient** (in each pellet) **Purpose***

Nux vomica..... Relieves upset stomach, nausea, heartburn, and acid indigestion due to excessive drinking or eating, irritability (alkaloids)

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves upset stomach associated with nausea or fullness due to overindulgence in drink or food
- temporarily relieves occasional heartburn, acid indigestion, or sour stomach
- temporarily relieves irritability due to hypersensitivity to light, noise, odor, or touch

Warnings

Stop use and ask a doctor if hangover lasts for more than 2 days.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults 21 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.
- Adults under 21 years of age: Not recommended.

Other information

- do not use if pellet dispenser seal is broken
- contains 0.25 g of sugar per dose
- retain card for full drug facts

Inactive Ingredients lactose, sucrose

Questions or comments?

BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA
19073



Turn tube
upside down



Twist
until 5 pellets
are dispensed



Remove cap
and pour pellets
under the
tongue

6940829 07.2023



3 06962 12500 4

Nux vomica

30^c

Relieves heartburn or drowsiness due
to excessive eating or drinking,
Irritability*

BOIRON®

HOMEOPATHIC MEDICINE Made in France

HPUS NDC 0220-3681-41

Less than 10⁻¹² mg strychnine alkaloids per pellet

Do not use if pellet dispenser seal is broken

Nux vomica 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.



LOT:

EXP:

3

06960

52713 8

PATHIC PRACTICE,
FDA EVALUATED.



Contains approx. 80 pellets. US
Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see

BoironUSA.com/info for details

BOIRONUSA.COM/INTO FOR DETAILS.

Distributed by Boiron Inc.
Newtown Square, PA 19073


How to
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

Nux vomica

30^c

Heartburn or drowsiness due to excessive eating or drinking*



HPUS NDC 0220-3681-41

Less than 10⁻¹² mg strychnine alkaloids per pellet

Do not use if pellet dispenser seal is broken



LOT:

EXP:

3

06960

52713 8

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Nux vomica 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to
dispense pellets?



1 Turn tube upside
down



2 Twist until 5 pellets
are dispensed



3 Carefully remove cap
and use it to pour pellets

dis

nom:

and suspended
into cap.

and use it to pour powder
under the tongue.



NDC 0220-3441-43

HANGOVER RELIEF*

Upset Stomach • Nausea
Heartburn • Irritability*



16
DOSES PER TUBE
3 TUBES

1 TUBE FREE INSIDE

Nux Vomica NUX VOMICA 30C MELTAWAY PELLETS

HOMEOPATHIC MEDICINE

- On-the-Go Hangover Relief*
- No Known Drug Interactions



BOIRON
World Leader in
Homeopathic Medicines

APPROX. 80 PELLETS EACH
TOTAL 240 PELLETS

1 FREE
2 3 TUBES

- Turn tube upside down
- Twist until 5 pellets are dispensed
- Remove cap and pour pellets under the tongue



The Boiron Promise
Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc., Newton Square, PA 19073
Please recycle

CLAMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.
*U.S. CA, AND X ARE HOMEOPATHIC SIGNS; SEE BoironUSA.com/info for details.

Drug Facts
Active ingredient: Nux Vomica 30C (Boiron)
Purpose: Homeopathic medicine for relief of symptoms associated with hangover, such as nausea, heartburn, and irritability.
Uses: <ul style="list-style-type: none"> • relief of nausea, heartburn, and irritability associated with hangover • relief of symptoms associated with hangover, such as nausea, heartburn, and irritability • relief of symptoms associated with hangover, such as nausea, heartburn, and irritability
Warnings: <ul style="list-style-type: none"> • Do not use and seek a doctor if symptoms last for more than 2 days. • Do not use if pregnant or breastfeeding, unless a health professional advises. • Keep out of reach of children. If taken by accident, overdose, get medical help or contact a Poison Control Center.
Directions: <ul style="list-style-type: none"> • Adults: 17 years of age or older: At the onset of symptoms, dispense 5 pellets under the tongue 2 times a day until symptoms are relieved or as directed by a doctor. • Children under 17 years of age: Not recommended.
Other information: Do not use if other factors exist that are signs of a more serious health problem.
Inactive ingredients: Lactose, sucrose.
Questions or comments? See BoironUSA.com (1-800-54-7591)
Boiron USA, Inc. Boiron USA, Inc. Boiron USA, Inc.

Cont. 889749B
code

Artificial Colors, Flavors, Sweeteners, or Preservatives

Nux Vomica 30C

Drug Facts

Active ingredient* (in each pellet) **Purpose**
 Nux vomica 30C HPUS (0.443 mg) Relieves heartburn or drowsiness due to excessive eating or drinking

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses ■ temporarily relieves occasional heartburn, acid indigestion or sour stomach
 ■ temporarily relieves upset stomach associated with nausea or fullness due to overindulgence in food or drink

Warnings Ask a doctor before use in children under 12 years of age. Stop use and ask a doctor if symptoms persist for more than 3 days or if hangover lasts for more than 2 days. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions ■ Adults 21 years of age and older: If you are taking this medicine to relieve a hangover, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. ■ Adults and children 12 years of age and older: If you are taking this medicine to relieve an upset stomach, nausea or heartburn, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. ■ Children under 12 years of age: Ask a doctor.

Other information do not use if pellet dispenser seal is broken

Inactive ingredients lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com
 1-800-BOIRON (1-800-264-7861)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
 **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc., Newtown Square, PA 19073
 Made in France ♻️ please recycle



How to dispense pellets?



NDC 0220-3681-43

HANGOVER RELIEF*

Indigestion • Upset Stomach • Nausea • Heartburn*

Nux Vomica 30C

Non-Drowsy • No Known Drug Interactions



HOMEOPATHIC MEDICINE



BOIRON

World Leader in Homeopathic Medicines

INCLUDES
1 FREE TUBE

3 TUBES
 APPROX. 80
 QUICK-DISSOLVING
 PELLETS PER TUBE

Take at the First Sign of Symptoms

Nux Vomica 30C

Nux vomica

30^c

HPUS NDC 0220-3681-41

BOIRON
 HOMEOPATHIC MEDICINE Made in France

Heartburn or drowsiness due to excessive eating or drinking.*

Lot:

Exp:



3

06960

52713

8

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

Nux vomica 30 c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073



How
dispense!

Turn tube upside
down.

Twist until 5 pellets
are dispensed
into cap.

Carefully remove cap
and use it to pour pellets
under the tongue.

Nux Vomica 30C

Drug Facts

Active ingredient** Nux vomica 30C (HPUS) **Purpose*** heartburn and drowsiness due to excessive eating or drinking

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves occasional heartburn, acid indigestion or sour stomach
temporarily relieves upset stomach associated with nausea or dizziness due to overindulgence in food or drink

Warnings Ask a doctor before use in children under 12 years of age. Stop use and ask a doctor if symptoms persist for more than 3 days or if hanger symptoms last for more than 2 days. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions Adults 21 years of age and older: If you are taking this medicine to relieve a hangover, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. Adults and children 12 years of age and older: If you are taking this medicine to relieve an upset stomach, nausea or heartburn, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. Children under 12 years of age: Ask a doctor.

Other information do not use if the label sealing the clear tube cap is broken or missing

Inactive ingredients lactose, sucrose

Questions or comments?

BeironUSA.com info@beiron.com
1-800-BOIRON (1-800-264-7661)

Distributed by Beiron Inc., 6 Campus Boulevard, Newtown Square, PA 19074-3267

*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions: see BeironUSA.com/info for details.



Beiron offers medicines for a wide variety of acute health conditions.

Download our free Beiron Medicine Finder app for the fastest way to find the best homeopathic medicine to relieve your symptoms.

please recycle
Made in France



How do I use Nux Vomica 30C?

Turn tube upside down.



Twist until 5 pellets are dispensed into cap.



Carefully remove cap and use it to pour pellets under the tongue.



NDC 0220-3681-43

HANGOVER RELIEF*

Indigestion • Upset Stomach • Nausea • Heartburn*

Nux Vomica 30C

Non-Drowsy • No Known Drug Interactions



HOMEOPATHIC MEDICINE



BOIRON®

World Leader in Homeopathic Medicines

INCLUDES
1 FREE TUBE

3 TUBES
APPROX. 80
QUICK-DISSOLVING
PELLETS PER TUBE

Nux Vomica 30C


Take at the First Sign of
Symptoms



Take at the First Sign of
Symptoms

Nux Vomica 30C





NUX VOMICA

strychnos nux-vomica seed pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-3681
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND (Pellet)	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-3681-43	3 in 1 PACKAGE	01/01/2012	
1	NDC:0220-3681-41	80 in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0220-3681-41	80 in 1 TUBE; Type 0: Not a Combination Product	01/01/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2012	

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-3681)

Revised: 5/2024

Laboratoires Boiron