

**MIDOL COMPLETE- acetaminophen, caffeine, and pyrilamine maleate  
tablet tablet**

**Lil' Drug Store Products, Inc.**

-----  
**MIDOL COMPLETE- acetaminophen, caffeine, and pyrilamine maleate tablet**

***Drug Facts***

***Drug Facts***

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- bloating
- water-weight gain
- headache
- backache
- muscle aches
- fatigue

***Warnings***

**Liver Warning**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- hives
- facial swelling
- asthma (wheezing)
- shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

### **If pregnant or breast-feeding**

**If pregnant or breast-feeding**, ask a health professional before use.

### **Keep out of reach of children.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- do not take more than the recommended dose
- adults and children 12 years and older:
  - take 2 caplets with water
  - repeat every 6 hours, as needed
  - do not exceed 6 caplets per day

- children under 12 years: consult a doctor

## Other Information

store at room temperature

## INACTIVE INGREDIENTS

carnauba wax, croscarmellose sodium, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, propylene glycol, shellac, titanium dioxide, triacetin

## QUESTIONS OR COMMENTS?

**1-800-331-4536** (Mon-Fri 9AM-5PM EST) or [www.midol.com](http://www.midol.com)

## Active Ingredient

---

### Active ingredients (in each caplet)

**Acetaminophen 500 mg**

Caffeine 60 mg

Pyrilamine maleate 15 mg

### Purpose

Pain reliever

Diuretic

Antihistamine

---

## PRINCIPAL DISPLAY PANEL- 2 Caplet Pouch Package

**Midol**®

COMPLETE

**Acetaminophen/Caffeine/Pyrilamine Maleate**

Pain Reliever/Diuretic/Antihistamine

BAYER


### **MULTI-SYMPTOM RELIEF OF**

CRAMPS • BLOATING • FATIGUE

HEADACHE • BACKACHE

**2**

Caplets



## **PRINCIPAL DISPLAY PANEL-4 Caplet Pouch Package**


**Midol®  
COMPLETE**

**Acetaminophen/Caffeine/Pyrimamine Maleate**  
Pain Reliever/Diuretic/Antihistamine

BAYER

**MULTI-SYMPPTOM RELIEF OF**  
CRAMPS • BLOATING • FATIGUE  
HEADACHE • BACKACHE

**4**  
Caplets



## **PRINCIPAL DISPLAY PANEL-25 Caplet Pouch Box**

**Midol ®  
COMPLETE**

**Acetaminophen/Caffeine/Pyrimidine Maleate**  
Pain Reliever/Diuretic/Antihistamine

BAYER

**MULTI-SYMPPTOM RELIEF OF**  
CRAMPS • BLOATING • FATIGUE  
HEADACHE • BACKACHE

**25 POUCHES 2 CAPLETS EACH**



**PRINCIPAL DISPLAY PANEL-30 Caplet Pouch Box**

**Midol®  
COMPLETE**

Acetaminophen/Caffeine/Pyrilamine Maleate  
Pain Reliever/Diuretic/Antihistamine

BAYER

**MULTI-SYMP TOM RELIEF OF**  
CRAMPS • BLOATING • FATIGUE  
HEADACHE • BACKACHE  
**30 POUCHES 2 CAPLETS EACH**



## MIDOL COMPLETE

acetaminophen, caffeine, and pyrilamine maleate tablet tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:29485-7358
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SHELLAC</b> (UNII: 46N107B710)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

### Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	Midol
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-7358-4	2 in 1 BLISTER PACK	05/07/2013	12/31/2024
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/07/2013	12/31/2024

## MIDOL COMPLETE

acetaminophen, caffeine, and pyrilamine maleate tablet tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29485-2802
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
SHELLAC (UNII: 46N107B710)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
STARCH, CORN (UNII: O8232NY3SJ)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	



<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	Midol
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-2802-2	1 in 1 BLISTER PACK	06/29/2005	12/31/2024
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/29/2005	12/31/2024

## MIDOL COMPLETE

acetaminophen, caffeine, and pyrilamine maleate tablet tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:29485-7964
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	

<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)
<b>SHELLAC</b> (UNII: 46N107B71O)
<b>TRIACETIN</b> (UNII: XHX3C3X673)
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	Midol
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-7964-2	25 in 1 BOX	07/10/2020	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:29485-7964-3	30 in 1 BOX	10/19/2015	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:29485-7964-4	50 in 1 BOX	07/10/2020	
3		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/19/2015	

**Labeler** - Lil' Drug Store Products, Inc. (093103646)