

NASAL DECONGESTANT PE- phenylephrine hydrochloride tablet Bi-Mart

Active Ingredient (in each tablet)

Phenylephrine HCl 10mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland.

When using this product do not exceed recommended dose.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800 222-1222) right away.

Directions

- **adults and children 12 years and over:**take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- **children under 12 years:**ask a doctor

Other Information

- **each tablet contains:**phosphorus 10 mg
- store between 20°-25°C (68°-77°F)
- protect from excessive moisture
- DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Inactive Ingredients

Crosscarmellose Soidum, Colloidal Silicon Dioxide, Dicalcium Phosphate, FD&C Red 40, Magnesium Stearate, Microcrystalline Cellulose

Questions?

call toll free **1-844-912-4012**

Distributed by:

BI-MART

Eugene, OR 97402

PRINCIPAL DISPLAY PANEL-36 Count

NDC 37835-651-36

Compare to the active ingredients in Sudafed PE® Sinus Congestion*

NON-DROWSY

NASAL DECONGESTANT PE

Phenylephrine HCl 10 mg

Relieves: Nasal & Sinus Congestion & Sinus Pressure

36 Tablets

*This product is not manufactured or distributed by the owner of the registered trademark Sudafed PE® Sinus Congestion.

0 71357 90403 7

BI-MART NDC 37835-651-36

Compare to the active ingredient in Sudafed PE® Sinus Congestion*

NON-DROWSY
NASAL DECONGESTANT PE
PHENYLEPHRINE HCl 10 mg
36 TABLETS

**RELIEVES:
NASAL & SINUS CONGESTION
& SINUS PRESSURE**

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each tablet)
Phenylephrine HCl 10 mg... Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dose.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

PEEL FOR DIRECTIONS 651-36-BM 03/25
LIFT HERE

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years of age: ask a doctor

Other information

- each tablet contains: phosphorus 10 mg
- store between 20°-25°C (68°-77°F)
- protect from excessive moisture

Inactive ingredients
Croscarmellose Sodium, Colloidal Silicon Dioxide, Dicalcium Phosphate, FD&C Red 40, Magnesium Stearate, Microcrystalline Cellulose

Questions? call toll free 1-844-912-4012

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE
If you are not completely satisfied with your BI-MART QUALITY PRODUCT, regardless of the reason, return the unused portion for a full refund. No restocking fee.

Distributed by:
BI-MART
Eugene, OR 97402

*This product is not manufactured or distributed by owner of the registered trademark Sudafed PE® Sinus Congestion.

PRINCIPAL DISPLAY PANEL-100 Count

NDC 37835-651-01

Compare to the active ingredients in Sudafed PE® Sinus Congestion*

NON-DROWSY

NASAL DECONGESTANT PE

Phenylephrine HCl 10 mg

Relieves: Nasal & Sinus Congestion & Sinus Pressure

100 Tablets

*This product is not manufactured or distributed by the owner of the registered trademark Sudafed PE® Sinus Congestion.



BI-MART

NDC 37835-651-01

Compare to the active ingredient in Sudafed PE® Sinus Congestion*

**NON-DROWSY
NASAL
DECONGESTANT PE**
PHENYLEPHRINE HCl 10 mg



100 TABLETS

**RELIEVES:
NASAL & SINUS CONGESTION
& SINUS PRESSURE**

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each tablet) Purpose
Phenylephrine HCl 10 mg.....Nasal decongestant

Uses ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies ■ temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland
When using this product do not exceed recommended dose.

Stop use and ask a doctor if ■ nervousness, dizziness, or sleeplessness occur ■ symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health

➔ **PEEL FOR DIRECTIONS** 651-01-BM 03/25

LIFT HERE

Drug Facts (continued)

professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ **adults and children 12 years and over:** take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
■ **children under 12 years of age:** ask a doctor

Other information

■ each tablet contains: phosphorus 10 mg
■ store between 20°-25°C (68°-77°F)
■ protect from excessive moisture

Inactive ingredients

Croscarmellose Sodium, Colloidal Silicon Dioxide, Dicalcium Phosphate, FD&C Red 40, Magnesium Stearate, Microcrystalline Cellulose.

Questions? call toll free 1-844-912-4012

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE
If you are not completely satisfied with your BI-MART QUALITY PRODUCT, regardless of the reason, return the unused portion and your entire purchase price will be cheerfully refunded.

*This product is not manufactured or distributed by owner of the registered trademark Sudafed PE® Sinus Congestion.

Distributed by:
BI-MART
Eugene, OR 97402

NASAL DECONGESTANT PE

phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37835-651
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DICALCIUM PHOSPHATE (UNII: L11K75P92J)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	S08
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-651-36	36 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	
2	NDC:37835-651-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/01/2025	

Labeler - Bi-Mart (027630078)

Establishment

Name	Address	ID/FEI	Business Operations
ELYSIUM PHARMACEUTICALS LIMITED		915664486	manufacture(37835-651)

Revised: 3/2025

Bi-Mart