

**ACETAMINOPHEN- acetaminophen tablet, film coated, extended release  
RITE AID**

-----  
**8HR Arthritis Pain Relief  
Acetaminophen  
Extended-Release Tablets USP, 650mg**

**Active ingredient (in each caplet)**

Acetaminophen USP, 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- backache
- premenstrual and menstrual cramps
- the common cold
- headache
- toothache
- temporarily reduces fever

**Liver warning**

This product contains acetaminophen. Severe Liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks everyday while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Do not use**

- with any other drugs containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

### **Ask a doctor before use if you have**

liver disease

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

### **If pregnant or breast-feeding**

ask a health professional before use

### **Keep out of reach of children**

Keep out of reach of children

### **Overdose warning**

In case of overdose, get medical help or contact a poison control center right away.(1-800 222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

### **Directions**

- **do not take more than directed (see overdose warning)**

adults

- take 2 caplets every 8 hours with water
  - swallow whole; do not crush, chew, split or dissolve
  - do not take more than 6 caplets in 24 hours
  - do not use for more than 10 days unless directed by a doctor
- under 18 years of age
- ask a doctor

**Other information**

- store between 20-25°C (68-77°F)
- **do not use if foil inner seal is broken or missing**

**Inactive ingredients**

hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions or comments?**

Contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

**Principal Display Panel**



Principal Display Panel



Principal Display Panel



## ACETAMINOPHEN

acetaminophen tablet, film coated, extended release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-5019
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>HYDROXYETHYL CELLULOSE (140 CPS AT 5%)</b> (UNII: 8136Y38GY5)	
<b>HYPROMELLOSE 2910 (6 MPA.S)</b> (UNII: 0WZ8WG20P6)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	

## Product Characteristics

<b>Color</b>	white (WHITE TO OFF WHITE COLORED)	<b>Score</b>	no score
<b>Shape</b>	OVAL (CAPSULE SHAPED, BICONVEX INTACT FILM COATED TABLETS)	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	G;650
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-5019-4	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/30/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211544	11/30/2021	

**Labeler** - RITE AID (014578892)

Revised: 12/2025

RITE AID