

GUNA-IL 5- interleukin-5 solution/ drops

Guna spa

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

GUNA-IL 5

ACTIVE INGREDIENTS/PURPOSE

INTERLEUKIN-5 4C Gastrointestinal Antiparasitic Immune Support, Constipation, Abdominal bloating

USES

USES: Gastrointestinal Antiparasitic Immune Support, Constipation, Abdominal bloating

WARNINGS

Stop use and ask doctor if symptoms worsen or persist more than 5 days

PREGNANCY

If pregnant or breast-feeding ask a doctor before use

WARNINGS

Keep this and all medicines out of reach of children

DIRECTIONS

Take 15 minutes before meals.

Adults and children 12 years and older 20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.

Children between 12 years and 6 years of age 10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.

Children under 6 years 5 drops twice a day in a glass of water.

QUESTIONS


Questions?: info@gunainc.com

Tel. (484) 223-3500

Inactive ingredient: Ethyl alcohol 30%.

Take 15 minutes before meals.

PRINCIPAL DISPLAY PANEL



GUNA®- IL 5
Homeopathic medicine

NDC 17089-383-18



GUNA®- IL 5
Homeopathic medicine

**Gastrointestinal
Antiparasitic
Immune Support,
Constipation,
Abdominal bloating**

30 ml / 1.0 fl. oz.
Contains ethyl alcohol 30%



Manufactured by
GUNA® S.p.a. - Italy



GUNA® Inc.
Whitehall - PA18052
www.gunainc.com

Drug Facts
Active Ingredients **Purpose**
Interleukin 5 4C Gastrointestinal
Antiparasitic Immune Support,
Constipation, Abdominal bloating

Uses: Gastrointestinal Antiparasitic
Immune Support, Constipation,
Abdominal bloating.

Warnings:
Stop use and ask doctor if symptoms
worsen or persist more than 5 days. If
pregnant or breast-feeding ask a
doctor before use. **Keep this and all
medicines** out of reach of children.

Directions: Take 15 minutes before meals.

Adults and children 12 years and older	20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children between 12 years and 6 years of age	10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.
Children under 6 years	5 drops twice a day in a glass of water.

Drug Facts (continued)
Other information:
store at 20°-25° C (68°-77° F)
Inactive Ingredient: Ethyl alcohol 30%
Questions?: info@gunainc.com
tel. (484) 223-3500

Do not use if tamper-evident seal is broken

SU1IL5 B



GUNA-IL 5

interleukin-5 solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17089-383
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
INTERLEUKIN-5 (UNII: 9O1TT75I7L) (INTERLEUKIN-5 - UNII:9O1TT75I7L)	INTERLEUKIN-5	4 [hp_C] in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	9 mL in 30 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17089-383-18	1 in 1 BOX	11/01/2015	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/17/2008	

Labeler - Guna spa (430538264)

Establishment

Name	Address	ID/FEI	Business Operations
Guna spa		338587646	manufacture(17089-383)

Revised: 12/2018

Guna spa