

**GENTLE IODINE WOUND- iodine spray**  
**Neogen Corp**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Gentle Iodine Wound Spray**

Topical Antiseptic

**Net Contents:** 16 fl oz (473 mL)

FOR ANIMAL USE ONLY.

NOT FOR HUMAN USE.

**Active Ingredients:**

Alpha (p-Nonylphenyl) Omega-Hydroxypoly (Oxyethylene) Iodine  
Complex (providing 1% Minimum Titratable Iodine) ..... 5%

**Inert Ingredients:**

Water and Nonionic Surfactant ..... 95%

**Warning:** Harmful or fatal if swallowed. Do not apply to the eyes, mucous membranes or large areas of abraded skin. Avoid inhalation of mist.

**Storage:** Store at a temperature between 15°-30°C (59°-86°F).

Keep container tightly closed when not in use.

**KEEP OUT OF REACH OF CHILDREN.**

**FOR EXTERNAL ANIMAL USE ONLY.**

**Indications:** For use in cattle, horses and swine as a topical antiseptic prior to surgical procedures such as castrating and tail docking; for application to the umbilical stump (navel) of newborn animals; and for minor cuts, teat sores, bruises, and abrasions.

**Directions For Use:** Hold container approximately 4 to 6 inches from the area to be sprayed. Point valve at the area to be sprayed. Pull trigger of valve and spray area once lightly. May be repeated daily, if necessary, until the area is healed. Apply to the umbilical stump of newborns 2-3 times per day until stump has dried.

When using prior to surgical procedures, allow 10 minutes contact time.

**Note:** When used on or near the teats or udders of dairy animals, the teats and udders should be thoroughly washed before the next milking to prevent contamination of milk.

**Caution:** If redness, irritation, or swelling persists or increases discontinue use and consult a veterinarian. Not for use on burns or in body cavities or deep wounds.

**Distributed by:**

Neogen Corporation  
944 Nandino Blvd.  
Lexington, KY 40511

859-254-1221/800-621-8829  
 animalsafety.neogen.com

Made in the U.S.A

**KEEP OUT OF REACH OF CHILDREN  
FOR EXTERNAL USE ONLY**


**Indications:** For use in cattle, horses and swine as a topical antiseptic prior to surgical procedures such as castrating and tail docking; for application to the umbilical stump (navel) of newborn animals; and for minor cuts, teat sores, bruises and abrasions.

**Directions For Use:** Hold container approximately 4 to 6 inches from the area to be sprayed. Point valve at the area to be sprayed. Pull trigger of valve and spray area once lightly. May be repeated daily, if necessary, until the area is healed. Apply to the umbilical stump of newborns 2-3 times per day until stump has dried.

When using prior to surgical procedures, allow 10 minutes contact time.

**Note:** When used on or near the teats or udders of dairy animals, the teats and udders should be thoroughly washed before the next milking or nursing young to prevent contamination of milk.

**Caution:** If redness, irritation or swelling persists or increases, discontinue use and consult a veterinarian. Not for use on burns, in body cavities or in deep wounds.



NDC: 59051-227-16

# Gentle Iodine Wound Spray

Topical Antiseptic

**FOR ANIMAL USE ONLY  
NOT FOR HUMAN USE**

**Active Ingredients:**  
Alpha (p-Nonylphenyl) Omega-Hydroxypoly (Oxyethylene) Iodine Complex (providing 1% Minimum Titratable Iodine) ... 5%

**Inert Ingredients:**  
Water and Nonionic Surfactant ..... 95%


**Warning:** Harmful or fatal if swallowed. Do not apply to the eyes, mucous membranes or large areas of abraded skin. Avoid inhalation of mist.


**Storage:** Store at a temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

Made in the U.S.A.

**Distributed by:**  
Neogen Corporation  
944 Nandino Blvd.  
Lexington, KY 40511  
859-254-1221 • 800-621-8829  
animalsafety.neogen.com


Lot No.  
Exp. Date:





**Net Contents:**  
16 fl oz (473 mL)

Item No. 79214



7 26087 79214 9

L616-0217

<b>GENTLE IODINE WOUND</b>				
iodine spray				
<b>Product Information</b>				
<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:59051-2271	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>		
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.01 mg in 1 mL		
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>	<b>Strength</b>			
WATER (UNII: 059QF0KO0R)	0.99 mg in 1 mL			
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:59051-2271-6	473 mL in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/24/2024	

**Labeler** - Neogen Corp (042125879)

## Establishment

Name	Address	ID/FEI	Business Operations
Centaur Inc		174239087	api manufacture, manufacture, pack, label

Revised: 10/2024

Neogen Corp