

**LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20
LATTE 180-F- octinoxate, zinc oxide emulsion
LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20
CHAMPAGNE 170-N- octinoxate, zinc oxide emulsion
LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20
ALMENDRA 230-N- octinoxate, zinc oxide emulsion
LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20
BEIGE 220-C- octinoxate, zinc oxide emulsion
LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20
CAPUCCINO 310-C- octinoxate, zinc oxide emulsion
LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20
MOKACCINO 390-N- octinoxate, zinc oxide emulsion
Bel Star S.A.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LBEL NUDE SKIN ULTRA-LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20

Drug Facts

Active Ingredients

OCTINOXATE 6.00%

ZINC OXIDE 2.94%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

DIMETHICONE, ISODODECANE, WATER, MICA, GLYCERIN, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, ALCOHOL DENAT., HYDROXYETHYL UREA, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM PCA, POLYSILICONE-11, SILICA, LECITHIN, PHENOXYETHANOL, SODIUM CHLORIDE, NIACINAMIDE, SILICA DIMETHYL Silylate, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, CHLORPHENESIN, FRAGRANCE, PANTHENOL, TOCOPHERYL ACETATE, SACCHAROMYCES LYSATE, PERFLUOROHEXYLETHYL TRIETHOXSILANE, DISODIUM SUCCINATE, GLUTAMIC ACID, GLYCINE, THREONINE, VALINE. **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES.

Company Information


U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA Miami, FL 33126

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.

Made in Columbia.

www.lbel.com

Product Packaging ALMENDRA 230-N



Drug Facts

Active Ingredients	Purpose
OCTINOXATE 6.00 %	Sunscreen
ZINC OXIDE 2.94 %	Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
Skin Cancer / Skin Aging Alert:
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age: Ask a doctor

Other information
 ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:
 DIMETHICONE, ISODODECANE, ▶

Drug Facts
 (continued)

WATER, MICA, GLYCERIN, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, HDI/TRIMETHYLOLHEXYLLACTONE CROSSPOLYMER, ALCOHOL DENAT., HYDROXYETHYL UREA, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE/VINYLDIMETHICONE CROSSPOLYMER, SODIUM PCA, POLYSILICONE-11, SILICA, LECITHIN, PHENOXYETHANOL, SODIUM CHLORIDE, NIACINAMIDE, SILICA DIMETHYL Silylate, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, CHLORPHENESIN, FRAGRANCE, PANTHENOL, TOCOPHERYL ACETATE, SACCHAROMYCES LYSATE, PERFLUOROHXYLETHYL TRIETHOXSILANE, DISODIUM SUCCINATE, GLUTAMIC ACID, GLYCINE, THREONINE, VALINE. **MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.**

U.S.A.: Dist. by Ventura Int'l Ltd, DEABel.com USA Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd, San Juan, Puerto Rico 00926. Made in Colombia

www.bel.com

L'BEL

NUDE SKIN

Base mate ultraligera con vitaminas FPS 20


Ultra-light matte foundation with vitamins SPF 20



0.87 fl.oz. | 26 ml.

*El empaque tiene fondo sin contenido de producto

TONE: ALMENDRA
 230-N



Drug Facts

Active Ingredients Purpose
OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

■ Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

DIMETHICONE, ISODODECANE, ▶

Drug Facts

(continued)

WATER, MICA, GLYCERIN, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, HDI/TRIMETHYLOLHEXYLLACTONE CROSSPOLYMER, ALCOHOL DENAT, HYDROXYETHYL UREA, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM PCA, POLYSILICONE-11, SILICA, LECITHIN, PHENOXYETHANOL, SODIUM CHLORIDE, NIACINAMIDE, SILICA DIMETHYL Silylate, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, CHLORPHENESIN, FRAGRANCE, PANTHENOL, TOCOPHERYL ACETATE, SACCHAROMYCES LYSATE, PERFLUOROHXYLETHYL TRIETHOXYLSILANE, DISODIUM SUCCINATE, GLUTAMIC ACID, GLYCINE, THREONINE, VALINE. **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventura Int'l Lk, DEABelcos USA, Miami, FL 33118. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp., Ltd., San Juan, Puerto Rico 00926. Made in Colombia

www.bel.com

L'BEL

NUDE SKIN

Base mate
ultraligera con
vitaminas FPS 20

Ultra-light matte
foundation with
vitamins SPF 20




*El empaque tiene fondo sin contenido de producto

0.87 fl.oz. | 26 ml.

STONE: BEIGE 220-C

Product Packaging CAPUCCINO 310-C



Drug Facts

Active Ingredients Purpose
 OCTINOXATE 6.00 % Sunscreen
 ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

DIMETHICONE, ISODODECANE, ▶

Drug Facts

(continued)

WATER, MICA, GLYCERIN, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, HDI/TRIMETHYLOLHEXYLLACTONE CROSSPOLYMER, ALCOHOL DENAT, HYDROXYETHYL UREA, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE/VINYLDIMETHICONE CROSSPOLYMER, SODIUM PCA, POLYSILICONE-11, SILICA, LECITHIN, PHENOXYETHANOL, SODIUM CHLORIDE, NIACINAMIDE, SILICA DIMETHYL Silylate, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, CHLORPHENESIN, FRAGRANCE, PANTHENOL, TOCOPHERYL ACETATE, SACCHAROMYCES LYSATE, PERFLUOROHEXYLETHYL TRIETHOXYLSILANE, DISODIUM SUCCINATE, GLUTAMIC ACID, GLYCINE, THREONINE, VALINE. **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventars Int Ltd, DBA Belcoo USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventars Corp. Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

L'BEL

NUDE SKIN

Base mate
ultraligera con
vitaminas FPS 20

Ultra-light matte
foundation with
vitamins SPF 20




*El empaque tiene fondo sin contenido de producto

0.87 fl.oz. | 26 ml.

www.lbel.com

TONE: CAPUCCINO
310-C

Product Packaging CHAMPAGNE 170-N



Drug Facts

Active Ingredients Purpose
 OCTINOXATE 6.00 % Sunscreen
 ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

DIMETHICONE, ISODODECANE, ▶

Drug Facts

(continued)

WATER, MICA, GLYCERIN, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, ALCOHOL DENAT, HYDROXYETHYL UREA, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM PCA, POLYSILICONE-11, SILICA, LECITHIN, PHENOXYETHANOL, SODIUM CHLORIDE, NIACINAMIDE, SILICA DIMETHYL Silylate, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, CHLORPHENESIN, FRAGRANCE, PANTHENOL, TOCOPHERYL ACETATE, SACCHAROMYCES LYSATE, PERFLUOROHXYLETHYL TRIETHOXYLSILANE, DISODIUM SUCCINATE, GLUTAMIC ACID, GLYCINE, THREONINE, VALINE, **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventura Int'l, DBA/BKoop USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

L'BEL

NUDE SKIN

Base mate
 ultraligera con
 vitaminas FPS 20

Ultra-light matte
 foundation with
 vitamins SPF 20




*El empaque tiene fondo sin contenido de producto

0.87 fl.oz. | 26 ml.

www.lbel.com

TONE:
 CHAMPAGNE 170-N

Product Packaging LATTE 180-F



Drug Facts

Active Ingredients Purpose
 OCTINOXATE 6.00 % Sunscreen
 ZINC OXIDE 2.94 % Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
Skin Cancer / Skin Aging Alert:
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.

Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age: Ask a doctor

Other information
 ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:
 DIMETHICONE, ISODODECANE, ▶

Drug Facts

(continued)
 WATER, MICA, GLYCERIN, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, ALCOHOL DENAT., HYDROXYETHYL UREA, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM PCA, POLYSILICONE-11, SILICA, LECITHIN, PHENOXYETHANOL, SODIUM CHLORIDE, NIACINAMIDE, SILICA DIMETHYL SILYLATE, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, CHLORPHENESIN, FRAGRANCE, PANTHENOL, TOCOPHERYL ACETATE, SACCHAROMYCES LYSATE, PERFLUOROHXYLETHYL TRIETHOXYLSILANE, DISODIUM SUCCINATE, GLUTAMIC ACID, GLYCINE, THREONINE, VALINE. **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES.

U.S.A.: Dist. by Ventura Int'L M. DBA Belcorp USA Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia

L'BEL

NUDE SKIN

Base mate ultraligera con vitaminas FPS 20
 Ultra-light matte foundation with vitamins SPF 20



*El empaque tiene fondo sin contenido de producto


0.87 fl.oz. | 26 ml.

www.bel.com

TONE: LATTE 180-F



Product Packaging MOKACCINO 390-N



Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

DIMETHICONE, ISODODECANE, ▶

Drug Facts

(continued)

WATER, MICA, GLYCERIN, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, ALCOHOL DENAT, HYDROXYETHYL UREA, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM PCA, POLYSILICONE-11, SILICA, LECITHIN, PHENOXYETHANOL, SODIUM CHLORIDE, NIACINAMIDE, SILICA DIMETHYL Silylate, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, CHLORPHENESIN, FRAGRANCE, PANTHENOL, TOCOPHERYL ACETATE, SACCHAROMYCES LYSATE, PERFLUOROHXYLETHYL TRIETHOXYLSILANE, DISODIUM SUCCINATE, GLUTAMIC ACID, GLYCINE, THREONINE, VALINE. **MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.**

U.S.A.: Dist. by Ventura Int'l Ltd, DEABdtopo USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

L'BEL

NUDE SKIN


Base mate ultraligera con vitaminas FPS 20

Ultra-light matte foundation with vitamins SPF 20



0.87 fl.oz. | 26 ml.

*El empaque tiene fondo sin contenido de producto



LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20 LATTE 180-F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-021
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
THREONINE (UNII: 2ZD004190S)	
WATER (UNII: 059QF0KO0R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PANTHENOL (UNII: WW9CM0O67Z)	
VALINE (UNII: HG18B9YRS7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	

HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)

ALCOHOL (UNII: 3K9958V90M)

SODIUM SUCCINATE ANHYDROUS (UNII: V8ZGC8ISR3)

GLUTAMIC ACID (UNII: 3KX376GY7L)

GLYCINE (UNII: TE7660XO1C)

CHLORPHENESIN (UNII: I670DAL4SZ)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

FERROSFERRIC OXIDE (UNII: XM0M87F357)

TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)

FERRIC OXIDE RED (UNII: 1K09F3G675)

NIACINAMIDE (UNII: 25X51I8RD4)

PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

CAPRYLYL GLYCOL (UNII: 00YIU5438U)

ISODODECANE (UNII: A8289P68Y2)

MICA (UNII: V8A1AW0880)

SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-021-01	1 in 1 BOX	01/19/2022	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/19/2022	

LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20 CHAMPAGNE 170-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-020
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
THREONINE (UNII: 2ZD004190S)	
WATER (UNII: 059QF0KO0R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PANTHENOL (UNII: WW9CM0O67Z)	
VALINE (UNII: HG18B9YRS7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM SUCCINATE ANHYDROUS (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
GLYCINE (UNII: TE7660XO1C)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-020-01	1 in 1 BOX	01/19/2022	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/19/2022	

LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20 ALMENDRA 230-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
THREONINE (UNII: 2ZD004190S)	
WATER (UNII: 059QF0KO0R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PANTHENOL (UNII: WV9CM0067Z)	
VALINE (UNII: HG18B9YRS7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM SUCCINATE ANHYDROUS (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	

GLYCINE (UNII: TE7660XO1C)
CHLORPHENESIN (UNII: I670DAL4SZ)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
FERRIC OXIDE RED (UNII: 1K09F3G675)
NIACINAMIDE (UNII: 25X51I8RD4)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ISODODECANE (UNII: A8289P68Y2)
MICA (UNII: V8A1AW0880)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-017-01	1 in 1 BOX	01/19/2022	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/19/2022	

LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20 BEIGE 220-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-018
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
THREONINE (UNII: 2ZD004190S)	
WATER (UNII: 059QF0KO0R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PANTHENOL (UNII: WW9CM0O67Z)	
VALINE (UNII: HG18B9YRS7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM SUCCINATE ANHYDROUS (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
GLYCINE (UNII: TE7660XO1C)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-018-01	1 in 1 BOX	01/19/2022	

1	26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		
---	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/19/2022	

LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20 CAPUCCINO 310-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
THREONINE (UNII: 2ZD004190S)	
WATER (UNII: 059QF0KO0R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PANTHENOL (UNII: WW9CM0O67Z)	
VALINE (UNII: HG18B9YRS7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM SUCCINATE ANHYDROUS (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
GLYCINE (UNII: TE7660XO1C)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	

SODIUM CHLORIDE (UNII: 451W471Q8X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
FERRIC OXIDE RED (UNII: 1K09F3G675)
NIACINAMIDE (UNII: 25X5118RD4)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ISODODECANE (UNII: A8289P68Y2)
MICA (UNII: V8A1AW0880)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-019-01	1 in 1 BOX	01/19/2022	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/19/2022	

LBEL NUDE SKIN ULTRA LIGHT MATTE FOUNDATION WITH VITAMINS SPF 20 MOKACCINO 390-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-022
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
THREONINE (UNII: 2ZD004190S)	
WATER (UNII: 059QF0K00R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PANTHENOL (UNII: WW9CM0067Z)	
VALINE (UNII: HG18B9YRS7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM SUCCINATE ANHYDROUS (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
GLYCINE (UNII: TE7660XO1C)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-022-01	1 in 1 BOX	01/19/2022	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/19/2022	

Labeler - Bel Star S.A. (880160197)

Revised: 12/2021

Bel Star S.A.