

**LEADER MAXIMUM STRENGTH LAXATIVE- calcium sennosides tablet**  
**Cardinal Health**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Leader Maximum Strength Laxative**

**Active ingredients (in each tablet)**

Calcium sennosides 25 mg

**Purpose**

Stimulant laxative

**Use(s)**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

**Ask a doctor before use if you have**

- noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you**

- are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs

**When using this product**

- do not use for a period longer than 1 week

**Stop use and ask a doctor if**

- rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center immediately.

**Directions**

- Swallow pill(s) with a glass of water
  - Swallow pill(s) whole, do not crush, break or chew.
-

adults and children 12 years and over	take 2 tablets once or twice daily with a glass of water
children 6 to under 12 years	take 1 tablet once or twice daily with a glass of water
children under 6 years	ask a doctor

### Other information

- do not use if individual blister compartments are torn or open
- store at room temperature
- **Calcium content:** 40 mg per tablet
- **Magnesium content:** 10mg per tablet

### Inactive ingredients

acacia, anhydrous lactose, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C Blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, shellac, sodium lauryl sulfate, stearic acid, sugar, talc, tartaric acid, titanium dioxide.

### Principal Display Panel

LEADER®

Compare to the EX-LAX® Maximum Strength Tablets active ingredient\*

Maximum Strength

#### Laxative

Laxative Stimulant

calcium sennosides, 25mg

Gentle, dependable overnight relief of constipation

24 TABLETS

Distributed By: Cardinal Health

Dublin, Ohio 43017

[www.myleader.com](http://www.myleader.com)

CIN 2740934



**Drug Facts**  
**Active ingredients (in each tablet)** Calcium sennosides 25 mg ..... Stimulant Laxative  
**Purpose** Relieves occasional constipation (irregularity) ■ generally produces bowel movement in 6 to 12 hours  
**Warnings** Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor  
 ■ Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks  
 ■ Ask a doctor or pharmacist before use if you are taking a prescription drug. Laxatives may affect how other drugs work.  
 Take this product 2 or more hours before or after other drugs.  
**When using this product** ■ do not use for a period longer than 1 week  
**Stop use and ask a doctor if** ■ rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** ■ swallow pill(s) with a glass of water ■ swallow pill(s) whole, do not crush, break or chew  
 adults and children 12 years and over take 2 tablets once or twice daily with a glass of water  
 children 6 to under 12 years take 1 tablet once or twice daily with a glass of water  
 ask a doctor children under 6 years

\*This product is not manufactured or distributed by Novartis Consumer Health, owner of the registered trademark EX-LAX®  
 11424LDREFC  
 Distributed By: Cardinal Health  
 Dublin, Ohio 43017  
 www.myleader.com  
 CIN Z740934  
 All Leader® Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund  
 0 962951 10861 3

**LEADER®**  
 MAXIMUM STRENGTH  
**Laxative**


NDC 37205-294-62



Compare to EX-LAX® Maximum Strength Tablets active ingredient\*

**MAXIMUM STRENGTH**  
**Laxative**  
**Laxative Stimulant**

calcium sennosides 25 mg  
 Gentle, dependable overnight relief of constipation



**24 TABLETS**

**Drug Facts (continued)**  
**Other information** ■ do not use if individual blister compartments are torn or open ■ store at room temperature ■ Calcium content: 40mg per Tablet ■ Magnesium content: 10mg per tablet.  
**Inactive ingredients** Acacia, anhydrous lactose, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C Blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, shellac, sodium lauryl sulfate, stearic acid, sugar, talc, tartaric acid, titanium dioxide

LOT:  
 EXP:

**LEADER MAXIMUM STRENGTH LAXATIVE**  
 calcium sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37205-294
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SENNOSIDES A AND B (UNII: 1B5FP142EN) (SENNOSIDES A AND B - UNII:1B5FP142EN)	SENNOSIDES A AND B	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FERROUS OXIDE (UNII: G7036X8B5H)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 1500 (UNII: 1212Z7S33A)	
POVIDONE (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

Color	BLUE	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	44;348
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37205-294-62	2 in 1 CARTON		
1		12 in 1 BLISTER PACK		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**Labeler** - Cardinal Health (097537435)

Revised: 3/2012

Cardinal Health