

# **LIDOCAINE AND MENTHOL- lidocaine and menthol patch**

## **Marcella Health**

-----

### **Lidocaine and Menthol Pain Relieving Patch**

#### **Active ingredients (in each patch)**

Lidocaine 4%

#### **Purpose**

External Anesthetic

#### **Active ingredients (in each patch)**

Menthol 1%

#### **Purpose**

External Analgesic

#### **Use**

Temporarily relieves minor pain

#### **Warnings**

For external use only

#### **Do not use**

- more than one patch on your body at a time
- on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened

#### **When using this**

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not microwave
- dispose of used patch in manner that always keeps product away from children and

pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

### **Stop use and consult a doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

### **If pregnant or breastfeeding,**

ask a health professional before use.

### **Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

### **Directions**

**Adults and children 12 years of age and over:** clean and dry affected area, free of lotions, ointments, and creams. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Do not use more than one patch in a 12-hour period. Maximum 2 patches per day. Discard patch after single use.

**Children under 12 years of age:** consult a physician.

### **Other information**

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### **Inactive ingredients**

dihydroxyaluminum aminoacetate, edetate disodium, glycerin, hydroxyacetophenone, kaolin, mineral oil, polyacrylic acid, polysorbate 80, povidone K90, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide, water

### **Questions or comments?**

Call (307) 410-3813 or email [info@marcellahealth.com](mailto:info@marcellahealth.com)

### **Principal Display Panel**

# Lidocaine 4% Menthol 1%



 Lidocaine and  
Menthol

Pain Relieving Patch

**30 Patches**

5.5 x 3.9 in  
(14 x 10 cm) each

NDC 85096-101-30

## Drug Facts

### Active ingredients (in each patch)

	Purpose
Lidocaine 4%.....	External Anesthetic
Menthol 1%.....	External Analgesic

**Use** Temporarily relieves minor pain

### Warnings

For external use only

**Do not use** • more than one patch on your body at a time • on cut, irritated or swollen skin • on puncture wounds  
• for more than one week without consulting a doctor • if you are allergic to any active or inactive ingredients  
• if pouch is damaged or opened

**When using this product** • use only as directed • read and follow all directions and warnings on this carton  
• do not allow contact with the eyes • do not use at the same time as other topical analgesics • do not  
bandage tightly or apply local heat (such as heating pads) to the area of use • do not microwave • dispose of  
used patch in manner that always keeps product away from children and pets. Used patches still contain the  
drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop use and consult a doctor if** • condition worsens • redness is present • irritation develops  
• symptoms persist for more than 7 days or clear up and occur again within a few days • you experience  
signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breastfeeding**, ask a health professional before use.

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center  
1-800-222-1222 right away.

### Directions

**Adults and children 12 years of age and over:** clean and dry affected area, free of lotions, ointments, and  
creams. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area.  
Do not use more than one patch in a 12-hour period. Maximum 2 patches per day. Discard patch after single use.  
**Children under 12 years of age:** consult a physician.

### Other information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### Inactive ingredients

dihydroxyaluminum aminoacetate, edetate disodium, glycerin, hydroxyacetophenone, kaolin, mineral oil,  
polyacrylic acid, polysorbate 80, povidone K90, propylene glycol, sodium polyacrylate, tartaric acid, titanium  
dioxide, water

### Questions or comments?

Call (307) 410-3813 or email [info@marcellahealth.com](mailto:info@marcellahealth.com)



**Manufactured for:**  
Marcella Health  
Cheyenne, WY 82001

LOT:  
EXP:

## LIDOCAINE AND MENTHOL

lidocaine and menthol patch

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85096-101
<b>Route of Administration</b>	TRANSDERMAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:85096-101-30	30 in 1 CARTON	11/03/2027	
1		1 in 1 POUCH		
1		10 g in 1 PATCH; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	10/24/2025	

**Labeler** - Marcella Health (119381899)

