

TETRANEXT- tetracycline hydrochloride ointment
Saxet Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TetraNext™

Drug Facts

Active Ingredient

Tetracycline hydrochloride 3%

Purpose

First aid antibiotic ointment

Uses

First aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only

Do not use

- in the eyes
- if you are allergic to any of the ingredients
- over large areas of the body
- Longer than 1 week unless directed by a physician

Ask a physician before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a physician if

- condition persists or gets worse
- rash or other allergic reaction occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the infected area
- Remove the twist cap from one vial
- Apply a small amount of this product (an amount equal to the surface area of the finger) on the area 1 to 3 times daily, or as directed by a physician
- Discard vial after use
- May be covered with a sterile bandage

Other Information

- Store at room temperature 20-25°C (68-77°F)

Inactive Ingredients

Water, glycerin, hydroxyethylcellulose, chlor-hexide gluconate, glucono delta lactone, methylparaben, sodium hydroxide, dipropylene glycol, dimethyl sulfoxide, sorbic acid, ascorbic acid, magnesium stearate, stearic acid

Questions or comments?

Call 1-866-957-2938

PRINCIPAL DISPLAY PANEL - 0.3 mL Vial Carton

SAXET | PHARMACEUTICALS

TetraNext™

Tetracycline HCl 3% | First Aid Ointment

MAXIMUM INFECTION PROTECTION

20 single-use vials - 0.3 mL each

NDC 70598-001-20

Drug Facts	
Active Ingredient Tetracycline hydrochloride 3% Purpose First aid antibiotic ointment	Uses First aid to help prevent infection in minor cuts, scrapes and burns
Warnings For external use only	
Do not use <ul style="list-style-type: none"> ■ in the eyes ■ over large areas of the body ■ Longer than 1 week unless directed by a physician 	
Ask a physician before use if you have <ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns 	
Stop use and ask a physician if <ul style="list-style-type: none"> ■ condition persists or gets worse ■ rash or other allergic reaction occurs 	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Questions or comments? Call 1-866-957-2938	

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

20 single-use vials - 0.3 mL each


SAXET | PHARMACEUTICALS NDC 70598-001-20

TetraNext™

Tetracycline HCl 3% | First Aid Ointment

MAXIMUM INFECTION PROTECTION

Patented delivery technology allows product to penetrate deep and create a 24-hour zone of protection



SAXET | PHARMACEUTICALS

TetraNext™

Tetracycline HCl 3% | First Aid Ointment

MAXIMUM INFECTION PROTECTION

20 single-use vials - 0.3 mL each

NDC 70598-001-20

SAXET | PHARMACEUTICALS

TetraNext™

NDC 70598-001-20

20 single-use vials - 0.3 mL each

SAXET | PHARMACEUTICALS NDC 70598-001-20

TetraNext™

Tetracycline HCl 3% | First Aid Ointment

MAXIMUM INFECTION PROTECTION

Patented delivery technology allows product to penetrate deep and create a 24-hour zone of protection

TETRANEXT

tetracycline hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70598-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Tetracycline Hydrochloride (UNII: P6R62377KV) (Tetracycline - UNII:F8VB5M810T)	Tetracycline Hydrochloride	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
glycerin (UNII: PDC6A3C0OX)	
hydroxymethyl cellulose (UNII: 273FM27VK1)	
chlorhexidine gluconate (UNII: MOR84MUD8E)	
gluconolactone (UNII: WQ29KQ9POT)	
methylparaben (UNII: A2I8C7HI9T)	
sodium hydroxide (UNII: 55X04QC32I)	
dipropylene glycol (UNII: E107L85C40)	
dimethyl sulfoxide (UNII: YOW8V9698H)	
sorbic acid (UNII: X045WJ989B)	
ascorbic acid (UNII: PQ6CK8PD0R)	
magnesium stearate (UNII: 70097M6I30)	
stearic acid (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	BROWN (Light brown)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70598-001-20	20 in 1 CARTON	08/01/2016	
1		0.3 mL in 1 BOTTLE, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:70598-001-05	5 in 1 CARTON	08/01/2016	
2		0.3 mL in 1 BOTTLE, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	08/01/2016	

Labeler - Saxet Pharmaceuticals (080032028)