

**PREP AND PRIME SPF MINI SET- avobenzone, homosalate, octisalate, octocrylene, zinc oxide  
System Beauty, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Prep and Prime SPF Mini Set**

**Mineral Sheerscreen SPF 30**

**Active ingredients Purpose**

Zinc Oxide 17.5% Sunscreen

**Superscreen Daily Moisturizer SPF 40**

Active Ingredients Purpose

Avobenzone 2.5% Sunscreen

Homosalate 8% Sunscreen

Octisalate 5% Sunscreen

**Glowscreen SPF 40**

**Active Ingredients Purpose**

Avobenzone 3% Sunscreen

Octisalate 5% Sunscreen

Octocrylene 10% Sunscreen

**Zincscreen 100% Mineral Lotion SPF 40**

**Active Ingredients Purpose**

Zinc Oxide 13% Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor** if rash occurs

**Warnings**

## **For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes

### ***Directions***

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating

**Sun Protection Measure** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2p.m.
- Wear Long-sleeved shirts, pants hats and sunglasses
- Children under 6 months ask a doctor

## **Mineral Sheerscreen Broad Spectrum Sunscreen SPF 30**

Water, Isododecane, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Propanediol, Glycerin, Squalane, Trioctyldodecyl Citrate, Polyglycerin-3, Polyglyceryl-3 Lactate/Laurate, Polysilicone-11, Cetearyl Alcohol, Glyceryl Stearate, Sodium Stearoyl Glutamate, Butylene Glycol, Xanthan Gum, Polyacrylate Crosspolymer-6, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Caprylhydroxamic Acid, Citric Acid, Aloe Barbadensis Leaf Juice, Lespedeza Capitata Leaf/Stem Extract, Maltodextrin, Sodium Hyaluronate

## **Superscreen Daily Moisturizer Broad Spectrum SPF 40**

Inactive ingredients Water, Cartamus Tinctorius (safflower) Olesomes, Glycerin, C12-15 Alkyl Benzoate, Polyester-7, Ammonium Acryloyldimethylmethacrylate/VP Copolymer, Neopentyl Glycol Diheptanoate, Carthamus Tinctorius (Safflower) Seedcake extract, Aphanizomenon Flos-Aquae Extract, Inulin Lauryl Carbamate, Xanthan Gum, Biosaccharide Gum-4, Cerium Oxide, Platinum Powder, 1,2-hexanediol, Ethylhexylglycerin, Phenethyl Alcohol, Chlorphenesin

## **Zinc screen Broad Spectrum Sunscreen SPF 40**

### **Inactive Ingredients**

Water, Tetradecane, Cetearyl Nonanoate, Ethylhexyl Palmitate, Caprylic/Capric Triglyceride, Isopropyl Myristate, Glycerin, Polyglyceryl-3 Diisostearate, Mica, Propanediol, Distardimonium Hectorite, Gluconolactone, Polyglyceryl-6 Polyricinoleate, Brassica Campestris/Aleurites Fordi Oil Copolymer, Polyhydroxystearic Acid, Sodium Chloride, Magnesium Sulfate, Fructose, Octyldodecyl Oleate, Tocopherol, Cocos Nucifera (Coconut) Fruit Extract, Sodium Benzoate, Iron oxides (CI 77492), Dodecane, Hexadecane, Titanium Dioxide (CI 77891), Withania Somnifera Flower Extract, Iron Oxides (CI 77491), Vaccinium Angustifolia (Blueberry) Fruit Extract, Silica, Calcium Gluconate

Prep & Prime

SPF Mini Set

Give your skin daily hydration with this sample set of moisturizing SPF's and multitasking primers

Mineral Sheerscreen SPF 30 (10 ml)

Superscreen Daily Moisturizer SPF 40 (10 ml)

Glowscreen SPF 40 (10 ml)

Zincscreen 100% Mineral Lotion SPF 40 (10 ml)

## **Glow screen SPF 40**

### **Inactive Ingredients**

Water, Propanediol, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Polymethylsilsequioxane, Niacinamide, Glyceryl Stearate Citrate, Bismuth Oxochloride, Mica, Titanium Dioxide, Lauryl Lactate, Isododecane, Isodecyl Neopentanoate, Glyceryl Stearate, Diisopropyl Sebacate, Cetyl Phosphate, Caprylic/Capric Triglyceride, Coco-Caprylate, Ethylhexyl Hydroxystearate, Butylene Glycol, Arginine, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, Iron Oxides, Sodium Hyaluronate, Chlorphenesin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Phospholipids, Limonium Gerberi Extract, Leuconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Pantothenic Acid, Tocopherol, Helianthus Annuus (sunflower) Seed Oil, Ferulic Acid

## **Prep & Prime SPF Mini Set**

Prep & Prime

SPF Mini Set

Give your skin daily hydration with this sample set of moisturizing SPF's and multitasking primers

Mineral sheerscreen SPF 30 (10 ml)

Superscreen Daily Moisturizer SPF 40 (10 ml)

Glowscreen SPF 40 (10 ml)

Zincscreen 100% Mineral Lotion SPF 40 (10 ml)

# PREP & PRIME SPF MINI SET

Give your skin daily hydration with this sample set of moisturizing SPF's and multitasking primers.

## Mineral Sheerscreen SPF 30 (10 ml)

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Zinc Oxide 17.5%.....	Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Water, Isododecane, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Propanediol, Glycerin, Squalane, Trioctyldeceyl Citrate, Polyglycerin-3, Polyglyceryl-3 Lactate/Laurate, Polysilicone-11, Cetearyl Alcohol, Glyceryl Stearate, Sodium Stearoyl Glutamate, Butylene Glycol, Xanthan Gum, Polyacrylate Crosspolymer-6, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyrinoleate, Polyhydroxystearic Acid, Caprylhydroxamic Acid, Citric Acid, Aloe Barbadensis Leaf Juice, Lespedeza Capitata Leaf/Stem Extract, Maltodextrin, Sodium Hyaluronate	
<b>Questions or comments?</b> Contact our Sun Specialists 877-564-7330	

## Superscreen Daily Moisturizer SPF 40 (10 ml)

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzene 2.5%, Homosalate 8%, Octisalate 5%.....	Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Water, Carthamus Tinctorius (Safflower) Oleosomes, Glycerin, C12-15 Alkyl Benzoate, Polyester-7, Ammonium Acryloyldimethyltaurate/VP Copolymer, Neopentyl Glycol Diheptanoate, Carthamus Tinctorius (Safflower) Seedcake Extract, Aphanizomenon Flos-Aquae Extract, Inulin Lauryl Carbamate, Xanthan Gum, Biosaccharide Gum-4, Cerium Oxide, Platinum Powder, 1,2-Hexanediol, Ethylhexylglycerin, Phenethyl Alcohol, Chlorphenesin	
<b>Questions or comments?</b> Contact our Sun Specialists 877-564-7330	





**Glowscreen SPF 40 (10 ml)**

Drug Facts	
<b>Active Ingredients</b> Avobenzone 3%, Octisalate 5%, Octocrylene 10%.....	<b>Purpose</b> .....Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Water, Propanediol, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Polymethylsilsesquioxane, Niacinamide, Glyceryl Stearate Citrate, Bismuth Oxichloride, Mica, Titanium Dioxide, Lauryl Lactate, Isododecane, Isodecyl Neopentanoate, Glyceryl Stearate, Diisopropyl Sebacate, Cetyl Phosphate, Caprylic/Capric Triglyceride, Coco-Caprylate, Ethylhexyl Hydroxystearate, Butylene Glycol, Arginine, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, Iron Oxides, Sodium Hyaluronate, Chlorphenesin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Phospholipids, Limonium Gerberi Extract, Leuconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Pantothenic Acid, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil, Ferulic Acid	
<b>Questions or comments?</b> Contact our Sun Specialists 877-564-7330	

**Zincscreen 100% Mineral Lotion SPF 40 (10 ml)**

Drug Facts	
<b>Active Ingredients</b> Zinc Oxide 13%.....	<b>Purpose</b> .....Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Water, Tetradecane, Cetearyl Nonanoate, Ethylhexyl Palmitate, Caprylic/Capric Triglyceride, Isopropyl Palmitate, Isopropyl Myristate, Glycerin, Polyglyceryl-3 Disostearate, Mica, Propanediol, Distearidimonium Hectorite, Gluconolactone, Polyglyceryl-6 Polyricinoleate, Brassica Campestris/Aleurites Fordi Oil Copolymer, Polyhydroxystearic Acid, Sodium Chloride, Magnesium Sulfate, Fructose, Octyldodecyl Oleate, Tocopherol, Cocos Nucifera (Coconut) Fruit Extract, Sodium Benzoate, Iron Oxides (CI 77492), Dodecane, Hexadecane, Titanium Dioxide (CI 77891), Withania Somnifera Flower Extract, Iron Oxides (CI 77491), Vaccinium Angustifolium (Blueberry) Fruit Extract, Silica, Calcium Gluconate	
<b>Questions or comments?</b> Contact our Sun Specialists 877-564-7330	



**Mineral Sheerscreen Broad Spectrum Sunscreen SPF 30**

Mineral Sheerscreen SPF 30

SPF 30

100% Mineral

Broad Spectrum Sunscreen

SPF 30 PA+++

0.34 fl. oz. / 10 ml.

59.66mm±1 mm

60mm±1 mm

80mm±1 mm



**100% Mineral Sunscreen**  
**Actives • Reef-Safe**  
**Non-Irritating • No Synthetic**  
**Fragrance • Vegan**

**Mineral Sheerscreen™ SPF 30** is a barely-there, 100% non-nano zinc oxide face protector that glides on and blends in effortlessly, while leaving behind a smooth, natural finish that wears well under makeup.

**Active Ingredients**  
 Zinc Oxide 17.5% (Sunscreen)

**Directions:** Apply generously and evenly as the last step in your skincare routine, before makeup and 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating.

**Warnings: For external use only.**  
 • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs.

**Questions or comments?**  
 877-564-7330

**supergoop.com**  
 Sample not for resale

Sheerscreen™ is trademarked and distributed by Taylor James, LLC. San Antonio, TX 78215

Supergoop!®

**MINERAL SHEER SCREEN**



100% Mineral  
 Broad Spectrum Sunscreen  
 SPF 30 PA+++  
 0.34 fl. oz. / 10 ml.

BACK

FRONT


**Superscreen Daily Moisturizer SPF 40**

Superscreen Daily Moisturizer SPF 40

SPF 40

Broad Spectrum Sunscreen SPF 40 PA+++

0.34 fl. oz. / 10 ml



## Glowscreen SPF 40

Glowscreen SPF 40

Broad Spectrum Sunscreen

SPF 40 PA+++

0.34 fl. oz. / 10 ml



## Zincscreen 100% Mineral Lotion SPF 40


Zincscreen 100% Mineral Lotion

SPF 40

Broad Spectrum Sunscreen SPF 40 PA+++

0.34 fl.oz. / 10ml





## PREP AND PRIME SPF MINI SET

avobenzone, homosalate, octisalate, octocrylene, zinc oxide kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82384-0005
---------------------	----------------	---------------------------	----------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0005-1	1 in 1 KIT; Type 1: Convenience Kit of Co-Package	09/27/2021	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	10 mL
Part 2	1 TUBE	10 mL
Part 3	1 BOTTLE	10 mL
Part 4	1 BOTTLE	10 mL

## Part 1 of 4

### MINERAL SHEERSCREEN SPF 30

zinc oxide lotion

## Product Information

Item Code (Source) NDC:82384-0006

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17.5 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
XANTHAN GUM (UNII: TTV12P4NEE)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIOCTYLDODECYL CITRATE (UNII: 35X8CT063R)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
WATER (UNII: 059QF0KO0R)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SQUALANE (UNII: GW89575KF9)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ISODODECANE (UNII: A8289P68Y2)	

<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0006-1	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

## Part 2 of 4

### SUPERSCREEN DAILY MOISTURIZER SPF 40

avobenzone, homosalate, octisalate cream

## Product Information

<b>Item Code (Source)</b>	NDC:82384-0007
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.5 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CARTHAMUS TINCTORIUS SEEDCAKE</b> (UNII: DHQ13F4N2W)	
<b>CERIC OXIDE</b> (UNII: 619G5K328Y)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>PHENYLETHYL ALCOHOL</b> (UNII: ML9LGA7468)	
<b>CARTHAMUS TINCTORIUS SEED OLEOSOMES</b> (UNII: 9S60Q72309)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>POLYESTER-7</b> (UNII: 0841698D2F)
<b>APHANIZOMENON FLOSAQUAE</b> (UNII: 49VG1X560X)
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)
<b>PLATINUM</b> (UNII: 49DFR088MY)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKWBC543X)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0007-1	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

## Part 3 of 4

### GLOWSCREEN SPF 40

avobenzone, octisalate, octocrylene cream

## Product Information

<b>Item Code (Source)</b>	NDC:82384-0008
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	10 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	

<b>ARGININE</b> (UNII: 94ZLA3W45F)
<b>CETYL PHOSPHATE</b> (UNII: VT07D6X67O)
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)
<b>MICA</b> (UNII: V8A1AW0880)
<b>WATER</b> (UNII: 059QF0K00R)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>LECITHIN, SOYBEAN</b> (UNII: 1D156QDM62)
<b>LAURYL LACTATE</b> (UNII: G5SU0BFBK7O)
<b>ETHYLHEXYL HYDROXYSTEARATE</b> (UNII: B7I80BWW5E)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>COCOA</b> (UNII: D9108TZ9KG)
<b>FERULIC ACID</b> (UNII: AVM951ZWST)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)
<b>LIMONIUM GERBERI WHOLE</b> (UNII: 2J5K7YCF9F)
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0008-1	10 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

## Part 4 of 4

### ZINCSCREEN 100 MINERAL SPF 40

zinc oxide lotion

#### Product Information

**Item Code (Source)** NDC:82384-0009

**Route of Administration** TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	13 g in 100 mL

#### Inactive Ingredients

Ingredient Name	Strength
CETEARYL NONANOATE (UNII: F6ZWW2F361)	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	
FRUCTOSE (UNII: 6YSS42VSEV)	
OCTYLDODECYL OLEATE (UNII: MCA43PK7MH)	
DODECANE (UNII: 11A386X1QH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CALCIUM GLUCONATE (UNII: SQE6VB453K)	
MICA (UNII: V8A1AW0880)	
PROPANEDIOL (UNII: 5965N8W85T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HEXADECANE (UNII: F8Z00SHP6Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
COCONUT (UNII: 3RT3536DHY)	
WATER (UNII: 059QF0KO0R)	
TETRADECANE (UNII: 03LY784Y58)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WITHANIA SOMNIFERA FLOWER (UNII: 2HZ95R7082)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	

**SILICON DIOXIDE** (UNII: ETJ7Z6XBU4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0009-1	10 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

**Labeler** - System Beauty, LLC (809198398)

Revised: 12/2021

System Beauty, LLC