

**CHILDRENS MULTI-SYMPATOM COLD - dextromethorphan hbr, guaifenesin,  
phenylephrine hcl liquid  
Wal-Mart Stores, Inc.**

-----  
**Equate Children's Multi-Symptom Cold**

**ACTIVE INGREDIENT(S)**

Dextromethorphan HBr 5mg

Guaifenesin 100 mg

Phenyephine HCl 2.5 mg

**PURPOSE**

Cough Suppressant

Expectorant

Phenylephrine HCl

**USE(S)**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep
- nasal congestion due to a cold
- stuffy nose

**WARNINGS**

.

**DO NOT USE**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**ASK A DOCTOR BEFORE USE IF**

- heart disease
- high blood pressure

- thyroid disease
- diabetes
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

## **WHEN USING THIS PRODUCT**

do not use more than directed

## **STOP USE AND ASK DOCTOR IF**

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious illness.

## **KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **DIRECTIONS**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

Age	Dose
children 6 years to under 12 years	10 mL every 4 hours
children 4 years to under 6 years	5 mL every 4 hours
children under 4 years	do not use

## **OTHER INFORMATION**

- each 5 mL contains: potassium 5 mg, sodium 5 mg
- store between 15-30°C (59-86°F)
- do not refrigerate
- dosing cup provided

## **INACTIVE INGREDIENTS**

anhydrous citric acid, D&C red # 33, dextrose, edetate disodium, FD&C blue # 1, FD&C Red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propyl gallate, purified water, saccharin sodium, sodium hydroxide, sorbitol solution, sucralose, xanthan gum

## **PRINCIPAL DISPLAY PANEL**

NDC 49035-715-03

**equate™**

Compare to Children's Mucinex® Multi-Symptom Cold active ingredients\*

Children's

### **Multi-Symptom Cold**

**Dextromethorphan HBr** 5 mg

Cough Suppressant

**Guaifenesin** 100 mg

Expectorant

**Phenylephrine HCl** 2.5 mg

Nasal Decongestant

Ages 4 to 12 years

- Relieves Stuffy Nose
- Soothes Cough
- Relieves Chest Congestion
- Thins and loosens Mucus
- Alcohol Free

**Very Berry Flavored**

**4 FL OZ (118 mL)**



## CHILDRENS MULTI-SYMPOM COLD

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-715
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE -	PHENYLEPHRINE	2.5 mg

UNII:1WS297W6MV)

HYDROCHLORIDE

in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-715-03	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/01/2014	

**Labeler** - Wal-Mart Stores, Inc. (051957769)**Establishment**

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(49035-715)

Revised: 12/2025

Wal-Mart Stores, Inc.