

**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25  
CLARO 1 - BEIGE- octinoxate and zinc oxide lotion**  
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25  
CLARO 2 - BEIGE- octinoxate and zinc oxide lotion**  
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25  
MEDIO 1 - BEIGE- octinoxate and zinc oxide lotion**  
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25  
MEDIO 2 - BEIGE- octinoxate and zinc oxide lotion**  
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25  
MEDIO 3 - BEIGE- octinoxate and zinc oxide lotion**  
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25  
MEDIO 4 - BEIGE- octinoxate and zinc oxide lotion**  
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25  
MEDIO 5 - BEIGE- octinoxate and zinc oxide lotion**  
**Ventura International LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**ÉSIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25**

### ***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
OCTINOXATE 6.5 %	Sunscreen
ZINC OXIDE 3.5 %	Sunscreen

### **Uses**

- Helps prevent sunburn.

### **Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor.

### **Other information**

- Protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

ISODODECANE, DIMETHICONE, POLYSILICONE-11, WATER, ZEA MAYS (CORN) STARCH, PEG-10 DIMETHICONE, GLYCERIN, BENZIMIDAZOLE DIAMOND AMIDOETHYL UREA CARBAMOYL PROPYL POLYMETHYLSILSESQUIOXANE, ALUMINA, SILICA, POLYMETHYLSILSESQUIOXANE, BENTONITE, PHENOXYETHANOL, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, METHYLPROPANEDIOL, TOCOPHERYL ACETATE, CAPRYLYL GLYCOL, CHLORPHENESIN, TRIETHOXYCAPRYLYLSILANE, SILANEDIOL SALICYLATE, OLIVE OIL DECYL ESTERS, TROMETHAMINE, LAURETH-12, CERAMIDE 3, CITRIC ACID, HYDRATED SILICA, LACTIC ACID, SQUALENE, CHLORELLA VULGARIS EXTRACT, SEA SALT, TOCOPHEROL. **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, MICA.

Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami,  
FL 33126.

### **PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLARO 1 - BEIGE**

**ésika**  
**PRO**

INSTANT PERFECTION  
3 EN 1

Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)



**Drug Facts**

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor.

**Other information**

Protect the product in this container from

**Drug Facts (continued)**

excessive heat and direct sun

**Inactive Ingredients**

Isododecane, dimethicone, polysilicone-11, water, sea mays (corn) starch, decyl dimethicone, glycerin, benzimidazole diimid amidethyl urea carbamoyl propyl

**ésika**  
PRO

INSTANT PERFECTION  
3 EN 1  
Base Perfeccionadora para  
Rostro FPS 25  
Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)

**Drug Facts (continued)**

polymethylsilsequioxane, alumina, silica, polymethylsilsequioxane, bentonite, phenoxyethanol, hextrimethyl hexylacrylate crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol, salicylate, olive oil decyl esters, tromethamine, lauric-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorofluorocarbon extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

PUERTO RICO: Rick, by Ventura Corp. Ltd., San Juan, Puerto Rico 00906. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd., D.B.A. Escarp USA, Miami, FL 33126. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLARO 2 - BEIGE

**ésika**  
**PRO**

INSTANT PERFECTION  
3 EN 1

Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)



**Drug Facts**

**Active Ingredients**

**Purpose**

Octinoxate 6.5% ..... Sunscreen  
Zinc Oxide 3.6% ..... Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

- Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damaged or broken skin.

**Drug Facts (continued)**

- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

**Other information**

- Protect the product in this container from

**Drug Facts (continued)**

excessive heat and direct sun

**Inactive ingredients**

Isododecane, dimethicone, polysilicone-11, water, sea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole, diamond, amidobethyl urea carbarnoyl propyl

**ésika**  
PRO

INSTANT PERFECTION  
3 EN 1

Base Perfeccionadora para  
Rostro FPS 25

Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)

**Drug Facts (continued)**

polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hydroxymethyl hexyllactone crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol, salicylate, olive oil decyl esters, trimethylamine, lauric-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorofella vulgans extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

PUERTO RICO: Distributed by: Ventura Corp. Ltd., San Juan, Puerto Rico 00906. Made in Colombia. U.S.A.: Dist. by: Ventura Int. Ltd., DBA, Edcorp USA, Miami, FL 33106. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 1 - BEIGE

ésika  
PRO

INSTANT PERFECTION  
3 EN 1

Face Refining Foundation

SPF 25

Net Wt. 1 oz e (30 g)



<b>Drug Facts</b> <b>Active Ingredients</b> Ocinolate 6.5% ..... Sunscreen Zinc Oxide 3.6% ..... Sunscreen	<b>Drug Facts (continued)</b> ■ When using this product keep out of eyes. Rinse with water to remove. ■ <b>Stop use and ask a doctor</b> if rash occurs. ■ <b>Keep out of reach of children</b> , if swallowed, get medical help or contact a Poison Control Center right away.
<b>Uses</b> ■ Helps prevent sunburn.	<b>Directions</b> ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age. Ask a doctor.
<b>Warnings</b> ■ <b>Skin Cancer / Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, <b>not</b> skin cancer or early skin aging.	<b>Other information</b> ■ Protect the product in this container from ▼
■ For external use only. ■ Do not use on damaged or broken skin. ▶	

**Drug Facts (continued)**  
excessive heat and direct sun

**Inactive Ingredients**  
Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, Peg-10 dimethylconyl glycerin, benzimidazole diamond amideethyl urea carbamoyl propyl

**ésika**  
PRO

INSTANT PERFECTION  
3 EN 1  
Base Perfeccionadora para  
Rostro FPS 25  
Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)

**Drug Facts (continued)**  
polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hydroxymethyl hexyl lactone crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia, U.S.A., Dist. by Ventura Int'l Ltd, DBA Edcorp USA, Miami, FL 33126. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 2 - BEIGE

**ésika**  
**PRO**

INSTANT PERFECTION

3 EN 1

Face Refining Foundation

SPF 25

Net Wt. 1 oz e (30 g)



<b>Drug Facts</b>	<b>Drug Facts (continued)</b>
<b>Active Ingredients</b> Octinoxate 6.5% Zinc Oxide 3.6%	<b>When using this product</b> keep out of eyes. Rinse with water to remove. <b>Stop use and ask a doctor</b> if rash occurs. <b>Keep out of reach of children</b> , if swallowed, get medical help or contact a Poison Control Center right away.
<b>Uses</b> ■ Helps prevent sunburn.	<b>Directions</b> ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.
<b>Warnings</b> ■ <b>Skin Cancer / Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, <b>not</b> skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin.	<b>Other information</b> ■ Protect the product in this container from

**Drug Facts (continued)**  
excessive heat and direct sun

**Inactive Ingredients**  
Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diarnid amidoethyl urea carbamoyl propyl

**ésika**  
PRO

INSTANT PERFECTION  
3 EN 1  
Base Perfeccionadora para  
Rostro FPS 25  
Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)

**Drug Facts (continued)**  
polymethylsilsequioxane, alumina, silica, polymethylsilsequioxane, bentonite, phenoxyethanol, hydroxymethyl hexylacrylate crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, methoxycaprylsilane, stannic acid, salicylate, olive oil oleoyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

FUERTO RICO, P.R., by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia, U.S.A. Dist. by Ventura Int. Ltd. 3584 Estampa USA, Miami, FL 33129. Made in Colombia.

ésika  
PRO

INSTANT PERFECTION  
3 EN 1

Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)

**Drug Facts**

**Active Ingredients**  
Octinoxate 6.5% .....  
Zinc Oxide 3.6% .....

**Uses**  
■ Helps prevent sunburn.

**Warnings**  
■ **Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

■ For external use only.  
■ Do not use on damaged or broken skin.

**Drug Facts (continued)**

■ When using this product keep out of eyes. Rinse with water to remove.  
■ Stop use and ask a doctor if rash occurs.

■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**  
■ Protect the product in this container from

**Drug Facts (continued)**

excessive heat and direct sun  
**Inactive ingredients**  
Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, butylparaben, diazolidinone, amidebenzyl urea carbamoyl propyl

ésika  
PRO

INSTANT PERFECTION  
3 EN 1  
Base Perfeccionadora para  
Rostro FPS 25  
Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)

**Drug Facts (continued)**

polymethylsiloxane, alumina, silica, polymethylsiloxane, bentonite, phenoxethanol, hydroxyethyl hexyl lactate crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol, salicylate, olive oil decyl esters, tromethamine, lauric acid, caramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia, U.S.A., Dist. by Ventura Int. Ltd., DBA, Zalcarp USA, Miami, FL 33128. Made in Colombia.

**PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 4 - BEIGE**

**ésika**  
**PRO**

INSTANT PERFECTION  
3 EN 1

Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)





**PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 5 - BEIGE**

**ésika  
PRO**

INSTANT PERFECTION  
3 EN 1

Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)



**Drug Facts (continued)**

- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

**Other information**

- Protect the product in this container from

**Drug Facts (continued)**

excessive heat and direct sun

**Inactive ingredients**

Isododecane, dimethicone, polysilicone-11, water, sea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole, diamond, amidobethyl urea carbamoyl propyl

**ésika**  
PRO

INSTANT PERFECTION  
3 EN 1

Base Perfeccionadora para  
Rostro FPS 25

Face Refining Foundation  
SPF 25

Net Wt. 1 oz e (30 g)

**Drug Facts (continued)**

polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hydroxymethyl hexyllactone crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol, salicylate, olive oil decyl esters, trimethylamine, lauric-12, ceramide 3, citric acid, hyaluronate, lactic acid, squalene, chlorofellulose extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00906. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd., DBA, Edcorp USA, Miami, FL 33106. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 3 g Tube Box - CLARO 1 - BEIGE

ésika  
PRO

INSTANT  
PERFECTION 3 EN 1

Face Refining  
Foundation SPF 25  
Net Wt. 0.10 oz. e (3 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.5 % .....  
Zinc Oxide 3.6 % .....

**Uses** ■ Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / SkinAging Alert:**  
Spending time in the sun increases your risk of ▶

**Drug Facts (continued)**

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use on damaged or broken skin.** ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

**Drug Facts (continued)**

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information** ■ Protect the product in this container from excessive heat and direct sun▶

ésika  
PRO

INSTANT  
PERFECTION 3 EN 1  
Base Perfeccionadora  
para Rostro FPS 25

Face Refining  
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

**Drug Facts (continued)**

**Inactive Ingredients** Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amidoethyl urea carbamoyl propyl polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hdihtrimethylol hexylactone ▶

**Drug Facts (continued)**

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

**PRINCIPAL DISPLAY PANEL - 3 g Tube Box - CLARO 2 - BEIGE**

**ésika**

**PRO**

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.5 % .....  
Zinc Oxide 3.6 % .....

**Purpose**

Sunscreen  
Sunscreen

**Uses** ■ Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / SkinAging Alert:**  
Spending time in the sun increases your risk of ▶

**Drug Facts (continued)**

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use on damaged or broken skin.** ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

**Drug Facts (continued)**

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information** ■ Protect the product in this container from excessive heat and direct sun▶

ésika  
PRO

INSTANT  
PERFECTION 3 EN 1  
Base Perfeccionadora  
para Rostro FPS 25

Face Refining  
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

**Drug Facts (continued)**

**Inactive Ingredients** Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amidoethyl urea carbamoyl propyl polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hdihtrimethylol hexylactone ▶

**Drug Facts (continued)**

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

**PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 1 - BEIGE**

**ésika**

**PRO**

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.5 % .....  
Zinc Oxide 3.6 % .....

**Purpose**

Sunscreen  
Sunscreen

**Uses** ■ Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / SkinAging Alert:**  
Spending time in the sun increases your risk of ▶

**Drug Facts (continued)**

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use on damaged or broken skin.** ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

**Drug Facts (continued)**

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information** ■ Protect the product in this container from excessive heat and direct sun▶

ésika  
PRO

INSTANT  
PERFECTION 3 EN 1  
Base Perfeccionadora  
para Rostro FPS 25

Face Refining  
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

**Drug Facts (continued)**

**Inactive Ingredients** Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amidoethyl urea carbamoyl propyl polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hydroxymethyl hexyl lactone ▶

**Drug Facts (continued)**

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, cholella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.



**PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 2 - BEIGE**

**ésika**

**PRO**

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.5 % .....  
Zinc Oxide 3.6 % .....

**Uses** ■ Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / SkinAging Alert:**  
Spending time in the sun increases your risk of ▶

**Drug Facts (continued)**

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use on damaged or broken skin.** ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

**Drug Facts (continued)**

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information** ■ Protect the product in this container from excessive heat and direct sun▶

ésika  
PRO

INSTANT  
PERFECTION 3 EN 1  
Base Perfeccionadora  
para Rostro FPS 25  
Face Refining  
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

**Drug Facts (continued)**

**Inactive Ingredients** Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amidoethyl urea carbamoyl propyl polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hdihtrimethylol hexylactone ▶

**Drug Facts (continued)**

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

**PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 3 - BEIGE**

**ésika**

**PRO**

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.5 % .....  
Zinc Oxide 3.6 % .....

**Uses** ■ Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / SkinAging Alert:**  
Spending time in the sun increases your risk of ▶

**Drug Facts (continued)**

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use on damaged or broken skin.** ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

**Drug Facts (continued)**

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information** ■ Protect the product in this container from excessive heat and direct sun▶

ésika  
PRO

INSTANT  
PERFECTION 3 EN 1  
Base Perfeccionadora  
para Rostro FPS 25  
Face Refining  
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

**Drug Facts (continued)**

**Inactive Ingredients** Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amidoethyl urea carbamoyl propyl polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hdihtrimethylol hexylactone ▶

**Drug Facts (continued)**

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

**PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 4 - BEIGE**

**ésika**

**PRO**

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.5 % .....  
Zinc Oxide 3.6 % .....

**Uses** ■ Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / SkinAging Alert:**  
Spending time in the sun increases your risk of ▶

**Drug Facts (continued)**

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use on damaged or broken skin.** ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

**Drug Facts (continued)**

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information** ■ Protect the product in this container from excessive heat and direct sun▶

ésika  
PRO

INSTANT  
PERFECTION 3 EN 1  
Base Perfeccionadora  
para Rostro FPS 25

Face Refining  
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

**Drug Facts (continued)**

**Inactive Ingredients** Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amidoethyl urea carbamoyl propyl polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hydroxymethyl hexyl lactate ▶

**Drug Facts (continued)**

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

**PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 5 - BEIGE**

**ésika**

**PRO**

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.5 % .....  
Zinc Oxide 3.6 % .....

**Purpose**

Sunscreen  
Sunscreen

**Uses** ■ Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / SkinAging Alert:**  
Spending time in the sun increases your risk of ▶

**Drug Facts (continued)**

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use on damaged or broken skin.** ■ **When using this product keep out of eyes.** Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

**Drug Facts (continued)**

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information** ■ Protect the product in this container from excessive heat and direct sun▶

ésika  
PRO

INSTANT  
PERFECTION 3 EN 1  
Base Perfeccionadora  
para Rostro FPS 25

Face Refining  
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

**Drug Facts (continued)**

**Inactive Ingredients** Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amidoethyl urea carbamoyl propyl polymethylsilsesquioxane, alumina, silica, polymethylsilsesquioxane, bentonite, phenoxethanol, hydroxymethyl hexyl lactate ▶

**Drug Facts (continued)**

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.



# ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 CLARO 1 - BEIGE

octinoxate and zinc oxide lotion

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-064
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-064-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-064-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 CLARO 2 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-065
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0K00R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-065-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-065-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 1 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-066
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

ISODODECANE (UNII: A8289P68Y2)
DIMETHICONE (UNII: 92RU3N3Y1O)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
WATER (UNII: 059QF0KO0R)
STARCH, CORN (UNII: O8232NY3SJ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
GLYCERIN (UNII: PDC6A3C0OX)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BENTONITE (UNII: A3N5ZCN45C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-066-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-066-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 2 - BEIGE

octinoxate and zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-067
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>BENTONITE</b> (UNII: A3N5ZCN45C)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>TRIETHOXYCAPRYLSILANE</b> (UNII: LDC331P08E)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>OLIVE OIL DECYL ESTERS</b> (UNII: 3AQ222F18X)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>HYDRATED SILICA</b> (UNII: Y6O7T4G8P9)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>SQUALENE</b> (UNII: 7QWM220FJH)	
<b>CHLORELLA VULGARIS</b> (UNII: RYQ4R60M02)	
<b>SEA SALT</b> (UNII: 87GE52P74G)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>MICA</b> (UNII: V8A1AW0880)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-067-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-067-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION  
SPF 25 MEDIO 3 - BEIGE**

octinoxate and zinc oxide lotion

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-068
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y10)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	

TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-068-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-068-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 4 - BEIGE

octinoxate and zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-069
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0K00R)	

STARCH, CORN (UNII: O8232NY3SJ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
GLYCERIN (UNII: PDC6A3C0OX)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BENTONITE (UNII: A3N5ZCN45C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-069-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-069-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 5 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-070
--------------	----------------	--------------------	---------------



Route of Administration TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-070-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-070-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 CLARO 1 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-071
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-071-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-071-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 CLARO 2 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-073
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BENTONITE (UNII: A3N5ZCN45C)
PHENOXYETHANOL (UNII: HE492ZZ3T)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-073-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-073-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 1 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-074
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>BENTONITE</b> (UNII: A3N5ZCN45C)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>OLIVE OIL DECYL ESTERS</b> (UNII: 3AQ222F18X)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>HYDRATED SILICA</b> (UNII: Y6O7T4G8P9)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>SQUALENE</b> (UNII: 7QWM220FJH)	
<b>CHLORELLA VULGARIS</b> (UNII: RYQ4R60M02)	
<b>SEA SALT</b> (UNII: 87GE52P74G)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>MICA</b> (UNII: V8A1AW0880)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-074-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-074-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 2 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-075
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	

SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-075-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-075-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 3 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-076
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	

METHYLPROPANEDIOL (UNII: N8F53B3R4R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-076-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-076-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

## ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 4 - BEIGE

octinoxate and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-078
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g



## Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-078-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-078-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

# ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 5 - BEIGE

octinoxate and zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-079
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-079-02	1 in 1 BOX	12/16/2016	
1	NDC:14783-079-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

**Labeler** - Ventura International LTD (603192787)

### Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(14783-064, 14783-065, 14783-066, 14783-067, 14783-068, 14783-069, 14783-070, 14783-071, 14783-073, 14783-074, 14783-075, 14783-076, 14783-078, 14783-079)

Revised: 12/2016

Ventura International LTD