

FLUTICASONE PROPIONATE- fluticasone propionate spray, metered
Sam's West, Inc

Drug Facts

Active ingredient (in each spray)

Fluticasone propionate (glucocorticoid) 50 mcg.

Purpose

Allergy symptom reliever

Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- runny nose
- sneezing
- itchy nose
- itchy, watery eyes

Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you

have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- read the Quick Start Guide for how to:
 - prime the bottle
 - use the spray
 - clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 - use 2 sprays in each nostril once daily
- Week 2 through 6 months - use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use - ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. **Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.**
- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- **do not use**

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use
- store at 4° to 30°C (39° to 86°F)

- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

0.02% w/w benzalkonium chloride, dextrose, microcrystalline cellulose and carboxymethylcellulose sodium, 0.25% w/w phenylethyl alcohol, polysorbate 80, purified water

Questions or comments?

call us toll free **1-877-753-3935** from 9 a.m. to 5 p.m. EST Mon-Fri

Principal Display Panel - Carton

COMPARE TO FLONASE® ALLERGY RELIEF ACTIVE INGREDIENT*

FULL PRESCRIPTION STRENGTH • NON-DROWSY

Allergy Relief

FLUTICASONE PROPIONATE NASAL SPRAY, USP

50 MCG PER SPRAY

ALLERGY SYMPTOM RELIEVER

(GLUCOCORTICOID)**

24 HR Allergy Relief of:

- ITCHY WATERY EYES
- NASAL CONGESTION
- RUNNY NOSE
- ITCHY NOSE
- SNEEZING

METERED SPRAY

**Fluticasone propionate is a steroid medicine known as a glucocorticoid.

*This product is not manufactured or distributed by Haleon US Holdings LLC, distributor of Flonase® Allergy Relief.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPEN, TORN OR BROKEN OR IF THE SEAL AROUND THE PRODUCT LABELED "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

DISTRIBUTED BY SAM'S WEST, INC.

BENTONVILLE, AR 72716

Principal Display Panel - Bottle

Member's Mark™  NDC 68196-503-02

Allergy Relief

FLUTICASONE PROPIONATE NASAL SPRAY, USP
50 MCG PER SPRAY (GLUCOCORTICOID)**

24 Hour Relief of:

- ITCHY WATERY EYES • RUNNY NOSE
- NASAL CONGESTION • SNEEZING

144 METERED SPRAYS 0.62 FL OZ (18.2 ML)

IMPORTANT: Read Drug Facts label and enclosed materials for important information.
Children 4-11: 1 spray per nostril per day.
Talk to a doctor if your child needs to use for longer than two months a year.
Keep out of reach of children.
Only for use in the nose, do not spray into eyes.
Store between 4°C and 30°C (39°F and 86°F)
Shake gently before each use.
**Fluticasone propionate is a steroid medicine known as a glucocorticoid.
We would love to hear about your Member's Mark experience!
Call us toll free at: 1-877-753-3935 from 9 a.m. to 5 p.m. EST Mon-Fri.
DISTRIBUTED BY SAM'S WEST, INC. BENTONVILLE, AR 72716
476198
PLD-A903A L8010515

MEMBER'S MARK (SAM'S WEST) Allergy Relief

Package label

COMPARE TO FLONASE®
ALLERGY RELIEF ACTIVE INGREDIENT*

Member's Mark™  NDC 68196-503-01

FULL PRESCRIPTION STRENGTH • NON-DROWSY

Allergy Relief

FLUTICASONE PROPIONATE NASAL SPRAY, USP
50 MCG PER SPRAY
ALLERGY SYMPTOM RELIEVER
(GLUCOCORTICOID)**

24 HR Allergy Relief of:

- ITCHY WATERY EYES
- NASAL CONGESTION
- RUNNY NOSE
- ITCHY NOSE
- SNEEZING

24 Hour

6 BOTTLES 0.62 FL OZ (18.2 ML) EACH
TOTAL: 3.72 FL OZ (109.2 ML)
144 METERED SPRAYS EACH
TOTAL 864 SPRAYS

PLD-A903A FC009509



FULL PRESCRIPTION STRENGTH • NON-DROWSY

Allergy Relief

FLUTICASONE PROPIONATE NASAL SPRAY, USP
50 MCG PER SPRAY
ALLERGY SYMPTOM RELIEVER (GLUCOCORTICOID)**

What problems can Fluticasone Propionate Nasal Spray, USP help with?

Fluticasone Propionate Nasal Spray, USP helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.

**Nasal symptoms
Eye symptoms**

These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.
• Outdoor allergens • Animal allergens • Indoor allergens

See Below For Important Information About Use in Children

**Fluticasone propionate is a steroid medicine known as a glucocorticoid.

Drug Facts	Purpose
Active ingredient (In each spray) Fluticasone propionate (antimicrobial for eye)	Allergy symptom reliever
Other Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • nasal congestion • runny nose • itchy nose • itchy watery eyes	
Warnings Only for use in the nose. Do not spray into your eyes or mouth.	
Do not use • In children under 4 years of age • In throat asthma • If you have an injury or surgery to your nose that is not fully healed • If you have ever had an allergic reaction to this product or any of the ingredients	
Ask a doctor before use if you have or had: glaucoma or cataracts • a doctor or pharmacist before use if you are taking: • medicine for HIV infection (such as abacavir) • a blood thinner for anticoagulation or anti-clotting • intracranial pressure (medication for brain pressure)	
When using this product • The greatest risk of nosebleeds may be observed • sneezing or sneezing may occur for a few seconds right after use • Do not share this bottle with anyone else as this may spread germs	

Drug Facts (continued)
Purpose Remember to tell your doctor about all the medicines you take, including this one. • Do not use with a doctor if: • you have, or come into contact with someone who has chickenpox, measles or tuberculosis • you are pregnant or are pregnant within 4 weeks of starting use or you get new symptoms such as severe back pain or "flu-like" feeling. You may have something more than allergies, such as infection. • you get a constant stinging/burning from your nose. This may be a sign of damage inside your nose. • you get an allergic reaction to this product. Seek medical help right away. • you get new changes to your vision that develop after starting this product • you have sores or blisters on your face.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center in 1-800-222-1222 right away.
Directions Read the Quick Start Guide for how to: • prime the bottle • use the spray • clean the spray nozzle • shake gently before each use • use the product only once a day • do not use more than directed
ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER • Use 1-2 sprays in each nostril once daily • Use 2-3 sprays in each nostril once daily, as needed to treat your symptoms • Use 1-2 sprays in each nostril once daily, as needed to treat your symptoms • Use 1-2 sprays in each nostril once daily, as needed to treat your symptoms

Drug Facts (continued)
CHILDREN 4 TO 11 YEARS OF AGE • The greatest risk of nosebleeds may be observed when using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. • Do not use more than directed. • Use 1 spray in each nostril once daily
CHILDREN UNDER 4 YEARS OF AGE • Do not use
Other information • May help start to feel better the first day and full effect after several days of regular, once-a-day use • Store between 4°C and 30°C (39°F and 86°F) • Keep this label and enclosed materials. They contain important additional information.
Inactive ingredients 0.25% w/v propolis extract, decahydroepiandrosterone, microcrystalline cellulose and carboxymethylcellulose sodium, 0.25% w/v phenylethyl alcohol, polyethylene glycol, purified water
Questions or comments? Call us toll free at: 1-877-753-3935 from 9 a.m. to 5 p.m. EST Mon-Fri. <small>*This product is not manufactured or distributed by Hoeslin US Holdings LLC, distributor of Flonase® Allergy Relief.</small>

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED, TORN OR BROKEN OR IF THE SEAL AROUND THE PRODUCT LABELED "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

Questions or Comments?
We would love to hear about your Member's Mark experience! Call us toll free at: 1-877-753-3935.
9:00am - 5:00pm EST Monday - Friday



DISTRIBUTED BY SAM'S WEST, INC.
BENTONVILLE, AR 72716
PRODUCT OF INDIA



PLD-A903A FC009510

Member's Mark (SAM'S WEST) Allergy Relief

FLUTICASONE PROPIONATE

fluticasone propionate spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-503
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FLUTICASONE PROPIONATE (UNII: O2GMZ0LF5W) (Fluticasone - UNII:CUT2W21N7U)	FLUTICASONE PROPIONATE	50 ug

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-503-01	1 in 1 CARTON	07/01/2025	
1	NDC:68196-503-02	144 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA208150	07/01/2025	

Labeler - Sam's West, Inc (051957769)

Revised: 10/2025

Sam's West, Inc