

**H E B MAX SEVERE CONGESTION AND COUGH MAXIUM STRENGTH-
dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride
liquid
H E B**

Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg
Guaifenesin 400 mg
Phenylephrine HCL 10 mg

Purpose

Dextromethorphan HBr ... Cough suppressant
GuaifenesinExpectorant
Phenylephrine HCLNasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
 - cough due to minor throat and bronchial irritation
 - nasal congestion

Warnings

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- for children under 12 years of age

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes

- trouble urinating due to an enlarged prostate gland
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.
- cough that occurs with too much phlegm (mucus)

When using this product

- **do not use more than directed**

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by a fever
- cough comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only as recommended
- use dosage cup
- mL = milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults & children 12 years and older	20 ml every 4 hours
Children under 12 years of age	Do not use

Other information

- each 20 mL contains: sodium 10 mg
- dosage cup provided
- store between 15-30° C (59-86° F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C Red #40. flavors. glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, Xanthan gum

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at

1-877-798-5944

Product Label

Compare to Mucinex® FAST-MAX™

Severe Congestion and Cough active ingredients*

NDC 37808-317-25

H-E-B®

Maximum Strength

**Max Severe
Congestion &
Cough**

**Dextromethorphan HBr /
Cough Suppressant
Guaifenesin / Expectorant
Phenylephrine HCl /
Nasal Decongestant**

Congestion & Cough

Relief of:

- **Cough**
- **Thins & Loosens Mucus**
- **Nasal & Chest Congestion**

Adults

For Ages 12 & Over

6 FL OZ (177mL)

LF 001 Rev.01

MADE WITH PRIDE AND CARE FOR H-E-B®

SAN ANTONIO, TEXAS, 782044

**Peel Corner to Read Complete
Drug Facts and Information →**

**DO NOT USE IF PRINTED SEAL
UNDER CAP IS TORN OR MISSING**

H-E-B®

**100%
GUARANTEE
promise**

**If you aren't completely pleased
with this product, we'll be happy to
replace it or refund your money.
You have our word on it.**

LB·001 Rev.01
1208
8581-1711
0 41220 38704 5

**Lot:
Exp:**

***This product is not manufactured or
distributed by Reckill Benckiser Inc..
distributor of Mucinex® FAST-MAX™
Severe Congestion & Cough**

**MADE WITH PRIDE & CARE FOR H-E-B®
SAN ANTONIO. TX 78204**



Drug Facts

Active ingredients (in each 20 mL)	Purpose
Dextromethorphan HBr 20 mg.....	Cough suppressant
Guaifenesin 400 mg.....	Expectorant
Phenylephrine HCl 10 mg.....	Nasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
 - cough due to minor throat and bronchial irritation
 - nasal congestion

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Drug Facts (continued)

- for children under 12 years of age

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.
- cough that occurs with too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by a fever
- cough comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only as recommended
- use dosage cup
- ml. = milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults & children 12 years and older	20 mL every 4 hours
Children under 12 years of age	Do not use

Other information

- each 20 mL contains: sodium 10 mg
- dosage cup provided
- store between 15-30°C (59-86°F)
- do not refrigerate

Drug Facts (continued)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C Red #40, flavors, glycerin, propylene glycol, propyl galate, purified water, sodium benzoate, sorbitol, saccharin, Xanthan gum

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5844

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Mucinex® FAST-MAX™ Severe Congestion & Cough

MADE WITH PRIDE & CARE FOR H-E-B® SAN ANTONIO, TX 78204

res

H E B MAX SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH

dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-317
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL
---	-----------------------------	-------------------

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-317-25	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/14/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/14/2012	

Labeler - H E B (007924756)

Registrant - AptaPharma Inc. (790523323)

Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(37808-317)