

**100 % MINERAL SPF MINI SET- zinc oxide, titanium dioxide  
System Beauty, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**100% Mineral SPF Mini Set**

**Zincscreen 100% Mineral Lotion SPF 40 Active**

Active Ingredients Purpose

Zinc Oxide 13% Sunscreen

**Mineral Mattescreen SPF 40 active**

***Active Ingredients Purpose***

Titanium Dioxide 1.3% Sunscreen

Zinc Oxide 17.4% Sunscreen

**Bright-Eyed 100% Mineral Eye Cream active**

***Active Ingredients Purpose***

Zinc Oxide 14.4% Sunscreen

**Mineral Sheerscreen SPF 30 active**

***Active Ingredients Purpose***

Zinc Oxide 17.5% Sunscreen

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor** if rash occurs

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes

## **Directions**

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months: Ask a doctor.

## **Zincscreen 100% Mineral Lotion SPF 40 Inactive ingredients**

### ***Inactive Ingredients***

Water, Tetradecane, Cetearyl Nonanoate, Ethylhexyl Palmitate, Caprylic/Capric Triglyceride, Isopropyl Myristate, Glycerin, Polyglyceryl-3 Diisostearate, Mica, Propanediol, Distearidimonium Hectorite, Gluconolactone, Polyglyceryl-6 Polyricinoleate, Brassica Campestris/Aleurites Fordi Oil Copolymer, Polyhydrostearic Acid, Sodium Chloride, Magnesium Sulfate, Fructose, Octyldodecyl Oleate, Tocopherol, Cocos Nucifera (Coconut) Fruit Extract, Sodium Benzoate, Iron oxides (CI 77492), Dodecane, Hexadecane, Titanium Dioxide (CI 77891), Withania Somnifera Flower Extract, Iron Oxides (CI 77491), Vaccinium Angustifolia (Blueberry) Fruit Extract, Silica, Calcium Gluconate

## **Mineral Mattescreen SPF 40 Inactive Ingredients**

### ***Inactive Ingredients***

Dimethicone, Dimethicone Copolymer, Caprylic/Capric Triglyceride, Methyl Dihydroabietate, Polyhydroxystearic Acid, C9-12 Alkane, Glycerin, Iron Oxides (CI 77492), Ethylhexylglycerin, Water (Aqua), Coco-Caprylate/Caprates, Silica, Stearic Acid, Iron Oxides (CI 77491), Iron Oxides (CI 77499), Hedychium Coronarium Root Extract, Lactobacillus/Arundinaria Gigantea Leaf Ferment Filtrate, Leuconostoc/Radish Root Ferment Filtrate, Titanium Dioxide (CI 77891)

## **Bright-Eyed Mineral Eye Cream SPF 40 inactive ingredients**

*Inactive Ingredients* Water, Caprylic/Capric Triglyceride, Glycerin, Propanediol, Butyloctyl Salicylate, Glyceryl Stearate Citrate, Lauroyl Lysine, Cetyl Esters, Inulin Lauryl Carbamate, Polyhydroxystearic Acid, Cetearyl Alcohol, Potassium Cetyl phosphate, Griffonia Simplicifolia Seed Extract, Titanium Dioxide, Olive Oil Polyglyceryl-6 Esters, Mica, Triethoxycaprylsilane, Microcrystalline cellulose, Glyceryl Glucoside, Hydroxyacetophenone, Polyurethane-79, Diethylhexyl Syringylidenemalonate, Sodium Stearoyl Lactylate, 1,2-Hexanediol, Caprylyl Glycol, Sodium Citrate, Trisodium Ethylenediamine Disuccinate, Camellia Sinensis Leaf Extract, Lactobacillus Ferment Lysate, Punica Granatum Extract, Sodium Citrate, Sodium Stearoyl Glutamate, Xanthan Gum, Cellulose Gum, Iron Oxides, Hedychium Coronarium Root Extract, Lactobacillus

Ferment, Caffeine, Leuconostoc/Radish Root Ferment Filtrate, Tin Oxide.

## **Mineral Sheerscreen SPF 30 Inactive ingredients**

### ***Inactive ingredients***

Water, Isododecane, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Propanedl, Glycerin, Squalane, Trioctyl dodecyl Citrate, Polyglycerin-3, Polyglyceryl-3 Lactate/Laurate, Polysilicone-11, Cetearyl Alcohol, Glyceryl Stearate, Sodium Stearoyl Glutamate, Butylene Glycol, Xanthan Gum, Polyacrylate Crosspolymer-6, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Caprylhydroxamic Acid, Citric Acid, Aloe Barbadensis Leaf Juice, Lespedeza Capitata Leaf/Stem Extract, Maltodextrin, Sodium Hyaluronate

## **100% Mineral SPF Mini Set**

100% Mineral SPF Mini Set

Nourish, prep and protect your skin with this sample set, featuring our 100% mineral lineup

Mineral Sheerscreen SPF 30 (10 ml)

Mineral Mattescreen SPF 40 (10 ml)

Zincscreen 100% Mineral Lotion SPF 40 (10 ml)

Bright-eyed 100% Mineral Eye Cream (5 ml)

# 100% MINERAL SPF MINI SET

Nourish, prep and protect your skin with this sample set, featuring our 100% mineral lineup.

## Mineral Sheerscreen SPF 30 (10 ml)

Drug Facts	
<b>Active Ingredients</b> Zinc Oxide 17.5%.....	<b>Purpose</b> .....Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Water, Isododecane, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Propanediol, Glycerin, Squalane, Trioctyldecyl Citrate, Polyglycerin-3, Polyglyceryl-3 Lactate/Laurate, Polysilicone-11, Cetearyl Alcohol, Glyceryl Stearate, Sodium Stearoyl Glutamate, Butylene Glycol, Xanthan Gum, Polyacrylate Crosspolymer-6, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Caprylhydroxamic Acid, Citric Acid, Aloe Barbadensis Leaf Juice, Lespedeza Capitata Leaf/Stem Extract, Maltodextrin, Sodium Hyaluronate	

## Mineral Mattescreen SPF 40 (10 ml)

Drug Facts	
<b>Active Ingredients</b> Titanium Dioxide 1.3%, Zinc Oxide 17.4%.....	<b>Purpose</b> .....Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Dimethicone, Dimethicone Crosspolymer, Caprylic/Capric Triglyceride, Methyl Dihydroabietate, Polyhydroxystearic Acid, C9-12 Alkane, Glycerin, Iron Oxides (CI 77492), Ethylhexylglycerin, Water (Aqua), Coco-Caprylate/Caprates, Silica, Stearic Acid, Iron Oxides (CI 77491), Iron Oxides (CI 77499), Hedychium Coronarium Root Extract, Lactobacillus/Arundinaria Gigantea Leaf Ferment Filtrate, Leuconostoc/Radish Root Ferment Filtrate, Titanium Dioxide (CI 77891)	



**Zincscreen 100% Mineral Lotion SPF 40 (10 ml)**

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Zinc Oxide 13%.....	Sunscreen
<p><b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun</p>	
<p><b>Warnings</b> • For external use only • Do not use on damaged or broken skin • <b>When using this product keep out of eyes. Rinse with water to remove.</b> • Stop use and ask a doctor if rash occurs • <b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p><b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor</p>	
<p><b>Inactive Ingredients</b> Water, Tetradecane, Cetearyl Nonanoate, Ethylhexyl Palmitate, Caprylic/Capric Triglyceride, Isopropyl Palmitate, Isopropyl Myristate, Glycerin, Polyglyceryl-3 Diisostearate, Mica, Propanediol, Distearidimonium Hectorite, Gluconolactone, Polyglyceryl-6 Polyricinoleate, Brassica Campestris/Aleurites Fordi Oil Copolymer, Polyhydroxystearic Acid, Sodium Chloride, Magnesium Sulfate, Fructose, Octyldodecyl Oleate, Tocopherol, Cocos Nucifera (Coconut) Fruit Extract, Sodium Benzoate, Iron Oxides (CI 77492), Dodecane, Hexadecane, Titanium Dioxide (CI 77891), Withania Somnifera Flower Extract, Iron Oxides (CI 77491), Vaccinium Angustifolium (Blueberry) Fruit Extract, Silica, Calcium Gluconate</p>	

**Bright-Eyed 100% Mineral Eye Cream (5ml)**

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Zinc Oxide 14.4%.....	Sunscreen
<p><b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun</p>	
<p><b>Warnings</b> • For external use only • Do not use on damaged or broken skin • <b>When using this product keep out of eyes. Rinse with water to remove.</b> • Stop use and ask a doctor if rash occurs • <b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p><b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor</p>	
<p><b>Inactive Ingredients</b> Water, Caprylic/Capric Triglyceride, Glycerin, Propanediol, Butyloctyl Salicylate, Glyceryl Stearate Citrate, Lauroyl Lysine, Cetyl Esters, Inulin Lauryl Carbamate, Polyhydroxystearic Acid, Cetearyl Alcohol, Potassium Cetyl Phosphate, Griffonia Simplicifolia Seed Extract, Titanium Dioxide, Olive Oil Polyglyceryl-6 Esters, Mica, Triethoxycaprylylsilane, Microcrystalline Cellulose, Glyceryl Glucoside, Hydroxyacetophenone, Polyurethane-79, Diethylhexyl Syringylidenemalonate, Sodium Stearoyl Lactylate, 1,2-Hexanediol, Caprylyl Glycol, Sodium Citrate, Trisodium Ethylenediamine Disuccinate, Camellia Sinensis Leaf Extract, Lactobacillus Ferment Lysate, Punica Granatum Extract, Sodium Stearoyl Glutamate, Xanthan Gum, Cellulose Gum, Iron Oxides, Hedychium Coronarium Root Extract, Lactobacillus Ferment, Caffeine, Leuconostoc/Radish Root Ferment Filtrate, Tin Oxide</p>	


**Zincscreen 100% Mineral SPF 40**

Zincscreen 100% Mineral Lotion

SPF 40

Broad Spectrum Sunscreen SPF 40 PA+++

0.34 fl oz./ 10ml



**Mineral Mattescreen SPF 40**

Mineral Mattescreen

SPF 40


100% Mineral

Broad Spectrum Sunscreen

SPF 40 PA+++

0.34 fl. oz. /10 ml





## Bright-eyed Mineral Eye Cream SPF 40


Bright-eyed

100% Mineral Eye Cream

SPF 40

Broad Spectrum Sunscreen SPF 40 PA +++

0.17 fl.oz. / 5 ml



## Mineral Sheerscreen SPF 30


Mineral Sheerscreen

SPF 30

100% Mineral Broad Spectrum Sunscreen SPF 30 PA+++

0.34 fl. oz.





## 100 % MINERAL SPF MINI SET

zinc oxide, titanium dioxide kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82384-0020
---------------------	----------------	---------------------------	----------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0020-1	1 in 1 KIT; Type 0: Not a Combination Product	07/30/2021	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	10 mL in 35
Part 2	1 TUBE	10 mL in 35
Part 3	1 TUBE	10 mL in 35
Part 4	1 TUBE	5 mL in 35

# MINERAL SHEERSCREEN SPF 30

zinc oxide cream

## Product Information

**Item Code (Source)** NDC:82384-0021

**Route of Administration** TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17.5 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
AMMONIUM ACRYLOYLDIMETHYLAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ISODODECANE (UNII: A8289P68Y2)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
SQUALANE (UNII: GW89575KF9)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIOCTYLDODECYL CITRATE (UNII: 35X8CT063R)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:82384-0021-1	10 mL in 1 TUBE; Type 0: Not a Combination Product	
---	------------------	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

## Part 2 of 4

### MINERAL MATTESCREEN SPF 40

titanium dioxide, zinc oxide cream

## Product Information

Item Code (Source)	NDC:82384-0022
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17.4 g in 100 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.3 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>HEDYCHIUM CORONARIUM ROOT</b> (UNII: 92A6N0IQN9)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>METHYL DIHYDROABIETATE</b> (UNII: 7666FJ0J9F)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0022-1	10 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

## Part 3 of 4

### ZINCSCREEN 100% MINERAL SPF 40

zinc oxide lotion

## Product Information

Item Code (Source)	NDC:82384-0023
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	13 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
WATER (UNII: 059QF0KO0R)	
CETEARYL NONANOATE (UNII: F6ZWW2F361)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	
FRUCTOSE (UNII: 6YSS42VSEV)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HEXADECANE (UNII: F8Z00SHP6Q)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
OCTYLDODECYL OLEATE (UNII: MCA43PK7MH)	
CALCIUM GLUCONATE (UNII: SQE6VB453K)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TETRADECANE (UNII: 03LY784Y58)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	

<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>COCONUT</b> (UNII: 3RT3536DHY)
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>WITHANIA SOMNIFERA FLOWER</b> (UNII: 2HZ95R7082)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>DODECANE</b> (UNII: 11A386X1QH)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>MICA</b> (UNII: V8A1AW0880)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0023-1	10 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

### Part 4 of 4

## BRIGHT- EYED 100% MINERAL EYE CREAM

zinc oxide cream

### Product Information

<b>Item Code (Source)</b>	NDC:82384-0024
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	14.4 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>GRIFFONIA SIMPLICIFOLIA SEED</b> (UNII: LUS5142TMY)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PUNICA GRANATUM ROOT BARK</b> (UNII: CLV24I3T1D)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SODIUM STEAROYL LACTYLATE</b> (UNII: IN99IT31LN)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CETYL ESTERS WAX</b> (UNII: D072FFP9GU)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>HEDYCHIUM CORONARIUM ROOT</b> (UNII: 92A6N0IQN9)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>OLIVE OIL POLYGLYCERYL-6 ESTERS</b> (UNII: 4KDO9AFM9I)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0024-1	5 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

**Labeler** - System Beauty, LLC (809198398)

Revised: 12/2021

System Beauty, LLC