

**OHUI ULTIMATE COVER CC CUSHION COMPACT 01 LIGHT BEIGE- titanium
dioxide powder
LG H&H Co., Ltd.**

53208-600-03 OHUI Ultimate Cover CC Cushion Compact 01 Light Beige

ACTIVE INGREDIENTS

ENSULIZOLE 2.7%, TITANIUM DIOXIDE 5.46%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun exposure.

Warnings

For external use only. Do not use on damaged or broken skin. When using this product: Keep out of the eyes. Rinse with water to remove. Stop use and ask a doctor, if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply at least every 2 hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. to 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor.

Other Information

Protect this product from excessive heat and direct sun.

INACTIVE INGREDIENTS

WATER, TRIETHYLHEXANOIN, DIMETHICONE, PHENYL TRIMETHICONE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, CYCLOPENTASILOXANE, DIPENTAERYTHRITYL HEXA C5-9 ACID ESTERS, CETYL PEG/PPG-10/1 DIMETHICONE, NIACINAMIDE, TROMETHAMINE, 1,2-HEXANEDIOL, SORBITAN SESQUIOLEATE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SODIUM CHLORIDE, ZINC STEARATE, PEG-30 DIPOLYHYDROXYSTEARATE, DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER, DISTEARDIMONIUM HECTORITE, ALUMINUM HYDROXIDE, STEARIC ACID, DISTEARYLDIMONIUM CHLORIDE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE, PALMITOYL PROLINE, PHENOXY ETHANOL, ADENOSINE, BIOSACCHARIDE GUM-1, TRIETHOXYCAPRYLYLSILANE, MAGNESIUM PALMITOYL GLUTAMATE, SODIUM PALMITOYL SARCOSINATE, PALMITIC ACID, DIPROPYLENE GLYCOL, LUFFA CYLINDRICA FRUIT EXTRACT, HEXYL LAURATE, SODIUM CITRATE, POLYGLYCERYL-4 ISOSTEARATE, TOCOPHEROL, FRAGRANCE, TITANIUM DIOXIDE(CI 77891), MICA, IRON OXIDES(CI 77492), IRON OXIDES(CI 77491), IRON OXIDES(CI 77499)

Principal Display Panel

O HUI

ULTIMATE COVER

CC CUSHION COMPACT

Sunscreen

Broad Spectrum SPF 50

Net Wt. 1.58 oz / 45 g (15g x 3)

ULTIMATE COVER CC CUSHION COMPACT
COUSSIN CC POUR LE TEINT COUVRANCE ULTIME
Broad Spectrum SPF 50

01
Light Beige
Beige Clair



O HUI

ULTIMATE COVER
CC CUSHION COMPACT
COUSSIN CC POUR LE TEINT COUVRANCE ULTIME

Sunscreen
Broad Spectrum SPF 50

Net Wt. 1.58 oz / 45g (15g x 3)

Drug Facts	
Active Ingredients	Purpose
Ensulizole 2.7%	Sunscreen
Titanium Dioxide 5.46%	Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), may decrease the risk of skin cancer and early skin aging caused by the sun. 	
Warnings	
For external use only	
Do not use on damaged or broken skin.	
When using this product, keep out of the eyes. Rinse with water to remove.	
Stop use and ask a doctor, if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply at least every 2 hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m. to 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months. Ask a doctor. 	
Other Information	
Protect this product from excessive heat and direct sun.	

O HUI
ULTIMATE COVER
CC CUSHION COMPACT
Broad Spectrum SPF 50

With a complete coverage and gorgeous glow, this cushion foundation helps your skin looking bright and flawless.
How to Use: Use the puff to apply foundation and pat gently to spread evenly over the face. Reapply as needed to enhance coverage effect.

Avec une couvrance complète et un magnifique éclat, ce fond de teint en coussin illumine votre peau.
Utilisation: utilisez la houppette pour appliquer le fond de teint et tapotez doucement pour répandre sur le visage. Appliquez de nouveau pour une plus grande couvrance.

Imported by LG Household & Health Care America, Inc. Santa Fe Springs, CA 90670 USA
Questions: 1-888-498-9004
MADE IN KOREA

Drug Fact (Continued)

Inactive Ingredients

Water, Triethylhexanediol, Dimethicone, Phenyl Trimethicone, Butylene Glycol Dimethylacrylate, Octopentylsiloxane, Dipentamethylene Hexa C5-9 Acid Esters, Cetyl PEG/PPG-10/1 Dimethicone, Niacinamide, Tromethamine, 1,2-Hexanediol, Sorbitol Sebacate, Dimethicone/Vinyl Dimethicone Crosspolymer, PEG-30 Dipolyhydroxyesterate, Sodium Chloride, Zinc Stearate, Dimethicone/Polyglycerin-3 Crosspolymer, Octadecylaminium Hydrochloride, Aluminum Hydroxide, Stearic Acid, Octadecylaminium Chloride, Dimethicone/PEG-10/15 Crosspolymer, Triethoxycetyl Polydimethylsilyloxyethyl Hexyl Dimethicone, Pantoicyl Propyl Phenylmethacrylate, Adenosine, Bisacrylate Gum-1, Triethoxycetyl silane, Magnesium Palmityl Glutamate, Sodium Palmityl Sarcosinate, Palmitic Acid, Dodecylamine Glycol Luffa Opuntia Fruit Saponin, Hexyl Laurate, Polyglyceryl-4 Isostearate, Sodium Citrate, Tocopherol, Fragrance, Titanium Dioxide (CI 77891), Mica, Iron Oxides (CI 77491, CI 77492, CI 77499)

Questions?

Call 1-888-498-9004 (Monday-Friday 9 a.m. - 6 p.m.)



OHUI ULTIMATE COVER CC CUSHION COMPACT 01 LIGHT BEIGE

titanium dioxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53208-600
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	0.405 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.819 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
TOCOPHEROL (UNII: R0ZB2556P8)	
NIACINAMIDE (UNII: 25X51I8RD4)	
WATER (UNII: 059QF0KO0R)	

TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
DIPENTAERYTHRITYL HEXA C5-9 ACID ESTERS (UNII: D818OLQ51Z)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
ZINC STEARATE (UNII: H92E6QA4FV)
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)
ADENOSINE (UNII: K72T3FS567)
SODIUM PALMITOYL SARCOSINATE (UNII: 7297LY09YF)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
LUFFA AEGYPTIACA FRUIT (UNII: QKL9NEO1F9)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
MAGNESIUM PALMITOYL GLUTAMATE (UNII: DH37YM1F48)
PALMITIC ACID (UNII: 2V16EO95H1)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
TROMETHAMINE (UNII: 023C2WHX2V)
PALMITOYL PROLINE (UNII: I49727TDYF)
BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53208-600-03	3 in 1 CARTON	01/25/2016	
1		15 g in 1 CONTAINER; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/25/2016	

Labeler - LG H&H Co., Ltd. (688276187)

Establishment

Name	Address	ID/FEI	Business Operations
fmg Co.Ltd		690188305	manufacture(53208-600)

Revised: 1/2025

LG H&H Co., Ltd.