

**BABIENCE KIDS SUNSCREEN PINKFONG BABY SHARK SPF 50- ensulizole, octinoxate, octisalate, titanium dioxide, zinc oxide lotion  
fmg Co.Ltd**

-----  
**72330-800-01 Babience KIDS Sunscreen SPF 50 pinkfong BABY SHARK 50ml**

**Active ingredients**

Ensulizole 3.5%  
Octinoxate 7.00%  
Octisalate 4.5%  
Titanium Dioxide 4.57%  
Zinc Oxide 11.65%

**Purpose**

Sunscreen

**USES**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**Stop use and ask doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

## **Inactive ingredients**

WATER, CYCLOPENTASILOXANE, DIPROPYLENE GLYCOL, GLYCERIN, DICAPRYLYL CARBONATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TROMETHAMINE, DIMETHICONE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, PANTHENOL, DISTEARDIMONIUM HECTORITE, ALUMINUM HYDROXIDE, ZINC STEARATE, SORBITAN SESQUIOLEATE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, STEARIC ACID, GLYCERYL CAPRYLATE, HYDROGEN DIMETHICONE, DISTEARYLDIMONIUM CHLORIDE, ETHYLHEXYLGLYCERIN, TRIETHOXYCAPRYLYLSILANE, TRISODIUM EDTA, HELIANTHUS ANNUUS (SUNFLOWER) SRPOUT EXTRACT, MENTHYL PCA, SODIUM PCA, SODIUM BENZOATE, TITANIUM DIOXIDE (CI 77891), FRAGRANCE

## **Other information**

Protect this product in this container from excessive heat and direct sun

U.S.A./E.-U.: 1-800-FOR-AVON [www.avon.com](http://www.avon.com)

## **PRINCIPAL DISPLAY PANEL**

Babience

**KIDS**

Sunscreen


Broad Spectrum

SPF 50

50 ml / 1.69 fl. oz.

pinkfong BABY SHARK

Babience  
**KIDS**  
Sunscreen  
Crème Solaire



**Broad Spectrum  
SPF 50**

50 ml / 1.69 fl. oz.

pinkfong  
**BABY SHARK**

**Active ingredients**

Zinc oxide 11.65 %, Octinoxate 7.00 %, Titanium dioxide 4.57 %, Octisalate 4.50 %, Ensulizole 3.50 %

**Purpose** Sunscreen

**Uses**

- helps prevent sunburn

**Warnings**

**Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun

U.S.A./É.-U.: 1-800-FOR-AVON [www.avon.com](http://www.avon.com)

MADE IN KOREA

Copyright © Smart Study Co., Ltd.

All Rights Reserved.

Pinkfong® is a licensed trademark of

Smart Study Co., Ltd.

DISTR. NEW AVON LLC, NEW YORK, NY 10006



Babience

Babience  
**KIDS**  
 Sunscreen  
 Crème Solaire

Broad Spectrum  
**SPF 50**

50 ml / 1.69 fl. oz.

**Drug Facts**

Active ingredients	Purpose
Zinc oxide 11.65 %	Sunscreen
Octinoxate 7.00 %	Sunscreen
Titanium dioxide 4.67 %	Sunscreen
Octisalate 4.50 %	Sunscreen
Ensulizole 3.50 %	Sunscreen

**Use**

• helps prevent sunburn

**Warnings**

**Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only**

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

**Other information**

• protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

Water, Cyclopentasiloxane, Dipropylene glycol, Glycerin, Dicaprylyl carbonate, Lauryl ppg-9 polydimethylsiloxylethyl dimethicone, Tromethamine, Dimethicone, Vinyl dimethicone/methicone silsesquioxane crosspolymer, Panthenol, Distearidimonium hecтонite, Aluminum hydroxide, Zinc stearate, Sorbitan sesquiosulfate, Dimethicone/peg-10/15 crosspolymer, Dimethicone/vinyl dimethicone crosspolymer, Stearic acid, Glyceryl caprylate, Hydrogen dimethicone, Distearylidimonium chloride, Ethylhexylglycerin, Triethoxycaprylylsilane, Trisodium edta, Helianthus annuus (sunflower) sprout extract, Menthyl pca, Sodium pca, Sodium benzoate, Titanium dioxide (ci 77891), Fragrance

U.S.A./É-U: 1-800-FOR-AVON www.avon.com  
 MADE IN KOREA  
 DISTR. NEW AVON LLC, NEW YORK, NY 10006



**BABIENCE KIDS SUNSCREEN PINKFONG BABY SHARK SPF 50**

ensulizole, octinoxate, octisalate, titanium dioxide, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72330-800
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.285 g in 50 mL

<b>ENSULIZOLE</b> (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	1.75 g in 50 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.5 g in 50 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5.825 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.25 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>MENTHYL DL-PYRROLIDONECARBOXYLATE</b> (UNII: 8P18J856U2)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNQ)	
<b>ZINC STEARATE</b> (UNII: H92E6QA4FV)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>HELIANTHUS ANNUUS SPROUT</b> (UNII: 4P26HG1S5W)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72330-800-01	2 in 1 BOX	04/27/2020	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/27/2020	

---

**Labeler** - fmg Co.Ltd (690188305)

**Registrant** - LG H&H Co., Ltd. (688276187)

**Establishment**

Name	Address	ID/FEI	Business Operations
fmg Co.Ltd		690188305	manufacture(72330-800)

Revised: 1/2025

fmg Co.Ltd