THYROIDINUM- thyroid, unspecified pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Thyroidinum 8X

Thyroidinum 8X

(**contains 0.443 mg of the active ingredient per pellet)

Symptoms of eczema or psoriasis*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



Symptoms of eczema or psoriasis.*

um & x

JAL HOMEOPATHIC PRAC JENCE, NOT FDA EVALUA



Lot: Exp:

3 06960 74006 3

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-B0IRON-1 (1-800-264-7661) **C, K, CK, and X are homeopathic dilutions: see

BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073







Turn tube upside down.

Twist until 5 pellets are dispensed into cap.

Carefully remove cap and use it to pour pellets under the tongue.

THYROIDINUM

thyroid, unspecified pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220

Route of Administration ORAL

Active Ingredient/Active Moiety

, , , , , , , , , , , , , , , , , , ,		
Ingredient Name	Basis of Strength	Strength
THYROID, UNSPECIFIED (UNII: 0B4FDL9I6P) (THYROID, UNSPECIFIED - UNII: 0B4FDL9I6P)	THYROID, UNSPECIFIED	8 [hp_X]

Inactive	Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

LACTOSE (UNII: J2B2A4N98G)

Floudet characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm

Flavor	Imprint Code	
Contains		

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:0220-5016- 41	80 in 1 TUBE; Type 0: Not a Combination Product	03/03/1983		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		03/03/1983		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-5016)	

Revised: 7/2023 Boiron