

EVERYDAY SUPERSTARS SPF DISCOVERY KIT- avobenzone, homosalate, octisalate, octocrylene, zinc oxide

Taylor James Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Everyday Superstars SPF Discovery Kit

Unseen Sunscreen Active Ingredients

Active Ingredients Purpose

Avobenzone 3% Sunscreen

Homosalate 8% Sunscreen

Octocrylene 4% Sunscreen

Octisalate 5% Sunscreen

Mineral Sheerscreen SPF 30 Active ingredients

Active Ingredient Purpose

Zinc Oxide 17.5% Sunscreen

Play Everyday Sunscreen SPF 50 with Sunflower Extract Active ingredient

Active Ingredients Purpose

Avobenzone 3% Sunscreen

Homosalate 10% Sunscreen

Octisalate 5% Sunscreen

Octocrylene 7.5% Sunscreen

Uses

Helps Prevent Sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of Skin cancer and early skin aging caused by the sun

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Unseen sunscreen SPF 40

Directions

- apply generously and evenly 15 minutes before sun exposure
- reapply:

after 40 minutes of swimming or sweating

immediately after towel drying

at least every 2 hours

- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months: ask a doctor

Mineral Sheerscreen SPF 30 directions

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours

use a water resistant sunscreen if swimming or sweating

- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months: Ask a doctor.

Play Everyday Sunscreen SPF 50 with Sunflower Extract directions

Directions

- Apply liberally 15 minutes before sun exposure

Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear Long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Unseen Sunscreen SPF 40 Inactive ingredients

Inactive Ingredients

Isododecane, Dimethicone Crosspolymer, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Polymethylsilsesquioxane, Isohexadecane, Dicaprylyl Carbonate, Meadowfoam Estolide, Caprylic/Capric Triglyceride, Polyester-7, Neopentyl Glycol Diheptanoate, Lithothamnion Calcareum Extract, Butyrospermum Parkii (Shea) Butter, Jojoba Esters, Mannitol, Boswellia Serrata Resin Extract, Lecithin, Microcrystalline Cellulose, Diatomaceous Earth, Zinc Sulfate, Silica, Tocopherol

Mineral Sheerscreen Inactive ingredients

Water, Isododecane, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Propanedlol, Glycerin, Squalane, Trioctyldodecyl Citrate, PolyglycerIn-3, Polyglyceryl-3 Lactate/Laurate, Polysilicone-11, Cetearyl Alcohol, Glyceryl Stearate, Sodium Stearoyl Glutamate, Butylene Glycol, Xanthan Gum, Polyacrylate Crosspolymer-6, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Caprylhydroxamic Acid, Citric Acid, Aloe Barbadensis Leaf Juice, Lespedeza Capitata Leaf/Stem Extract, Maltodextrin, Sodium Hyaluronate

Play Everyday Lotion SPF 50 with Sunflower Extract Inactive ingredients

Water, Acrylates Copolymer, Diisopropyl Sebacate, Glycerin, Isodecyl Neopentanoate, Isododecane, Lauryl Lactate, Cetyl Alcohol, Potassium Cetyl Phosphate, Brassica Campestris/Aleurites Fordi Copolymer, Oryza Sativa (Rice) Bran Extract, Cetearyl Oliviate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Hydroxyacetophenone, Sorbitan Oliviate, Diethylhexyl Syringylidenemalonate, Aniba Rosaedora (Rosewood) Wood Oil, Chlorphenesin, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Ocimum Bascilicum (Basil) Flower/Leaf Extract, Pelargonium Graveolens Flower Oil, Pogostemon Cablin Oil, Pentylene Glycol, 1,2-hexanediol, Caprylyl Glycol, Xanthan Gum, Helianthus Annuus (Sunflower) Extract, Behenic Acid, Cetyl Behenate, Isostearyl Isostearate, Trisodium Ethylenediamene Disuccinate, Tocopherol, Allantoin, Rosmarinus Officinalis (Rosemary) Leaf Extract, Caprylic/Capric Triglyceride, Panthenol, Pentasodium Triphosphate, Citric Acid

Everyday Superstars SPF Discovery Kit

Your happiest, healthiest skin starts with these all-time favorite SPF skincare picks

Unseen Sunscreen SPF 40

0.5 fl oz./ 15 ml

Mineral Sheerscreen SPF 30

0.5 fl. oz. / 15 ml

PLAY Everyday Lotion SPF 50 with Sunflower Extract

1 fl. oz. / 30 ml

CLEAN INGREDIENTS • FEEL-GOOD FORMULAS • SUPERPOWERED SPF

Unseen Sunscreen
SPF 40
0.5 fl. oz. / 15 ml

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3%, Homosalate 8%, Octisalate 5%, Octocrylene 4%.....	Sunscreens
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> Apply generously and evenly 15 minutes before sun exposure Reapply: <ul style="list-style-type: none"> After 40 minutes of swimming or sweating Immediately after towel drying At least every 2 hours Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses Children under 6 months: Ask a doctor 	
Inactive Ingredients	
Isododecane, Dimethicone Crosspolymer, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Polymethylsiloxane, Isohexadecane, Dicaprylyl Carbonate, Meadowfoam Estolide, Caprylic/Capric Triglyceride, Polyester-7, Neopentyl Glycol Diheptanoate, Lithothamnion Calcareum Extract, Caprylyl Glycol, Butyrospermum Parkii (Shea) Butter, Jojoba Esters, Mannitol, Boswellia Serrata Resin Extract, Lecithin, Microcrystalline Cellulose, Diatomaceous Earth, Zinc Sulfate, Silica, Tocopherol	
Other Information	
Protect the product in this container from excessive heat and direct sun.	
Questions or Comments?	
Contact our Sun Specialists 877-564-7330	

FORMULATED WITHOUT PARABENS, SYNTHETIC FRAGRANCE, OXYBENZONE, OR OCTINOXATE.



Mineral Sheerscreen
SPF 30
0.5 fl. oz. / 15 ml

Drug Facts	
Active Ingredients	Purpose
Zinc Oxide 17.5%.....	Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> Apply generously and evenly 15 minutes before sun exposure Reapply at least every 2 hours Use a water resistant sunscreen if swimming or sweating Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses Children under 6 months: Ask a doctor 	
Inactive Ingredients	
Water, Isododecane, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Propanediol, Glycerin, Squalane, Trioctyldecyl Citrate, Polyglycerin-3, Polyglyceryl-3 Lactate/Laurate, Polysilicone-11, Cetearyl Alcohol, Glyceryl Stearate, Sodium Stearoyl Glutamate, Butylene Glycol, Xanthan Gum, Polyacrylate Crosspolymer-6, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Caprylhydroxamic Acid, Citric Acid, Aloe Barbadensis Leaf Juice, Lespedeza Capitata Leaf/Stem Extract, Maltodextrin, Sodium Hyaluronate	
Other Information	
Protect the product in this container from excessive heat and direct sun.	
Questions or Comments?	
Contact our Sun Specialists 877-564-7330	


SUPERGOOP.COM
Distributed by Taylor James, LLC
San Antonio, TX 78215
Unseen Sunscreen™ and Sheerscreen™ are trademarks of Taylor James, LLC.



Dermatologist-Tested, Reef-Safe, Non-Irritating & Vegan

PLAY Everyday Lotion
SPF 50 with Sunflower Extract
1 fl. oz. / 30 ml

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 7.5%.....	Sunscreens
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> Apply generously and evenly 15 minutes before sun exposure Reapply: <ul style="list-style-type: none"> After 80 minutes of swimming or sweating Immediately after towel drying At least every 2 hours Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses Children under 6 months: Ask a doctor 	
Inactive Ingredients	
Water, Acrylates Copolymer, Diisopropyl Sebacate, Glycerin, Isodecyl Neopentanoate, Isododecane, Lauryl Lactate, Cetyl Alcohol, Potassium Cetyl Phosphate, Brassica Campestris/Aleurites Fordi Oil Copolymer, Oryza Sativa (Rice) Bran Extract, Cetearyl Olivat, Ammonium Acryloyldimethyltaurate/VP Copolymer, Hydroxyacetophenone, Sorbitan Olivat, Diethylhexyl Syringylidenemalonate, Aniba Rosaeodora (Rosewood) Wood Oil, Chlorphenesin, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Ocimum Basilicum (Basil) Flower/Leaf Extract, Pelargonium Graveolens Flower Oil, Pogostemon Cablin Oil, Pentylene Glycol, 1,2-Hexanediol, Caprylyl Glycol, Xanthan Gum, Helianthus Annuus (Sunflower) Extract, Behenic Acid, Cetyl Behenate, Isostearyl Isostearate, Trisodium Ethylenediamine Disuccinate, Tocopherol, Allantoin, Rosmarinus Officinalis (Rosemary) Leaf Extract, Caprylic/Capric Triglyceride, Panthenol, Pentasodium Triphosphate, Citric Acid	
Other Information	
Protect the product in this container from excessive heat and direct sun.	
Questions or Comments?	
Contact our Sun Specialists 877-564-7330	





13.5cm

2.5cm

EVERYDAY SUPERSTARS SPF DISCOVERY KIT

avobenzone, homosalate, octisalate, octocrylene, zinc oxide kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75936-414
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-414-01	1 in 1 KIT; Type 1: Convenience Kit of Co-Package	12/17/2021	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	30 mL
Part 2	1 TUBE	15 mL
Part 3	1 TUBE	15 mL

Part 1 of 3**PLAY EVERYDAY SPF 50 WITH SUNFLOWER EXTRACT**

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Item Code (Source)	NDC:75936-417
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
LAURYL LACTATE (UNII: G5SU0BFK7O)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
LEMON OIL, COLD PRESSED (UNII: I9GRO824LL)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
ROSEWOOD OIL (UNII: F2522O5L7B)	
ORANGE OIL, COLD PRESSED (UNII: AKN3KSD11B)	

POGOSTEMON CABLIN LEAF OIL (UNII: F3IN55X5PO)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
ROSEMARY (UNII: IJ67X351P9)
BEHENIC ACID (UNII: H390488X0A)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
ISOSTEARYL ISOSTEARATE (UNII: IV0Z586Z4Y)
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)
TOCOPHEROL (UNII: R0ZB2556P8)
ALLANTOIN (UNII: 344S277G0Z)
GLYCERIN (UNII: PDC6A3C0OX)
WATER (UNII: 059QF0KO0R)
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)
SORBITAN OLIVATE (UNII: MDL271E3GR)
CETYL BEHENATE (UNII: WFM51TRO3E)
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)
ISODODECANE (UNII: A8289P68Y2)
CETYL ALCOHOL (UNII: 936JST6JCN)
RICE BRAN (UNII: R60QEP13IC)
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)
XANTHAN GUM (UNII: TTV12P4NEE)
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)
CHLORPHENESIN (UNII: I670DAL4SZ)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
EUCALYPTUS OIL (UNII: 2R04ONI662)
OCIMUM BASILICUM FLOWERING TOP (UNII: 7SAB275FP2)
PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC)
PANTHENOL (UNII: WW9CM0O67Z)
SODIUM TRIPOLYPHOSPHATE ANHYDROUS (UNII: 9SW4PFD2FZ)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-417-01	30 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2021	

Part 2 of 3

MINERAL SHEERSCREEN SPF 30

zinc oxide cream

Product Information

Item Code (Source)	NDC:75936-416
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
LESPEDEZA CAPITATA FLOWERING TOP (UNII: F930LFZ4LF)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ISODODECANE (UNII: A8289P68Y2)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIOCTYLDODECYL CITRATE (UNII: 35X8CT063R)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
GLYCERIN (UNII: PDC6A3C0OX)	
SQUALANE (UNII: GW89575KF9)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-416-	15 mL in 1 TUBE; Type 1: Convenience Kit of Co-		

01	Package		
----	---------	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2021	

Part 3 of 3

UNSEEN SUNSCREEN SPF 40

avobenzone, homosalate, octisalate, octocrylene cream

Product Information

Item Code (Source)	NDC:75936-415
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	4 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
PHYMATOLITHON CALCAREUM (UNII: 6J1M3WA0ZK)	
ZINC SULFATE, UNSPECIFIED FORM (UNII: 89DS0H96TB)	
DIATOMACEOUS EARTH (UNII: 2RF6EJ0M85)	
TOCOPHEROL (UNII: R0ZB2556P8)	
MANNITOL (UNII: 3OWL53L36A)	
DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER (UNII: O4I3UFO6ZF)	
POLYESTER-7 (UNII: 0841698D2F)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-415-01	15 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2021	

Labeler - Taylor James Ltd (033381850)

Establishment

Name	Address	ID/FEI	Business Operations
GORDON LABORATORIES, INC		008328619	manufacture(75936-415)

Establishment

Name	Address	ID/FEI	Business Operations
Innovation Labs, Inc.		117109069	manufacture(75936-416)

Revised: 12/2021

Taylor James Ltd