

## **RITE AID SPORT - avobenzene, homosalate, octisalate, octocrylene spray**

### **Rite Aid**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active Ingredients**

Avobenzene 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 5.0%

#### **Purpose**

Sunscreen

#### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

##### **For external use only**

**Flammable:** Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120<sup>0</sup>F. Do not use in the presence of a flame or spark. Keep away from sources of ignition-No smoking.

**Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

##### **Do not use**

on damaged or broken skin

##### **When using this product**

- Keep away from face to avoid breathing it
- Keep out of eyes. Rinse with water to remove.

##### **Stop use and ask a doctor**

if rash occurs

##### **Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics

#### **Directions**

- hold container 4-6 inches from the skin to apply

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- **Do not spray directly on face.** Spray on hands then apply to face.
- do not apply in windy conditions
- use in well-ventilated area
- **reapply:**
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2p.m.
- wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor.

### **Inactive Ingredients**

Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Caprylyl Glycol, Methyl Dihydroabietate, Fragrance, Ascorbyl Palmitate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadosensis Leaf Extract.

### **Other information**

protect this product from excessive heat and direct sun

### **Principle Display Label**

NDC: 11822-1820-4

daylogic

SPORT CONTINUOUS SPRAY

SUNSCREEN

BROAD SPECTRUM

SPF 50+

UVA/UVB PROTECTION

WATER RESISTANT

(80 MINUTES)

NON-GREASY

QUICK AND EVEN COVERAGE

50+

NET WT 6 OZ (170g)

daylogic™

**SPORT**  
CONTINUOUS SPRAY  
SUNSCREEN

**BROAD SPECTRUM**  
SPF 50+

UVA/UVB PROTECTION  
WATER RESISTANT  
(80 MINUTES)  
NON-GREASY  
QUICK AND EVEN COVERAGE

**50+**



RECOMMENDED AS  
AN EFFECTIVE  
BROAD SPECTRUM  
SUNSCREEN

NET WT 6 OZ (170g)

**Drug Facts**

<b>Active ingredients</b> Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 5.0%	<b>Purpose</b> Sunscreen
--	-----------------------------

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable:** Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Do not use** on damaged or broken skin

**When using this product** • Keep away from face to avoid breathing it  
• Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

**Directions** • hold container 4-6 inches from the skin to apply  
• spray liberally and spread evenly by hand 15 minutes before sun exposure • **Do not spray directly on face.** Spray on hands then apply to face. • do not apply in windy conditions • use in well-ventilated area  
• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor

**Inactive ingredients** Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Caprylyl Glycol, Methyl Dihydroabietate, Fragrance, Ascorbyl Palmitate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract.

**Other information** protect this product from excessive heat and direct sun



DISTRIBUTED BY: RITE AID  
30 HUNTER LANE  
CAMP HILL, PA 17011  
MADE IN THE USA WITH  
DOMESTIC AND FOREIGN  
COMPONENTS

**look great  
feel great**  
100% GUARANTEE  
or your money back

DOT 2Q M5655

**RITE AID SPORT**

avobenzone, homosalate, octisalate, octocrylene spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-1820
---------------------	----------------	---------------------------	----------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ISOBUTANE (UNII: BXR49TP611)	
ISODODECANE (UNII: A8289P68Y2)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MINERAL OIL (UNII: T5L8T28FGP)	
PANTHENOL (UNII: WV9CM0O67Z)	
WATER (UNII: 059QF0KO0R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1820-4	170 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/03/2016	

Labeler - Rite Aid (014578892)

Revised: 3/2016

Rite Aid