TERRAMYCIN SCOURS- oxytetracycline hydrochloride tablet Zoetis Inc.

Terramycin® Scours Tablets

Terramycin® (oxytetracycline HCl) Scours Tablets

Each tablet contains 250 mg of oxytetracycline HCl.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

A broad-spectrum antibiotic for use in beef and dairy calves

Read Entire Package Outsert Carefully Before Using This Product

DESCRIPTION

Terramycin Scours Tablets is an oral formulation containing oxytetracycline, a versatile, broad-spectrum antibiotic that possesses potent antimicrobial activity, for use in beef and dairy calves.

INDICATIONS AND USAGE

Terramycin Scours Tablets are recommended for oral administration for the control and treatment of the following diseases in beef and dairy calves caused by organisms sensitive to oxytetracycline: bacterial enteritis caused by *Salmonella typhimurium* and *Escherichia coli* (colibacillosis) and bacterial pneumonia (shipping fever complex, pasteurellosis) caused by *Pasteurella multocida*.

WARNINGS

Discontinue treatment at least 7 days prior to slaughter. Not for use in lactating dairy cattle. A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.

PRECAUTIONS

Exceeding the recommended dosage level of 2 tablets per 100 lb of body weight every 12 hours (10 mg/lb of body weight daily), or administering at this recommended level for more than 4 consecutive days, may result in antibiotic residues beyond the withdrawal time.

Organisms may vary in their degree of susceptibility to any chemotherapy. If no

improvement is observed after recommended treatment, diagnosis and susceptibility should be reexamined.

Rarely do side reactions or allergic manifestations occur in calves treated with Terramycin. If any unusual reactions are noted, discontinue use of the drug immediately and call a veterinarian.

Since bacteriostatic drugs may interfere with the bacterial action of penicillin, it is advisable to avoid giving Terramycin in conjunction with penicillin.

DOSAGE AND ADMINISTRATION

For *control* of bacterial enteritis and bacterial pneumonia orally administer 1 tablet per 100 lb of body weight every 12 hours (5 mg/ lb of body weight daily in divided doses) for up to 4 consecutive days.

For *treatment* of bacterial enteritis and bacterial pneumonia orally administer 2 tablets per 100 lb of body weight every 12 hours (10 mg/lb of body weight daily in divided doses) for up to 4 consecutive days.

Dosage should continue until the animal returns to normal and for 24–48 hours after symptoms have subsided. Treatment should not exceed 4 consecutive days.

Care of Sick Animals

The use of antibiotics in the management of disease is based on an accurate diagnosis and an adequate course of treatment. When properly used in the treatment of diseases caused by oxytetracycline-susceptible organisms, most animals treated with Terramycin Scours Tablets show a noticeable improvement within 24–48 hours. If improvement does not occur within this period of time, the diagnosis and course of treatment should be reevaluated. It is recommended that the diagnosis and treatment of animal diseases be carried out by a veterinarian. Since many diseases look alike but require different types of treatment, the use of professional veterinary and laboratory services can reduce treatment time, costs, and needless losses. Good housing, sanitation, and nutrition are important in the maintenance of healthy animals and are essential in the treatment of disease.

RECOMMENDED STORAGE

Store below 25°C (77°F).

For Animal Use Only Not For Human Use



Approved by FDA under NADA # 011-060

zoetis

Distributed by: Zoetis Inc. Kalamazoo, MI 49007 Product of China

40039318 Revised: June 2022

PRINCIPAL DISPLAY PANEL - 24 Tablet Bottle Label

40039319



PRINCIPAL DISPLAY PANEL - 100 Tablet Bottle Label

Terramycin[®] (oxytetracycline HCl) Scours Tablets

Each tablet contains 250 mg of oxytetracycline HCI.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

For use in beef and dairy calves

A broad-spectrum antibiotic for the control and treatment of the following diseases of beef and dairy calves caused by organisms sensitive to oxytetracycline: bacterial enteritis caused by Salmonella typhimurium and Escherichia coli (colibacillosis) and bacterial pneumonia (shipping fever complex, pasteurellosis) caused by Pasteurella multocida.

Net Contents: 100 tablets

Approved by FDA under NADA # 011-060

zoetis

40039320

TERRAMYCIN SC	COUR	S										
oxytetracycline hydrochloride tablet												
Product Information												
Product Type	F	PRESCRIPTION ANIMAL	DRUG	ltem Code	(Source)	NDC:54	771-1203					
Route of Administration	n (ORAL										
Active Ingredient/Active Moiety												
	Basis of Strength		Strength									
					OXYTETRACYCLINE ANHYDROUS		250 mg					
Product Characteris	stics											
Color y	yellow		Score			2 pieces						
Shape C	OVAL (Bo	olus)	Size			26mm						
Shape C	OVAL (Bo	olus)	Size			26mm						

FI	avor		Imprint Co	ode					
Co	ontains								
Pa	ackaging								
#	ltem Code	Package Description	Marketing	Start Date	Mark	eting End Date			
1	NDC:54771-1203-1	24 in 1 BOTTLE							
2	NDC:54771-1203-2	100 in 1 BOTTLE							
Marketing Information									
	Marketing Category	Application Number or Monograph Citation		Marketing Start Date		Marketing End Date			
NA	ADA	NADA011060		06/03/1981					

Labeler - Zoetis Inc. (828851555)

Revised: 6/2023

Zoetis Inc.