

**DAYTIME COLD AND FLU- acetaminophine dextromethorphan hbr  
phenylprine hcl capsule, liquid filled  
WALGREENS**

-----  
**Walgreens Daytime Cold & flu Softgels**

**DRUG FACTS**

***Active ingredients (in each softgel)***

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylprine HCl 5 mg

***Purpose***

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

***Uses*** temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough get worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

**Directions**

- take only as directed
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over: 2 softgels with water every 4 hrs

children 4 to under 12 yrs: ask a doctor

children under 4 yrs: do not use

**Other information**

- store at room temperature

**Inactive ingredients** FD&C Red#40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide.

**Questions?** Call 1-877-290-4008

SAFETY SEALED: DO NOT USE IF THE INDIVIDUAL BLISTER UNIT IS OPEN OR TORN

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

**Drug Facts**

Active ingredients (in each softgel)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

**Uses** temporarily relieves common cold/flu symptoms:

- nasal congestion    ■ cough due to minor throat & bronchial irritation
- sore throat    ■ headache    ■ minor aches & pains    ■ fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease    ■ heart disease    ■ high blood pressure
- thyroid disease    ■ diabetes    ■ trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless    ■ pain, nasal congestion or cough get worse or last more than 7 days
- fever gets worse or lasts more than 3 days    ■ redness or swelling is present    ■ new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Varnish Omit Area

NDC 0363-0653-24

Compare to the active ingredients in Vicks® DayQuil® Cold & Flu LiquiCaps™

**DAYTIME**

# Cold & Flu

**ACETAMINOPHEN 325 mg / ACHES / FEVER / SORE THROAT**  
**DEXTROMETHORPHAN HBr 10 mg / COUGH**  
**PHENYLEPHRINE HCl 5 mg / NASAL CONGESTION**

**Multi-Symptom**

- Relieves aches, fever, sore throat, nasal congestion & cough

24

SOFTGELS

ACTUAL SIZE

Print/Varnish Omit Area

PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org

Lot #: \_\_\_\_\_  
Exp Date: \_\_\_\_\_

Print/Varnish Omit Area

Varnish Omit Area

W3ORG1121-F REV-0323

Overhead Call 1-877-290-4008  
 DISTRIBUTED BY: WALGREENS CO.  
 200 WILMOT RD., DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 MADE IN INDIA  
 The information is not intended to be used for diagnosis or treatment of any disease. We invite you to compare to national brands.  
 \*This product is not manufactured or distributed by Procter & Gamble Company, owner of the registered trademark Vicks®, DayQuil®, and LiquiCaps®, © 2011, 2012

Recycle if Green & Blue  
 Recycle if White & Yellow  
 how2recycle.info

ITEM 204377 W00000-0000-0  
 11917 01304 6

SAFETY SEALED: DO NOT USE IF THE INDIVIDUAL  
BLISTER UNIT IS OPEN OR TORN

KEEP OUTER CARTON FOR COMPLETE  
WARNINGS AND PRODUCT INFORMATION

Varnish Omit Area

NDC 0363-0853-16

**Walgreens**



Compare to the active ingredients in  
Vicks® DayQuil® Cold & Flu LiquiCaps™

# DAYTIME Cold & Flu

**ACETAMINOPHEN 325 mg / ACES / FEVER / SORE THROAT  
DEXTROMETHORPHAN HBr 10 mg / COUGH  
PHENYLEPHRINE HCl 5 mg / NASAL CONGESTION**

Multi-Symptom

• Relieves aches, fever, sore throat,  
nasal congestion & cough

**16**  
SOFTGELS



ACTUAL SIZE

Print/Varnish Omit Area

Varnish Omit Area

**Drug Facts**

**Active Ingredients (in each softgel)**

Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

**Purpose**

**Uses** temporarily relieves common cold/flu symptoms:

- nasal congestion
- sore throat
- headache
- minor aches & pains
- fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 4 doses in 24 hrs, which is the maximum daily amount for this product

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough get worse or last more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.
- These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

**Drug Facts (continued)**

**Other information**

- store at room temperature

**Inactive ingredients** FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide.

**Directions**

- take only as directed
- do not exceed 4 doses per 24 hrs
- adults & children 12 yrs & over: 2 softgels with water every 4 hrs
- children 4 to under 12 yrs: ask a doctor
- children under 4 yrs: do not use

Over-the-counter. NDC 0363-0853-16  
200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

Walgreens.com 800.222.HIGHCARE

We invite you to compare to national brands. This product is not manufactured or distributed by trademarks Vicks®, DayQuil®, and LiquiCaps™.

8391 0201

Recycle with Confidence

PAPER MULCH-LAYER TRANSPARENT

how2recycle.info

ITEM 209828 W00000-0000-0

1 91 97 01354 1

**PARENTS:**  
Learn about safe medicine abuse  
www.StopMedicineAbuse.org

W3ORG1121-F  
REV-0323

Lot #: **Print/Varnish Omit Area**  
Exp Date:



<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL (Obong shaped)	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	70
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0853-16	2 in 1 CARTON	10/15/2021	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0853-24	2 in 1 CARTON	10/15/2021	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-0853-07	1 in 1 CARTON	07/03/2023	
3		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/15/2021	

**Labeler** - WALGREENS (008965063)

**Registrant** - TIME CAP LABORATORIES INC. (037052099)

### Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(0363-0853)

