

**LASTING FOUNDATION SPF 12 MERLE NORMAN- titanium dioxide cream**  
**Merle Norman Cosmetics, Inc**

-----  
**Merle Norman Lasting Foundation SPF 12**

active ingredients	Purpose
Titanium Dioxide 8%	Sunscreen

Uses

- helps prevent sunburn
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
- Stop use and ask a doctor if rash occurs and persists

WARNINGS

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Directions

For Sunscreen use

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor

ISODODECANE,ISOHEXADECANE, ZINC OXIDE (CI 77947), IRON OXIDES ,BUTYLENE/ETHYLENE/PROPYLENE COPOLYMER , SILICA ,DSTEARDIMONIUM HECTORITE, POLYMETHYL METHACRYLATE,TALC,POLYGLYCERYL - 3 DIISOSTEARATE , POLYETHYLENE, RETINYL PALMITATE, TOCOPHERYL ACETATE, TETRAHEXYLDECYL ASCORBATE , TRI ETHOXYCAPRYLSILANE , PROPYLENE CARBONATE, ETHYLEN E B RASSYLATE, BENZYL ALCOHOL



MERLE NORMAN  
WWW.MERLENORMAN.COM

**Drug Facts**

Active Ingredient	Purpose
Titanium Dioxide 8%	Sunscreen

**Uses** Helps prevent sunburn

**Warnings**

**Skin Cancer/Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs and persists.

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**For Sunscreen use:**

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months:  
Ask a doctor

**Inactive Ingredients**

Isododecane, Isohexadecane, Zinc Oxide, Iron Oxides, Butylene/Ethylene/Propylene Copolymer, Silica, Distearldimonium Hectorite, Polymethyl Methacrylate, Talc, Polyglyceryl-3 Disostearate, Polyethylene, Retinyl Palmitate, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Triethoxycaprylylsilane, Propylene Carbonate, Ethylene Brassylate, Benzyl Alcohol 071609.

**Drug Facts (continued)**

**Other information**  
Protect this product from excessive heat and direct sun.

**Questions & comments?**  
1-800-421-2060 9:00 am to 5:00 pm PST

DERMATOLOGIST TESTED.  
OIL-FREE.  
FRAGRANCE-FREE.  
NON-COMEDOGENIC.

APPLY WITH BRUSH,  
SPONGE OR FINGERTIPS

LASTING  
FOUNDATION  
SPF 12

MERLE NORMAN  
ESTABLISHED IN LOS ANGELES  
SINCE 1931

30 mL e  
1 FL.OZ.



MERLE NORMAN COSMETICS  
LOS ANGELES, CA 90045  
MADE IN USA

PRINTED IN U.S.A.

O24-99-42  
R-1

614



Lasting Foundation  
SPF 12  
Fond De Teint  
Durable FPS 12  
Merle Norman  
30 mL 1 FL. OZ.

**LASTING FOUNDATION SPF 12 MERLE NORMAN**

titanium dioxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-110
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.4 g in 30 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>ETHYLENE BRASSYLATE</b> (UNII: 9A87HC7ROD)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-110-02	1 in 1 BOX	04/22/2011	
1	NDC:57627-110-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/22/2011	

**Labeler** - Merle Norman Cosmetics, Inc (008479388)