

SENNA-S LAXATIVE WITH STOOL SOFTENER- sennosides tablet
Basic Drugs, Inc.

BASIC DRUGS - SENNA-S - LAXATIVE WITH STOOL SOFTENER (0761-0910)

Active ingredient (in each tablet)

Docusate Sodium 50mg

Sennosides from Senna Concentrate 8.6mg

Purpose

Stool softener

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours.

Warnings

Do not use

- if you are taking mineral oil, unless directed by a doctor.
- laxative products for longer than 1 week, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that persists over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or you fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years of age and over
children 6 to under 12 years

2-4 tablets daily
1-2 tablets daily

children 2 to under 6 years
children under 2 years of age

up to tablet daily
ask a doctor

Other information

- each tablet contains: calcium 10 mg
- each tablet contains: sodium 3 mg
- store between 15° - 30°C (59° - 86°F)

Inactive ingredients

Croscarmellose sodium, D&C Yellow #10, dicalcium phosphate, FD&C Yellow # 6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions?

937-898-4010



DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

<i>Active ingredients (in each tablet)</i>	<i>Purpose</i>
--	----------------

Docosate sodium 50 mg.....	Stool softener
Sennosides from Senna Concentrate 8.6 mg...	Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless directed by a doctor.
- laxative products for longer than 1 week, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that persists over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

LIFT HERE

PEEL FOR DIRECTIONS

69108-100-46-1

Drug Facts (continued)

Directions

■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2 years of age	ask a doctor

Other information

- each tablet contains: calcium 10 mg
- each tablet contains: sodium 3 mg
- store between 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, D&C yellow #10, dicalcium phosphate, FD&C yellow #6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions? 937-898-4010

Manufactured for:
Basic Drugs, Inc.
Vandalia, Ohio 45377

SENNAS LAXATIVE WITH STOOL SOFTENER

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0761-0910
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	PH32
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0761-0910-02	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/15/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/15/2021	

Labeler - Basic Drugs, Inc. (052155082)

Revised: 9/2024

Basic Drugs, Inc.