

SENNA-S LAXATIVE WITH STOOL SOFTENER- sennosides tablet
Basic Drugs, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BASIC DRUGS - SENNA-S - LAXATIVE WITH STOOL SOFTENER (0761-0910)

Active ingredient (in each tablet)

Docusate Sodium 50mg

Sennosides from Senna Concentrate 8.6mg

Purpose

Stool softener

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours.

Warnings

Do not use

- if you are taking mineral oil, unless directed by a doctor.
- laxative products for longer than 1 week, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that persists over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or you fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years of age and over
children 6 to under 12 years
children 2 to under 6 years
children under 2 years of age

2-4 tablets daily
1-2 tablets daily
up to tablet daily
ask a doctor

Other information

- each tablet contains: calcium 10 mg
- each tablet contains: sodium 3 mg
- store between 15° - 30°C (59° - 86°F)

Inactive ingredients

Croscarmellose sodium, D&C Yellow #10, dicalcium phosphate, FD&C Yellow # 6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions?

937-898-4010



DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredients (in each tablet)	Purpose
--	----------------

Docosate sodium 50 mg.....	Stool softener
Sennosides from Senna Concentrate 8.6 mg...	Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless directed by a doctor.
- laxative products for longer than 1 week, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that persists over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

LIFT HERE

PEEL FOR DIRECTIONS

69108-100-46-1

Drug Facts (continued)

Directions

■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2 years of age	ask a doctor

Other information

- each tablet contains: calcium 10 mg
- each tablet contains: sodium 3 mg
- store between 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, D&C yellow #10, dicalcium phosphate, FD&C yellow #6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions? 937-898-4010

Manufactured for:
Basic Drugs, Inc.
Vandalia, Ohio 45377

SENNA-S LAXATIVE WITH STOOL SOFTENER

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0761-0910
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	PH32
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0761-0910-02	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/15/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	12/15/2021	

Labeler - Basic Drugs, Inc. (052155082)

Revised: 6/2023

Basic Drugs, Inc.