

**CALAMINE PLUS PRAMOXINE HCL- calamine plus spray aerosol, spray
Premier Brands of America, Inc.**

Cutter Poison Ivy Drying & Soothing Spray

Active ingredient

Calamine 8%
Pramoxine HCl 1%

Purpose

Skin protectant
External analgesic

Uses

temporarily relieves pain and itching associated with:

- insect bites
- rashes
- minor skin irritations
- minor cuts
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings

For external use only.

Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- conditions worsens
- symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before using
- adults and children 2 years of age and older: apply as needed to the affected area, not more than 3 or 4 times daily
- cleanse the skin with soap and water
- let dry before use
- children under 2 years of age: consult a doctor

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

benzyl alcohol, camphor, disteardimonium hectorite, fragrance, hydrated silica, isobutane, oleyl alcohol, SD alcohol 40-B, sorbitan trioleate

Questions?

800-632-6900

Principal Display Panel

Cutter

Poison Ivy Drying & Soothing

Triple Action

Dries oozing & weeping

Soothes pain

Calms itching

Calamine 8%

Skin Protectant

Pramoxine HCl 1%

External Analgesic

NET WT 4.1 OZ (116g)



POISON IVY DRYING & SOOTHING

FOR POISON IVY,
OAK & SUMAC

TRIPLE ACTION

- ✓ DRIES OOZING & WEEPING
- ✓ SOOTHES PAIN
- ✓ CALMS ITCHING

CALAMINE 8%, SKIN PROTECTANT
PRAMOXINE HCl 1%, EXTERNAL ANALGESIC

Net Wt. 4.1 OZ (116 g)

SHAKE WELL BEFORE USE

Drug Facts

Active ingredients	Purpose
Calamine 8%.....	Skin protectant
Pramoxine HCl 1%.....	External analgesic

Uses temporarily relieves pain and itching associated with:
 ■ rashes ■ insect bites ■ minor skin irritations ■ minor cuts
 ■ dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings
 For external use only.

Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product ■ do not get into eyes
 ■ ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before using
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- cleanse the skin with soap and water
- let dry before use
- children under 2 years of age: consult a doctor

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

benzyl alcohol, camphor, disteardimonium hectorite, fragrance, hydrated silica, isobutane, oleyl alcohol, SD alcohol 40-B, sorbitan trioleate

Questions? Call 1-888-964-0939



CUTTER™ is a licensed trademark of United Industries Corporation. This item is manufactured and sold by Premier Brands of America Inc. under license.

© 2022 Premier Brands of America Inc.

DISTRIBUTED BY: PREMIER BRANDS OF AMERICA INC., WHITE PLAINS, NY 10601

QUESTIONS? CALL: 1-888-964-0939 MONDAY-FRIDAY 8 AM -4:30 PM EST

MADE IN USA WITH U.S. AND IMPORTED PARTS • WWW.CUTTERPOISONIVY.COM

50-0696CU

CALAMINE PLUS PRAMOXINE HCL

calamine plus spray aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-251
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675) (FERRIC OXIDE RED - UNII:1K09F3G675)	FERRIC OXIDE RED	0.345 mg in 116 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24.16 mg in 116 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	2.72 mg in 116 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
HYDRATED SILICA (UNII: Y607T4G8P9)	
ISOBUTANE (UNII: BXR49TP611)	

OLEYL ALCOHOL (UNII: 172F2WN8DV)	
SORBITAN TRIOLEATE (UNII: QE6F49RPJ1)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56104-251-00	116 g in 1 CANISTER; Type 0: Not a Combination Product	12/20/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/20/2021	

Labeler - Premier Brands of America, Inc. (063849780)

Revised: 10/2025

Premier Brands of America, Inc.