

**JUNIOR ACETAMINOPHEN AGES 6-11- acetaminophen tablet, orally  
disintegrating  
Chain Drug Consortium**

-----

**Premier Value Junior Strength Pain Reliever**

***Active ingredient (in each tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy Alert:** Acetaminophen may cause severe skin reaction. Symptoms may include:

- Skin reddening
- Blister
- Rash If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product.

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**When using this product**

**Do not exceed recommended dosage (see overdose warning).**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

***Directions***

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see overdose warning)**
- find the right dose on chart below. If possible, use weight to dose; otherwise use age.
- chew completely do not swallow whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lbs)</b>	<b>Age (yr)</b>	<b>Tablets</b>
under 24	under 2 years	Ask a doctor
24-35	2-3 years	1 tablets
36-47	4-5 years	1½ tablets
48-59	6-8 years	2 tablets
60-71	9-10 years	2½ tablets
72-95	11 years	3 tablets

\*or as directed by a doctor

### ***Other information***

- store at room temperature. Avoid high humidity. Protect from light
- see end flap for expiration date and lot number

### ***Inactive ingredients***

citric acid, crospovidone, D&C Red no. 30 lake, dextrose, FD&C Blue no. 1 lake, flavors, hydroxypropylcellulose, magnesium stearate, maltodextrin, silicon dioxide, sodium carboxymethyl cellulose, starch sucralose

### ***Principal Display Panel***

#### **COMPARE TO ACTIVE INGREDIENT IN CHILDREN'S TYLENOL® CHEWABLES\***

Premier Value®

Children's Pain Reliever Chewables

ACETAMINOPHEN

Pain Reliever/Fever Reducer

Aspirin-Free

Ibuprofen-Free

#### **Grape Flavor**

Naturally and Artificially Flavored

24 CHEWABLES TABLETS - 160 mg each

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**Distributed by**

**Pharmacy Value Alliance, LLC**

**407 East Lancaster Avenue, Wayne, PA**

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Chewables.

Premier Value

Ages 2-11

# Children's Pain Reliever Chewables

ACETAMINOPHEN

24 CHEWABLE TABLETS - 160 mg each



Premier Value

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S TYLENOL® CHEWABLES\*

Ages 2-11

# Children's Pain Reliever Chewables

ACETAMINOPHEN

Pain Reliever/Fever Reducer  
Aspirin Free • Ibuprofen Free

Grape Flavor

Naturally and Artificially Flavored



Actual Size


24 CHEWABLE TABLETS - 160 mg each



Lot :

Exp :

160GR24PVFC



IMPORTANT:  
Keep this carton for future  
reference on full labeling.

Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the  
registered trademark Children's Tylenol® Chewables.

Questions or comments? 1-866-467-2748

## Drug Facts (continued)

**Inactive ingredients:** citric acid, croscopolone, D&C Red No. 30 Lake,  
dextrose, FD&C Blue No. 1 Lake, flavor, hydroxypropylcellulose, magnesium stearate,  
methylcellulose, silicon dioxide, sodium carboxymethyl cellulose, starch, sucralose

## Drug Facts

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

### Active ingredient (in each chewable tablet)

### Purpose

Acetaminophen 160 mg. Pain reliever/fever reducer

### Uses

temporarily relieves minor aches and pains due to:  
the common cold ■ flu ■ headache ■ sore throat ■ toothache ■ temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount  
■ with other drugs containing acetaminophen

**Allergy Alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away

## Drug Facts (continued)

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has** liver disease.

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin.

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if** ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present

These could be signs of a serious condition.  
**Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

**Directions** ■ this product does not contain directions or complete warnings for adult use.

■ do not give more than directed (see overdose warning) ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ chew completely do not swallow whole

■ repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
Age (yrs)	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
Dose (tablets)*	ask a doctor	1 tablet	1½ tablets	2 tablets	2½ tablets	3 tablets

\*or as directed by a doctor

**Other information** ■ store at room temperature. Avoid high humidity. Protect from light

■ see end flap for expiration date and lot number

JUNIOR ACETAMINOPHEN AGES 6-11

acetaminophen tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-198
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	PURPLE	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	RP160
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-198-00	4 in 1 CARTON	08/07/2015	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/07/2015	

**Labeler** - Chain Drug Consortium (101668460)

Revised: 10/2024

Chain Drug Consortium