

**PROPYLENE GLYCOL- propylene glycol liquid  
Durvet, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**PROPYLENE GLYCOL, U.S.P.**

For Use as an Aid in Prevention and Treatment of Ketosis

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

Consult veterinarian if condition does not respond.

**LIVESTOCK DRUG**

**INDICATIONS:** For use as an aid in prevention and treatment of Ketosis (Acetonemia) in dairy cattle.

**DIRECTIONS FOR USE:**

For use mixed with feed or as a drench.

Prevent: Dairy Cattle: 6-8 fl oz/.head/day

Begin 2 weeks before calving and continue for 6 weeks after calving.

Treatment: Dairy Cattle: 6-16 fl oz/head/day

Dosage dependent on severity, to be give for 10 days.

**TAKE TIME OBSERVE LABEL DIRECTIONS**

**STORAGE:**

Store at controlled room temperature between 2<sup>o</sup>-30<sup>o</sup>C (36<sup>o</sup>-86<sup>o</sup>F). Keep container tightly closed, when not in use.

Seller makes no warranty of any kind whether in accordance with direction or not.

**ACTIVE INGREDIENT:**

Propylene Glycol ..... 100%

**FOR ANIMAL USE ONLY**

**INDICATIONS:** For use as an aid in prevention and treatment of Ketosis (Acetonemia) in dairy cattle.

**DIRECTIONS FOR USE:** For use mixed with feed or as a drench.

Prevention: Dairy Cattle: 6-8 fl oz/head/day  
Begin 2 weeks before calving and continue for 6 weeks after calving.

Treatment: Dairy Cattle: 6-16 fl oz/head/day  
Dosage dependant on severity, to be given for 10 days.

TAKE TIME  OBSERVE LABEL DIRECTIONS


Manufactured for: **DURVET, INC.**,  
Blue Springs, MO 64014 • www.durvet.com ISS230808

NDC 30798-464-35



# Propylene Glycol

For Use as an Aid in Prevention and Treatment of Ketosis



**NET CONTENTS:**  
1 Gallon (3.785 L)

**KEEP OUT OF REACH OF CHILDREN**

Consult veterinarian if condition does not respond.

**LIVESTOCK DRUG**

**STORAGE:** Store at controlled room temperature between 2°-30°C (36°-86°F). Keep container tightly closed, when not in use.

Seller makes no warranty of any kind whether in accordance with directions or not.

**ACTIVE INGREDIENTS:**  
Propylene Glycol .....100%

Lot No. \_\_\_\_\_  
Exp. Date \_\_\_\_\_



7 45801 11183 7

## PROPYLENE GLYCOL

propylene glycol liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:30798-464
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	3.785 L in 3.785 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-464-35	3.785 L in 1 JUG		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2010	

**Labeler** - Durvet, Inc. (056387798)

## Establishment

Name	Address	ID/FEI	Business Operations
Centaur, Inc.		174239087	manufacture, api manufacture, label, pack

Revised: 1/2025

Durvet, Inc.