

GOOD NEIGHBOR PHARMACY NASAL- oxymetazoline hcl spray, metered Amerisource Bergen

Amerisource Bergen Nasal Spray Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Shake well before use. Hold white tabs, SQUEEZE grooved area of cap FIRMLY and turn counter clockwise. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, microcrystalline cellulose and carboxymethylcellulose sodium, monobasic sodium phosphate, polyethylene glycol, povidone, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Afrin[®] No Drip Original active ingredient

GOOD NEIGHBOR PHARMACY[®]

PUMP MIST

Nasal Spray

No Drip

Original

oxymetazoline HCl

nasal solution

nasal decongestant

Lasts 12 Hours

Fast Nasal Congestion & Sinus Congestion/Pressure Relief

12 Hour Relief

1 fl oz (30 mL)

GOOD NEIGHBOR PHARMACY® DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

PUMP MIST
Nasal Spray
No Drip
Original

NDC 24385-352-10 **Compare to Afrin® No Drip Original active ingredient***

GOOD NEIGHBOR PHARMACY®

PUMP MIST
Nasal Spray
No Drip
Original

oxymetazoline HCl nasal solution
nasal decongestant

Lasts 12 Hours
Fast Nasal Congestion & Sinus Congestion/Pressure Relief
12 Hour Relief
1 fl oz (30 mL)

Actual Size

Drug Facts
Active ingredient Oxymetazoline hydrochloride 0.05%...**Purpose** Nasal decongestant

Uses
temporarily relieves nasal congestion due to:
common cold hay fever
upper respiratory allergies
temporarily relieves sinus congestion and pressure
shrinks swollen nasal membranes so you can breathe more freely

Warnings
Ask a doctor before use if you have:
heart disease high blood pressure
thyroid disease diabetes
trouble urinating due to an enlarged prostate gland

When using this product
do not use more than directed
do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist
if pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
children under 6 years of age: ask a doctor

To Use: Shake well before use. Hold white tabs, **SQUEEZE** grooved area of cap **FIRMLY** and turn counter clockwise. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

Other information
store at 20-25°C (68-77°F)
retain carton for future reference on full labeling

Drug Facts (continued)
Inactive ingredients
benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, microcrystalline cellulose and carboxymethylcellulose sodium, monobasic sodium phosphate, polyethylene glycol, povidone, purified water

Questions or comments?
1-800-719-9260

How to use:
Hold white tabs, **SQUEEZE** grooved area of cap **FIRMLY** and turn counter clockwise. Secure cap after use.

SQUEEZE grooves FIRMLY while turning

Hold white tabs **FIRMLY**

*Good Neighbor Pharmacy® Nasal Spray is not manufactured or distributed by Bayer HealthCare LLC, distributor of Afrin® No Drip Original.
GLUTEN FREE

SATISFACTION GUARANTEED
NO REFUND

ABC#: 10286344 Rev: 02/24
3 24385 35210 4

Distributed By AmerisourceBergen
1 West First Avenue, Conshohocken, PA 19428
Questions or Concerns? www.mygnp.com

38810 29 C7

GOOD NEIGHBOR PHARMACY NASAL

oxymetazoline hcl spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24385-352
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Product Characteristics

Color	WHITE (to off white, viscous)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-352-10	1 in 1 CARTON	03/06/2002	
1		30 mL in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M012

03/06/2002

Labeler - Amerisource Bergen (007914906)

Revised: 8/2024

Amerisource Bergen