

SALICYLIC ACID- corn and callus remover kit liquid
VALU MERCHANDISERS, CO

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Best Choice Liquid Corn & Callus Remover

□ Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

□ □ Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

□ Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Best Choice

Liquid Corn & Callus Remover

with Salicylic Acid

- Removes corns and calluses safely
- Cushions against pain and pressure

3 Cushions

1/3 FL OZ (9.8 mL)

* Compare to Dr. Scholl's®

Liquid Corn & Callus Remover

WITH SALICYLIC ACID

Best Choice®

- Removes corns and calluses safely
- Cushions against pain and pressure

FPO

Blister and Product

Covers This Area

3 Cushions 1/3 FL OZ (9.8 ml)

Best Choice®

Liquid Corn & Callus Remover

- Medicine for safe removal of corns and calluses
- Cushions against pain and pressure

Drug Facts	
Active ingredient	Purpose
Salicylic acid 17% w/w	Corn and callus remover
Uses	
<ul style="list-style-type: none"> for the removal of corns and calluses relieves pain by removing corns and calluses 	
Warnings	
For external use only.	
Flammable	
<ul style="list-style-type: none"> keep away from fire or flame cap bottle tightly and store at room temperature away from heat 	
Do not use	
<ul style="list-style-type: none"> on irritated skin on any area that is infected or reddened if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist 	
When using this product	
<ul style="list-style-type: none"> avoid contact with eyes avoid inhaling vapors if product gets into the eye, flush with water for 15 minutes 	
Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> wash the affected area and dry thoroughly apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately) repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed) 	
Other information	
<ul style="list-style-type: none"> store between 20°–25°C (68°–77°F) close tightly to prevent solidification store in a cool place 	
Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose	
Questions? Call 1-866-964-0939	
Care	
Wipe top of bottle clean after each use	

Best Choice, 100% Guaranteed
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
VALLI MERCHANTSERS, CO.
5000 KANSAS AVE.
KANSAS CITY, MO 64116

This product is not manufactured or distributed by the Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®
Made in USA with U.S. and imported parts 41-030BC-01

BEST CHOICE
FPO
70038 60206

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Best Choice®

Liquid Corn & Callus Remover

SALICYLIC ACID

1/3 FL OZ (9.8 ml)

- Removes corns and calluses safely
- Cushions against pain and pressure

Active ingredient: salicylic acid (17% w/w)
Purpose: Corn and callus remover
Uses: For the removal of corns and calluses. Relieves pain by removing corns and calluses.
Warnings: For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat. **Do not use** this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.

Do not use this product on irritated skin, on any area that is infected or rednessed.
When using this product avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions: Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed).
Other information: Store at 20° to 30° C (68° to 86° F).
Inactive ingredients: camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-866-964-0939 Made in USA

Best Choice, 100% Guaranteed
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
VALLI MERCHANTSERS, CO.
5000 KANSAS AVE.
KANSAS CITY, MO 64116

NO VARNISH AREA
0.5315"
50-030BC

SALICYLIC ACID

corn and callus remover kit liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-544
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9.8 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-544-98	9.8 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	12/11/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358F	12/11/2017	

Labeler - VALU MERCHANDISERS, CO (868703513)

Revised: 11/2019

VALU MERCHANDISERS, CO