

CARBON DIOXIDE- carbon dioxide gas
Norco, Inc

CARBON DIOXIDE USP HP LABEL

CARBON DIOXIDE USP

UN1013 (R-K14 136815R)

NON-FLAMMABLE GAS 2

Rx ONLY. WARNING:Administration of Carbon Dioxide USP may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide USP and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING:CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE.** Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight. when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) Before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. **IF ON SKIN:**Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS 124-38-9 **DO NOT REMOVE THIS PRODUCT LABEL**

Norco

1125 W. Amity Road
Boise, ID 83705
208-336-1643

CONTENTS: LTRS: __ CU.FT. __



res
~~~~~

**CARBON DIOXIDE USP LIQUID LABEL**

**CARBON DIOXIDE USP**

**UN2187**

**NON-FLAMMABLE GAS 2**

**(R-K14)**

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

**WARNING**

**Rx ONLY.** Administration of Carbon Dioxide USP may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide USP and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE.** Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F).

**READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.**

CAS 124-38-9

**FIRST AID**

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

**IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

**CONTENTS: LTRS: \_\_ CU.FT. \_\_**

**Norco**

1125 W. Amity Road  
Boise, ID 83705  
**208-336-1643**

**DO NOT REMOVE THIS PRODUCT LABEL**

**CARBON DIOXIDE  
USP  
UN2187**

**NON-FLAMMABLE GAS  
2**

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

**WARNING**  
**Rx ONLY.** Administration of Carbon Dioxide USP may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide USP and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE.** Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F).

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

**IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

**CONTENTS:**      **LTRS:**     **CU.FT.**

**Norco**      1125 W. Amity Road  
Boise, ID 83705  
**208-336-1643**

**READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.**  
CAS: 124-38-9

**DO NOT REMOVE THIS PRODUCT LABEL**

PRINTED BY: RICHMOND MILLS, INC. www.misorder.com

res

|                                             |
|---------------------------------------------|
| <b>CARBON DIOXIDE</b><br>carbon dioxide gas |
| <b>Product Information</b>                  |

|                                |                          |                           |               |
|--------------------------------|--------------------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN PRESCRIPTION DRUG  | <b>Item Code (Source)</b> | NDC:42602-006 |
| <b>Route of Administration</b> | RESPIRATORY (INHALATION) |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name                                                      | Basis of Strength | Strength      |
|----------------------------------------------------------------------|-------------------|---------------|
| CARBON DIOXIDE (UNII: 142M471B3J) (CARBON DIOXIDE - UNII:142M471B3J) | CARBON DIOXIDE    | 99 L in 100 L |

### Packaging

| # | Item Code        | Package Description                                      | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:42602-006-01 | 1380 L in 1 CYLINDER; Type 0: Not a Combination Product  | 09/01/2008           |                    |
| 2 | NDC:42602-006-02 | 920 L in 1 CYLINDER; Type 0: Not a Combination Product   | 09/01/2008           |                    |
| 3 | NDC:42602-006-03 | 4600 L in 1 CYLINDER; Type 0: Not a Combination Product  | 09/01/2008           |                    |
| 4 | NDC:42602-006-04 | 11500 L in 1 CYLINDER; Type 0: Not a Combination Product | 09/01/2008           |                    |
| 5 | NDC:42602-006-05 | 17250 L in 1 CYLINDER; Type 0: Not a Combination Product | 09/01/2008           |                    |
| 6 | NDC:42602-006-06 | 23000 L in 1 CYLINDER; Type 0: Not a Combination Product | 09/01/2008           |                    |
| 7 | NDC:42602-006-07 | 100936 L in 1 DEWAR; Type 0: Not a Combination Product   | 09/01/2008           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| NDA                | NDA205764                                | 09/01/2008           |                    |

**Labeler** - Norco, Inc (043694645)

**Registrant** - Norco, Inc (043694645)

### Establishment

| Name        | Address | ID/FEI    | Business Operations    |
|-------------|---------|-----------|------------------------|
| Norco, Inc. |         | 962460528 | manufacture(42602-006) |

### Establishment

| Name       | Address | ID/FEI    | Business Operations    |
|------------|---------|-----------|------------------------|
| Messer LLC |         | 020153345 | manufacture(42602-006) |

Revised: 12/2025

Norco, Inc